

August 2026 Price List

Pricebook / Specification Guide



Orders

Orders

Please send P.O.s to orders@amqsolutions.com.

Cancellations

Orders may be cancelled within 48 hours of order placement in writing via email to orders@amqsolutions.com. Please note that orders are not officially cancelled until a confirmation is sent via email from AMQ. Custom or made-to-order products are not eligible for cancellation.

Returns and Exchanges

We do not accept returns or exchanges on products; sales are final once acknowledgments are sent. If a product is ordered by mistake or other issue arises, contact us at orders@amqsolutions.com.

Change Orders

Orders may be changed within 48 hours of order placement. The request must be made via email to orders@amqsolutions.com. The change order is subject to approval and is not accepted until an AMQ acknowledgment is sent to the dealer. In the event that a change order is accepted, change fees may apply. Lead time starts on the day of approval of changes.

Pricing/Order Entry Errors

Claims for pricing or order entry errors must be made no later than 48 hours from receipt of an AMQ acknowledgment. After the 48 hour grace period, customers will be responsible for orders as they are acknowledged.

Please send emails to orders@amqsolutions.com along with your order acknowledgment number, line number with error and detail of the error.

Lead Times

Lead times vary by product - refer to our Lead Time table. Lead time begins the day after receipt of a clean P.O., including receipt of deposit if applicable. When your order is shipped, a tracking notification will be emailed to the contact specified on your purchase order.

Order Fulfillment

We make every attempt to ship all of our orders complete. In the event of a partial or split shipment, you will be notified and an estimated date will be provided for the backordered items. We cannot guarantee which warehouse the product will ship from.

Customer has 15 calendar days after delivery at the specified location to file a claim with AMQ for missing items or AMQ errors not obvious at the time of delivery. If AMQ determines missing items or error was made by AMQ, AMQ's sole obligation is to replace the missing items or correct error and ship at AMQ's expense. AMQ does not cover labor or trip charges. Customer waives right to file a claim if filed after 15 calendar days of receipt of shipment.

Warranties

Product warranties vary; refer to the Warranty sheet in Dealer Tools.

AMQ's obligation under this warranty is limited to replacing any product or part that it determines to be defective after inspection by its authorized representative, following receipt of written notice of the defect from the purchaser within the warranty period. This warranty shall apply to the original purchaser only, is non-transferable, and is not applicable outside the United States, Canada, and Mexico.

This warranty is based on normal installation and use of the product in an 8-hour shift. This warranty does not apply to:

- Damage in shipment caused by a carrier
- Defects caused by improper installation
- Products subject to improper use and conditions
- Customer modifications to the product
- Any product that has been modified, altered, tampered with or repaired by any person other than an authorized representative of AMQ
- Normal wear and tear

Labor charges and/or damage incurred in the installation, repair, or replacement of any products are excluded; AMQ will replace the product if the claim is approved.

Product Design

The right is reserved by AMQ to make changes in design and material, as well as discontinuance of parts and units when such action is deemed to be an improvement in design, function and/or construction.

Warranty Claims

Please email claims to cc@amqsolutions.com.

Lead Time	Product Category	Order Size
12 Day	3F	25 workstations ¹ or units within each category
	Accessories	
	Activ	
	Cluvo	
	Concur	
	Iline	
	Intro Worktools	
	Kinex	
	Seating (per product line)	
	Storage	
	Uptake	
	West Elm Work - Licensed Portfolio	
	Majority of Tektis	
	Majority of Embank	
20 Day	Brin	26-50 workstations ¹ or units
	Select Styles of Embank	
	• 3- and 4-High Laterals	
	• Credenzas w/ Kneespace	
	• D- and P-Shape Desks Tables	
	• Dual Towers	
	• Modesty Panel	
	• Conference and Social (X-Base) Tables	
	• Side Access Towers	
	• Square Legs	
	Select Styles of Tektis	
	• Tektis Frameless Glass	
	• Extended Curved Corner Worksurfaces	
	• 120" Worksurfaces	
25 Day	• Wall Channel and Horizontal Brace	>50 ² workstations ¹ or units
	LED Linear Shelf Light	
	Slatwall	
	West Elm Work Greenpoint	
	West Elm Work Brighton	
	West Elm Work Lucas	
	West Elm Work Mesa	
	West Elm Work Sterling	
	West Elm Work Slope (Made-to-Order)	

¹For purposes of defining order size, 25 "workstations" would include all components required to create a workstation and/or private office application - panels, beams, desks, screens, seating per product line, storage, electrical, accessories, etc.

²Larger orders may extend past 25 days depending on inventory availability.

Additional program notes:

- Products ordered from multiple manufacturing locations may be consolidated.
- Longest lead items drive delivery date for the complete order unless need by dates are included at the line level.
- Work with your Customer Care rep on any large order to receive the best available lead time.

Shipping

Will Call

AMQ offers Will Call upon request; please contact orders@amqsolutions.com for details.

Freight Terms

Freight is included in pricing for all \$1500+ Net Orders, and Seating- or Work Tools-only Orders regardless of Net, shipped within the 48 contiguous United States. For orders under \$1500 Net, a \$100 surcharge is added.

All shipments within the 48 contiguous United States, except those designated ports of disembarkation, will be shipped FCA Factory, freight prepaid and allowed regardless of weight. AMQ may select the most appropriate mode of shipment from the manufacturing point of its choice. Special shipping methods and/or handling (including customer requested split shipments) will be subject to an additional charge. Any special freight requirements must be requested prior to order placement and are subject to approval by AMQ. Please contact AMQ Customer Care team for details.

Freight – Canada/Hawaii/Alaska

For shipments to Canada, AMQ pricing only includes Transportation fees (dock to dock). Any other fees or costs associated with shipment, such as customs clearance and import duty/taxes shall be paid directly by the Customer. For shipments to Hawaii/Alaska, AMQ pricing does not include freight. Customer will be responsible for arranging and paying all shipping costs.

Commitment Delivery Option

AMQ offers 12 day delivery on 97% of our portfolio, when requested. Delivery times are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between the Customer and AMQ prior to shipment. There is an additional charge to guarantee delivery on a specific day. These charges will be quoted at Customer request.

Guaranteed Delivery Options

When placing your order, please be sure to specify which guaranteed delivery option you'd like to select. If you're choosing one of the timed delivery options, include the requested date and either a specific time or a two-hour window on your purchase order. We'll coordinate with our carrier to ensure delivery aligns with your requested timeframe.

Guaranteed - FTL/Partial (per trailer)	
Day Only	\$500
Day and Time (2 hour window)	\$625
Day and Specific Time	\$750
Saturday Delivery (not available for LTL)	\$250

LTL/FTL Detention Charges

To help our dealers avoid unexpected charges, please note the standard free time allowed for unloading shipments before detention fees may apply:

LTL (Less Than Truckload)	15 minutes
Partial Truckload	1 hour
FTL (Full Truckload)	2 hours

If unloading exceeds the allotted free time, detention charges may be incurred. These charges typically range from \$75 to \$125 per additional 30 minutes, depending on the carrier. We recommend planning ahead to ensure timely unloading and avoid additional fees.

Redelivery and Re-consignment of Freight

The Customer will be charged for redelivery or re-consignment of all orders (regardless of shipping terms agreed to) if redelivery or re-consignment was caused by a Customer change after the goods have left AMQ's dock.

Shipment Damage Claims

All shipments must be carefully inspected by Customer before acceptance. The Customer must record any damage or shortages noted at time of delivery on the Bill of Lading, and provide this information to AMQ immediately along with photos of any damage. AMQ will arrange inspection by the carrier. If Customer believes it has uncovered further damage after delivery they must take photos of the damage and immediately request inspection by the delivering carrier. Damaged freight must be kept at point of delivery in original packaging for inspection by carrier until further notice by AMQ. If carrier is designated by AMQ, then AMQ will seek recourse on behalf of the Customer. Freight Claims must be filed within 10 days of delivery date.

AMQ warrants to the original purchaser that the products it manufactures are free from defects in design, material and workmanship. Subject to the limitations below, AMQ warrants each product in this catalog to be free from material defects in materials and workmanship.

Title

Title and risk of loss or damage shall pass from AMQ to Customer/Dealer upon delivery to the carrier, including Steelcase trucks.

Submission of Claims

Please submit all order fulfillment, shipping, and warranty claims to cc@amqsolutions.com.

Order Processing

Please send purchase orders to orders@amqsolutions.com.

- Lead times start from the next day after receipt of clean P.O.
- P.O.s with missing information/finishes or incorrect pricing will be placed on order processing hold and the lead time will not start until the revised P.O. is sent to Customer Care (orders@amqsolutions.com).
- Please provide .sif file and AMQ quote number along with P.O., if applicable.
- Orders will be acknowledged within 24-48 hours with an AMQ acknowledgment number.
- Claims for quote errors, pricing, order entry errors and/or incorrect finishes must be made within 48 hours of receipt of acknowledgment. After 48 hours, AMQ will not be responsible for errors.
- P.O.s must include your Joey Coin # in order to obtain Joey points. Register at amqsolutions.com/joey and within 5 business days you'll receive your Joey Coin #.

Please be sure to check order acknowledgments to confirm accuracy of products, fabrics and finishes against your purchase order.

Canadian prices are calculated at a fixed rate; currently, 1.00 USD = 1.20 CAD, rounded up to the nearest dollar.

Payments & Deposits

Terms of payment will be established based on the credit rating and credit information provided by and for specific customers. Orders are invoiced at the time of shipment or will call date. Standard payment terms are net 30 days.

	Orders Under 50,000 Net	Orders Over 50,000 Net
Deposit	No Deposit Required*	50% Deposit Due Upon Order ¹
Balance Due	Net 30	Net 30

*First order with new dealership requires 50% deposit.


**First order with new dealership on pre-paid terms requires 100% deposit.

¹Exclusions may apply, see discount sheet.

Table of Contents

Furniture	17
Seating	413
Resources	503
Furniture Finishes	504
Seating Finishes	506
Style Number Index	508

Worksurfaces



AMQ worksurfaces are low pressure laminate (LPL).

Available in linear, 90° and 120° degree shapes in thirteen colors: Acacia, Arctic White, Ash Wenge, Clay Noce, Clay Wenge, Clear Maple, Clear Oak, Clear Walnut, Graphite Walnut, Milk White, Natural Cherry, Seagull, and Virginia Walnut.

Specifications


LPL (low pressure laminate)

1 inch/25mm thick


3mm PVC on four sides

Linear, 120, extended corner


Our linear worksurfaces come in 48", 54", 60", 66" and 72" widths at 23", 24", 29", or 30" depths. Plus 46", 52", 58", 64" & 70" widths at 23", 24", 29", or 30" depths.




72" width




Worksurfaces are 1" thick with 3mm PVC on 4 sides.




66" width




120° worksurfaces also available for ACTIV height adjustable base.



60" width




54" width



48" width

Modesty & Insert Panels



Kinex End Panel

End Panel for 24" and 30" DR applications.
Available in Platinum and White.


Workstation Design Guidelines & Requirements

Overview

Designed for movement with dynamic seating, adjustable work tools and height-adjustable desks are important for today's office workers.

To determine the best height-adjustable solution, consider these four criteria:

1. Adjustability needed: What is the height range requirement? (seated or sit-to-stand)
2. Worksurface size needed: What does the physical space look like? (worksurface configuration)
3. Equipment/tools used: What type of computer equipment and other work tools are being used on the worksurface? (Load capacity)
4. Use: What is the height adjustable desk being used for (individual or shared, touchdown space or full workstation, sit-to-stand or seat-



WARNING

Risk of Serious Injury. If not used as intended, moving worksurfaces can pinch or injure people, or damage property. Always follow these Instructions:

1. Keep height-adjustment range free from obstructions above and below the worksurface.
2. Plan for a minimum 1" gap against a panel or wall.
3. Plan for a minimum 1" gap to adjacent furniture.

Tips

Obstructions

Moving worksurfaces can collide with other objects. Do not install overhead storage, stationary pedestals or components in the path of height-adjustable desks.

Weight

The maximum allowable load (varies by height-adjustable desk) should be evenly distributed and must not be exceeded.

Width

Specify a minimum 1" gap to adjacent furniture. This eliminates any pinch points between a height-adjustable desk and a fixed object.

Depth

When placing a height-adjustable desk against a panel or wall specify the worksurface depth shorter to provide a minimum 1" gap. This eliminates pinch points and adds clearances for cable access.


Managing Technology

Design workstations with computer equipment in mind so that the height-adjustment range of the height-adjustable desk is not impeded because of cables. Consider the addition of a cable riser, cable basket, or cableway to help harness these wires and cables.

Power

Plan easy and unobstructed access to electrical outlets for computer equipment and height-adjustable desks (when applicable).

AMQ Specification Guide



WARNING

Risk of serious injury.

Bases-only warranty limitations and potential for injury:
The use of worksurfaces that do not comply with the AMQ defined criteria and limitations could cause personal injury or property damage due to pinch points, instability, or other problems, and voids all AMQ Warranties, expressed or implied.

The use of worksurfaces that do not comply with AMQ criteria voids any AMQ claims of compliance with ANSI/BIFMA, UL, LEED, or other applicable requirements. The use of non-AMQ worksurfaces on AMQ height adjustable bases may not be accepted as compliant to municipal electrical codes or OSHA federal workplace standards, because this use does not create an NRTL (UL, ETL, etc.) listed product. AMQ is not responsible for the ultimate determinations of compliance for height-adjustable bases with non-AMQ worksurface, and assumes no liability for their compliance with standards when height adjustable bases are used without a AMQ worksurface as intended.

Worksurface Criteria and Limitations

The use of non-AMQ worksurfaces is not recommended. Any use of a non-AMQ worksurface requires additional investigation by the customer regarding the appropriateness for use. It is the sole responsibility of the customer to determine the suitability and safety of the selected worksurface construction and attachment means. The following information is provided as a guideline, but does not address all potential issues. Customers should seek professional guidance as to the appropriateness of their chosen worksurface.

Tips

- Height-adjustable bases include fasteners intended for use with AMQ worksurfaces. These fasteners may be suitable for worksurfaces meeting the following criteria:
Medium-density or higher particleboard or berboard cores, with High- or Low-Pressure Laminates and backers.
- Thickness of 1" or greater.
- Fasteners located a minimum distance of 1" from any edge.

Electrical — General

We use the USA-based company Byrne Electrical for all our power and data.

The Byrne 8-Trac System and Phase 3 are UL recognized as an Office Furnishing Accessory (UL 1286), and are UL Listed as a Manufactured Wiring System (UL 183) in full compliance with electrical specifications found in the National Electrical Code (NEC). It also complies with municipal standards such as New York, Los Angeles and San Francisco.

To learn more about Byrne, visit their website at www.byrne-electrical.com



Electrical — 3 Circuit/5 Wire

The Byrne Phase 3 System is similar to 8-trac system except is a double sided 3-Circuit/5-Wire system. It Includes flexible mesh conduit jumpers (UL1286 only). Also offers multiple circuit configurations selected by the receptacles.

Specifications

UL183 Listed and UL 1286 Recognized in full compliance with National Electric Code (NEC)

3-Phase System


Modular Receptacles

Flexible mesh conduit jumpers (UL1286 only)

Multiple Circuit configurations selected by receptacles

Double-sided system

Wire Diagram for 3 Keying



Electrical — 4 Circuit/8 Wire


BYRNE 8-TRAC SYSTEM

The Byrne 8-Trac System is rated for 15 amps allowing the use of 4 circuits with 4 line conductors, 2 neutrals and 2 grounds. Under NEC requirements, up to 13 duplex receptacles maybe used per circuit, with a total of 52 available receptacles if all circuits are used, per single power entry. The line conductors are 12 AWG, and share 12 AWG ground and a 10 AWG neutral. The fourth circuit is isolated and dedicated, and is serviced by its own line conductor, neutral and isolated ground. The Byrne System can be wired in both single and 3-phase configurations, 240/120V, 208/120V respectively. Additionally, a 3 hot, 3 general, 2 ground (3-3-2) wiring system is available.


The System accommodates panel applications of 2" to 3½" thick harnesses available from 12" to 1800" in length.

Assemblies are 100% electrically tested to ensure the highest quality and reliability.


3+1




Four-circuit, 3 + 1 Receptacle Option



2+2 special order



Four-circuit, 2 + 2 Receptacle Option



General — Unique Electrical Codes

The primary electrical code used in the United States is the National Electrical Code (NEC) (NFPA70). While most states and cities use the NEC as is, some have created their own electrical code using the NEC as the basis for the requirements. There are 3 cities that have unique requirements that directly affect office furnishings installations:

New York, Chicago, and San Francisco. These unique requirements are detailed below.

Chicago

Chicago has their own electrical code based on the NEC.

Chicago does not allow the use of any modular systems. All electrical must be hardwired by a licensed electrician.

The specific wording of the 2009 Chicago Electrical Code is as follows:

18-27-605.2. General. Wiring in and on office partitions shall conform to all applicable chapter provisions. Relocatable wired partitions are not considered portable and, as such, plug and jack connections are not acceptable. All wiring is to be contained in listed and labeled electrical raceways and outlet boxes.

(a) Use. Wired relocatable office partitions shall be installed and used only as provided for by this Article. The biggest ambiguity is what product types will require TR receptacle for code compliance applications. For example, the NEC TR code dwelling requirements specify "appliances" as exempt from the scope of TR receptacles. Relocatable Power Taps are often grouped into this category.

Hardwire accessories can be used in Chicago if they have a metallic enclosure. This includes Mho, Assemble, Axil, Glenbeigh, and Wonderbar product lines. These hardwire units can be provided as a Chicago version which includes 15" of conduit and a 4X4 junction box.

New York City

- Allows the use of Office Furnishings Systems (as permitted by Article 605 of the NEC) but requires that licensed electricians install the electrical components into the furniture.
- Does not allow the use of any non-metallic liquid tight conduit.
- Metallic liquid tight conduit can only be 18" long.
- Flexible metal conduit used on infeeds can only be 6' long.
- Does not allow Manufactured Wiring Systems in furniture.

As of 2009, New York City allows the use of Relocatable Power Taps in office environments.

The New York Electric Code exception of Article 604 for Manufactured Wiring Systems includes Article 604(3) Such wiring may only be used for general lighting circuits above the hung ceiling line.

Until now, this statement was interpreted as lighting circuits must be above the ceiling, while other Manufactured Wiring Systems can be used below the ceiling line.

The new official interpretation requested by BIFMA indicates Manufactured Wiring Systems can only be used for lighting and must be above the ceiling. This applies to Byrne 8-Trac, Byrne 4-Trac and Byrne Phase 3 product lines. This interpretation has not been published on the official NYC Codes site even though more recent interpretations have been. BIFMA continues to work on a resolution to this issue.

San Francisco

San Francisco uses the California Electrical Code which in turn uses the NEC. San Francisco has additional / revised requirements that are called out as an addendum to the code. San Francisco does not allow the use of non-metallic liquid tight conduit and only metallic liquid tight conduit is permitted.

ARTICLE 356 – LIQUIDTIGHT FLEXIBLE NONMETALLIC CONDUIT: TYPE LFNC

- 356.10 Revise the first sentence of this section as follows:
 356.10 Uses Permitted.

LFNC shall be permitted to be used in exposed or concealed locations for systems not exceeding 50 volts for the following purposes:

356.12 Uses Not Permitted

356.12 Revise item 4 of this section as follows:

(4) Where the operating voltage of the contained conductors is in excess of 50 volts, nominal, except as permitted in 600.32(A).


AMQ Furniture

KINEX	19
ILINE	33
Power & Data	47
ACTIV PRO 2.0	55
CLUVO	77
CONCUR	87
3F	95
REVI	119
S-SERIES	127
Work Tools	137
TEKTIS	173
EMBANK	287
UPTAKE Lockers	381
West Elm Furniture	403

Understanding	20
Specifying	28


Statement of Line

Bases




1 Stage/Fixed,
2 Stage/dual motor,
3 Stage/dual motor

Beams




48", 54, 60", 66 and 72"
single and double run

Crossbeams




24" and 30"D

Feet




22" and 28" feet
single run applications only

Worksurfaces




Linear


Privacy Screens & Panels



3F Screens




Screen Mounting Clip




End Panel


Accessories




Standard Hand Set




Pre-set Hand Set
Upgrade



Soft Cable Management




Eco Power Box




Boost Power Box

Typical Configurations


A full gallery of typicals is available on our web site.
Each typical includes CET file, specifications, rendering and 2D layout.




Kinex Benching 3-Stage Single Run



Kinex Benching 2-Stage Double Run




Kinex Benching 3-Stage
Double Run 4 pack
with end panel




Kinex Benching 1 Stage
Single Run 3 pack

Electrical


Kinex Benching uses Iline beam technology to distribute power, with either 3 circuit/5 wire or 4 circuit/8 wire electrical.






Electrical


4 Circuit/8 Wire Specification




3 Circuit/5 Wire Specification



Jumpers — 4 Circuit/8 Wire and 3 Circuit/5 Wire



KINEX Desks



Tip: Base supports a maximum distributed weight capacity of 265 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: Actual depths are 23" and 29".

Tip: End panel(s) are not available on single-run application.

Tip: Fixed height does not have a hand set option or a power cord.

Standard Includes

- Fixed or adjustable base:
 - Black
 - Platinum
 - White
- Power beam for single and double run application: includes two data faceplates, two bottom caps, six plastic front covers, two plastic side covers, and one bridge connector
- Crossbeam for double run application: includes two double run plastic side covers
- Benching set of two feet for single run application
- Power cord: 9'
- Attachment hardware
- Laminate worksurface

Required to Specify

- 1 Style number
 - 2 Laminate color number for worksurface
 - 3 Paint color number for base
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 504.

Options	U.S. Price	Required to Specify
End Panel	• One end panel 24"D +\$257 • One end panel 30"D +\$284 • Two end panels 24"D +\$514 • Two end panels 30"D +\$568	Specify with one end panel 24"D. Specify with one end panel 30"D. Specify with two end panels 24"D. Specify with two end panels 30"D.
Hand Set	• Standard No cost • 4 pre-set—single run +\$107 • 4 pre-set—double run +\$214	Specify with standard hand set. Specify with 4 pre-set single run hand set. Specify with 4 pre-set double run hand set.

Specification Information

Style Number	Dimensions Depth	U.S. Base Prices Width				
		48"W	54"W	60"W	66"W	72"W

KINEX Fixed Desk — Single Run

KINXBENCH	24"	\$1511	\$1560	\$1603	\$1659	\$1709
	30"	\$1584	\$1632	\$1652	\$1725	\$1766

KINEX 2 Stage Desk — Single Run

KINXBENCH	24"	\$2572	\$2621	\$2664	\$2720	\$2770
	30"	\$2645	\$2693	\$2713	\$2786	\$2827

KINEX 3 Stage Desk — Single Run

KINXBENCH	24"	\$2729	\$2778	\$2821	\$2877	\$2927
	30"	\$2802	\$2850	\$2870	\$2943	\$2984

KINEX Fixed Desk — Double Run

KINXBENCH	24"	\$2780	\$2872	\$2952	\$3048	\$3143
	30"	\$2916	\$3006	\$3041	\$3171	\$3247

KINEX 2 Stage Desk — Double Run


KINXBENCH	24"	\$4902	\$4994	\$5074	\$5170	\$5265
	30"	\$5038	\$5128	\$5162	\$5292	\$5369

KINEX 3 Stage Desk — Double Run

KINXBENCH	24"	\$5216	\$5308	\$5388	\$5484	\$5579
	30"	\$5352	\$5442	\$5476	\$5606	\$5683



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.



Tip: Base supports a maximum distributed weight capacity of 265 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: Fixed height does not have a hand set option or a power cord.

Standard Includes

- Fixed or adjustable base:
 - Black
 - Platinum
 - White
- Power beam for single and double run application: includes two data faceplates, two bottom caps, six plastic front covers, two plastic side covers, and one bridge connector
- Crossbeam for double run application: includes two double run plastic side covers
- Benching set of two feet for single run application
- Power cord: 9'
- Attachment hardware

Required to Specify

- 1 Style number
 - 2 Paint color number for base
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

Options	U.S. Price	Required to Specify
Hand Set		
• Standard	No cost	Specify with standard hand set.
• 4 pre-set—single run	+\$107	Specify with 4 pre-set single run hand set.
• 4 pre-set—double run	+\$214	Specify with 4 pre-set double run hand set.

Specification Information

• Style Number	• Dimensions Depth	• U.S. Base Prices				
		Width				
		48"W	54"W	60"W	66"W	72"W

KINEX Fixed Base — Single Run

KINXBASE	24"	\$1184	\$1190	\$1196	\$1212	\$1217
	30"	\$1199	\$1205	\$1211	\$1227	\$1232

KINEX 2 Stage Base — Single Run

KINXBASE	24"	\$2245	\$2251	\$2257	\$2273	\$2278
	30"	\$2260	\$2266	\$2272	\$2288	\$2293

KINEX 3 Stage Base — Single Run

KINXBASE	24"	\$2402	\$2408	\$2414	\$2430	\$2435
	30"	\$2417	\$2423	\$2429	\$2445	\$2450

KINEX Fixed Base — Double Run

KINXBASE	24"	\$2126	\$2132	\$2138	\$2154	\$2159
	30"	\$2146	\$2152	\$2158	\$2174	\$2179

KINEX 2 Stage Base — Double Run

KINXBASE	24"	\$4249	\$4255	\$4261	\$4277	\$4282
	30"	\$4269	\$4275	\$4281	\$4297	\$4302


KINEX 3 Stage Base — Double Run

KINXBASE	24"	\$4562	\$4568	\$4574	\$4590	\$4595
	30"	\$4582	\$4588	\$4594	\$4610	\$4615



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

KINEX Worksurface



Standard Includes	Required to Specify
Laminate worksurface	1 Style number 2 Laminate color number for worksurface

Specification Information						
• Style Number	• Dimensions Depth	• U.S. Prices				
		Width				
		48"W	54"W	60"W	66"W	72"W
KINXWORKSURFACE	24"	\$327	\$370	\$407	\$447	\$492
	30"	\$385	\$427	\$441	\$498	\$534


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.



Standard Includes	Required to Specify
• End panel: paint • Attachment hardware	1 Style number 2 Paint color number for end panel ► See <i>Surface Materials</i>, page 504.

Specification Information		
• Style • Number	• Depth	• U.S. • Price
KINXENDPANEL	24"	\$257
	30"	\$284
•	•	•



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

KINEX Accessories

KINEX Feet

Tip: For single run application only.

Standard Includes		Required to Specify
• Set of two feet: paint		1 Style number 2 Paint color number for feet ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• Depth	• U.S. Price
KINXFEET	24"	\$121
	30"	\$136

KINEX Cross Beam

Standard Includes		Required to Specify
• Cross beam: paint		1 Style number 2 Paint color number for beam ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• Depth	• U.S. Price
KINXCROSSBEAM	24"	\$251
	30"	\$271

KINEX Beam

Standard Includes		Required to Specify	
• Beam: paint		1 Style number 2 Paint color number for beam 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.	

Options	U.S. Price	Required to Specify
Run		
• Double run	No cost	Specify <i>with double run</i> .
• Single run	No cost	Specify <i>with single run</i> .


Specification Information						
• Style Number	• U.S. Prices					
	• Width					
	48"W	54"W	60"W	66"W	72"W	
KINXBEAM	\$251	\$257	\$263	\$279	\$284	

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.


© 2011 Blackwell Publishing Ltd *Journal of Internal Medicine* 270: 251–260

Statement of Line


Frames



Worksurfaces



Privacy Screens & Panels




Accessories




Typical Configurations


A full gallery of typicals is available on our web site.
Each typical includes CET file, specifications, rendering and 2D layout.




Iline Two Pack with
center privacy screen




Iline Four Pack




Iline Four Pack Double Run



Iline Three Pack



Iline Two Pack Single Run





Iline Six Pack

Electrical

iLINE beam technology distributes electrical with either 3 circuit/5 wire or 4 circuit/8 wire.

Iline power/data beam







Electrical

Examples of how to specify ILINE in 3 different configurations.


4 Circuit/8 Wire






Please Note Only two duplexes per user, as shown.



Line 2 duplex receptacles
used in each station to be
compliant with California
Title 24.




3 Circuit/5 Wire




Iline power/data beam

Electrical


Jumpers (4 Circuit/8 Wire)



Jumpers (3 Circuit/5 Wire)



ILINE Beam




Standard Includes	Required to Specify
• Two beam plates: paint • Two bridge connectors • Two receptacle covers • Two data adapters with data faceplates and hardware	1 Style number 2 Paint color number for plates ▶ See <i>Surface Materials</i>, page 504.

Specification Information			
• Style Number	• U.S. Prices		
	Width		
	48"W	60"W	72"W
ILNEBEAM	\$496	\$562	\$632



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.



Standard Includes	Required to Specify
• Post, post top cap, and base plate: paint • Three side covers: plastic • Glides • Hardware	1 Style number 2 Paint color number for plates 3 Plastic color number for covers ▶ See <i>Surface Materials</i>, page 504.

Specification Information		
• Style Number	• U.S. Prices	
•	•	•
•	90°/180°	120°
•		
ILNEPOST	\$372	\$387
•	•	•
•	•	•



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

ILINE Base Kits



Standard Includes	Required to Specify
• Base plate and hardware: paint	1 Style number 2 Paint color number for plates ▶ See <i>Surface Materials</i>, page 504.

Specification Information	
• Style Number	• U.S. Price
End Foot — Single Run	
ILNEBASE	\$ 96
End Foot — Double Run	
ILNEBASE	\$115
Center Foot — Single Run	
ILNEBASE	\$108
Center Foot — Double Run	
ILNEBASE	\$136



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Power & Data

Specifying	48

Power & Data

ILINE Power Pole



Standard Includes		Required to Specify
Power pole: paint		1 Style number 2 Paint color number for pole ► See <i>Surface Materials</i> , page 504.
Specification Information		
Style Number	U.S. Price	
ILNEPOWERPOLE	\$562	

KINEX Power Pole



Standard Includes		Required to Specify	
- Power pole: paint - Attachment hardware		1 Style number 2 Paint color number for pole 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.	
Run	Options	U.S. Price	Required to Specify
	- Double run - Single run	No cost No cost	Specify <i>with double run</i> . Specify <i>with single run</i> .
Specification Information			
Style Number	U.S. Price		
KINXPOWERPOLE	\$591		



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See Page 4 for details.

Power Entry



Tip: Used on both ILINE and KINEX desks and bases.

Standard Includes		Required to Specify
• Power entry		Style number
Specification Information		
Style Number	U.S. Price	
3-Circuit — Base Feed		
PWREENTRY	\$293	
3-Circuit — Ceiling Power Pole		
PWREENTRY	\$348	
3-Circuit — New York City Base Feed		
PWREENTRY	\$391	
3-Circuit — San Francisco Base Feed		
PWREENTRY	\$385	
4-Circuit — Base Feed		
PWREENTRY	\$391	
4-Circuit — Ceiling Power Pole		
PWREENTRY	\$427	
4-Circuit — New York City Base Feed		
PWREENTRY	\$470	
4-Circuit — San Francisco Base Feed		
PWREENTRY	\$492	



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Corded Power Entry Base Feed




Tip: Used on both ILINE and KINEX desks and bases.

Tip: Softwire base feeds should only be specified with line-1 duplexes.

Tip: Softwire base feeds are only recommended for applications that require limited power capacity (showrooms, demos, or touchdown workstations).


Standard Includes		Required to Specify
• Power entry		Style number
Specification Information		
Style Number	U.S. Price	
72" 3-Circuit		
X-E3-BF-CD72	\$282	
72" 4-Circuit		
X-E4-BF-CD72	\$231	

KINEX Double Sided Double Junction Block



Standard Includes		Required to Specify
• Double sided double junction block • Two junction block brackets		Style number
Specification Information		
Style Number	U.S. Price	
3-Circuit		
KINXDBLJUNCTIONBLK	\$164	
4-Circuit		
KINXDBLJUNCTIONBLK	\$214	


KINEX Double Sided Single Junction Block



 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.


Standard Includes		Required to Specify
• Double sided single junction block • Junction block bracket		Style number
Specification Information		
Style Number	U.S. Price	
KINXSGLJUNCTIONBLK	\$200	

ILINE Double Sided Junction Block



Standard Includes		Required to Specify
• Double sided junction block		Style number
Specification Information		
Style Number	U.S. Price	
3-Circuit		
PWRJUNCTIONBLK	\$157	
4-Circuit		
PWRJUNCTIONBLK	\$204	


ILINE Chicago Power Box



Standard Includes		Required to Specify
• Power supply: paint		1 Style number 2 Paint color number for frame ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
Style Number	U.S. Price	
ILNECHIPWR	\$361	

Power & Data


KINEX Chicago Power Box



Standard Includes		Required to Specify
• Power supply: paint		1 Style number 2 Paint color number for box ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
Style Number	U.S. Price	
KINXCHIPWR	\$379	


 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

KINEX Power C Receptacle



Standard Includes		Required to Specify	
Power supply: plastic		1 Style number 2 Plastic color number for receptacle 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.	
	Options	U.S. Price	Required to Specify
Circuit	• 3-circuit	No cost	Specify with 3-circuit.
	• 4-circuit	No cost	Specify with 4-circuit.
Power Schematics	• Line 1	No cost	Specify with line 1.
	• Line 2	No cost	Specify with line 2.
	• Line 3	No cost	Specify with line 3.
	• Line 4	No cost	Specify with line 4.
Specification Information			
Style Number	U.S. Price		
PWRCRECEPTACLE	\$43		

ILINE G-Power Receptacle



Standard Includes		Required to Specify	
Receptacle: plastic		1 Style number 2 Plastic color number for receptacle 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.	
	Options	U.S. Price	Required to Specify
Circuit	• 3-circuit	No cost	Specify with 3-circuit.
	• 4-circuit	No cost	Specify with 4-circuit.
Power Schematics	• Line 1	No cost	Specify with line 1.
	• Line 2	No cost	Specify with line 2.
	• Line 3	No cost	Specify with line 3.
	• Line 4	No cost	Specify with line 4.
Specification Information			
Style Number	U.S. Price		
PWGRRECEPTACLE	\$41		



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See Page 4 for details.

Adjustable Jumper Adapter



Tip: Used on both ILINE and KINEX desks and bases.

Standard Includes				Required to Specify			
• Adjustable jumper				Style number			
Specification Information							
Style Number	• U.S. Prices						
	36"W	42"W	48"W	54"W	60"W	66"W	72"W
3-Circuit							
PWRJUMPER	\$121	\$128	\$136	\$142	\$148	\$157	\$171
4-Circuit							
PWRJUMPER	\$178	\$185	\$206	\$214	\$228	\$235	\$257

3-Circuit Y Connector



Tip: Used on both ILINE and KINEX desks and bases.

Standard Includes		Required to Specify	
• Power connector		Style number	
Specification Information			
Style Number	U.S. Price		
X-E3-YC	\$43		

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

ACTIVE PRO 2.0

ACTIV PRO 2.0 Height-Adjustable Desks and Bases

ACTIV PRO 2.0 supports wellbeing at work by allowing users to move between seated and standing postures throughout the workday.
► Specifying, page 66

Telescoping frame adjusts to fit any worksurface width from 44"W–72"W.

The 2-stage desk adjusts from 27"H–46.7"H.

Desk has a wood core with a Low-Pressure Laminate worksurface and is 1" thick.

Internal motors with electronic synchronization drive.

Leveling glides adjust ½" to install desk on uneven floors.

ACTIV PRO 2.0 desks are available in 90 degree and 120 degree 3-leg configurations.

Bases support a maximum distributed weight capacity of 225 pounds (2-stage) and 250 pounds (3-stage).
Tip: When calculating lifting capacity, subtract weight of the worksurface.

Push button with four programmable settings adjusts from 1⅞" inches per second.

Edge is available in 3 mm edge profile.

The 3-stage desk adjusts from 22.6"H–48.7"H.

ACTIV PRO 2.0 offers both T- and C-leg configuration for the rectangle desk.


The 3-leg desks have a height range of 22.6"–48.7".

The 3-leg corner desks are available in T-leg configurations.

Product Details


Low-Pressure Laminate

Front (user's) edge profile is available in 3 mm edge profile.




PVC-free, 3 mm edge profiles with matching 1 mm side and back edges are also PVC-free. ▶ See *Surface Materials* in this book for specific PVC-free availability, page 503.

Edge profile finishes always match laminate finishes.




Square corners are standard and have 90° corners on all four sides.


Overhang is available. The maximum overhang available as a standard option is 15"W.




T-leg configuration is available on ACTIV PRO 2.0 in 23"/24" and 29"/30" depth worksurface options. Corner desks are available in a T-leg configuration.



C-leg configuration is available on ACTIV PRO 2.0 in 23"/24" and 29"/30" depth worksurface options.




ACTIV PRO 2.0 3-stage desk adjusts from 22³/₅"H–48⁷/₁₀"H, while the 2-stage desk adjusts from 27"H–46⁷/₁₀"H in any increment.



4 pre-set programmable controller allows users to set the seated and standing height positions or pre-set heights for multiple users. When activated, the digital display will show the height of desk.

Obstruction sensing technology is standard with all ACTIV PRO 2.0 desks. The worksurface will backtrack when it makes contact with an object.

Casters are available as an option on ACTIV PRO 2.0. The front two casters lock while the back two casters do not.



Rectangle and 3-leg corner desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.

Wiring and Cabling


Electric motor with whisper quiet operation adjusts at 1³/₁₀" per second. Motor is 24V DC and includes a 9' power cord. Motor for 2-leg and 3-leg desks have a 0.2W standby power.

ACTIV PRO 2.0 desks and bases are listed by ETL.

▶ See page 60

Power and data strips are field-installed on worksurface. Specify appropriate attachment bracket depending on application.

▶ See page 137 for *Work Tools*.



Cable management includes a simple wire tray that screws to the worksurface to help manage desk cables.

The corner desks come standard with two simple wire trays to manage cables.

Surface Materials

Low-Pressure Laminate Desk

24L0	Graphite Walnut
25L5	Virginia Walnut
25L8	Clear Walnut
26L1	Natural Cherry
2L09	Clear Maple
2L30	Arctic White
2L83	Seagull
2L84	Milk White
2LAW	Ash Wenge
2LCN	Clay Noce
2LCW	Clay Wenge
2LAK	Clear Oak
2LAT	Acacia

3 mm edge profile


• Plastic

Height-adjustable base


F1	Platinum
F2	White
F3	Black
F4	Merle

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.




Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.




21"H pedestal

On extended height desks, any storage higher than 18 $\frac{3}{4}$ " will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies are not allowed on 23"D or smaller than 46"W height-adjustable desks. They do not meet minimum safety requirements.



Steelcase keyboard assemblies can be installed on 29"/30"D ACTIV PRO 2.0. Specify with an 11" track.

⚠ WARNING

Read base only warranty limitations.

Installation

Height-adjustable base requires attachment to the worksurface.


Base supports a maximum of distributed weight capacity of 225 pounds (2-stage) and 250 pounds (3-stage).

ACTIV PRO 2.0 2-Stage




Activ sit-to-stand desk

Worksurface Sizes



minimum



maximum

ACTIV PRO 2.0 2-Stage Specifications


Handset	Push button with 4 programmable settings
Safety	Obstruction detection technology
Foot Length in Inches	23.5" foot for 23"D and 24"D tops. 28.5" foot for 29"D and 30"D tops.
Legs	2 stage, available with T or C Leg
Leg Diameter	2.75" x 2.75"
Height Range (excluding top)	26"–45.7"
Height Range (including top)	27"–46.7"
Frame Width Expansion	width extendable 44"–72" in 1mm increments
Worksurface Widths	46", 48", 52", 54", 58", 60", 64", 66", 70" and 72"
Worksurface Depths	23", 24", 29", and 30"
Max Lifting Capacity	225 lbs
Base Weight Without Top	66 lbs
Gauge of Steel	2mm for inner tube and 1.5mm for outer tube
Speed	33mm/s
Standby Consumption	.2W
ACTIV PRO 2.0e Consumption	Max 350W and Max 5A
Decibel Rating	50db≤
Total Stroke	500 mm
Power Cord	9' cord length with standard NEMA 3 prong plug
Finishes	Platinum, White, Black and Merle
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor

ACTIV PRO 2.0 3-Stage




Activ sit-to-stand desk

Worksurface Sizes



minimum



maximum

ACTIV PRO 2.0 3-Stage Specifications


Handset	Push button with 4 programmable settings
Safety	Obstruction detection technology
Foot Length in Inches	23.5" foot for 23"D and 24"D tops. 28.5" foot for 29"D and 30"D tops.
Legs	3 stage, available with T or C Leg
Leg Diameter	2.75" x 2.75"
Height Range (excluding top)	21.6"–47.7"
Height Range (including top)	22.6"–48.7"
Frame Width Expansion	width extendable 44"–72" in 1mm increments
Worksurface Widths	46", 48", 52", 54", 58", 60", 64", 66", 70" and 72"
Worksurface Depths	23", 24", 29", and 30"
Max Lifting Capacity	250 lbs
Base Weight Without Top	72 lbs
Gauge of Steel	2mm
Speed	38mm/s
Standby Consumption	.2W
ACTIV PRO 2.0e Consumption	Max 350W and Max 5A
Decibel Rating	50db≤
Total Stroke	650 mm
Power Cord	9' cord length with standard NEMA 3 prong plug
Finishes	Platinum, White, Black and Merle
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor

Activ Pro 2.0 90 and 120 Degree Corner Desks


Activ sit-to-stand desk




Worksurface Sizes



90° — minimum



90° — maximum



120°

Activ Pro 2.0 90 and 120 Degree Specifications

Handset	Push button with 4 programmable settings
Safety	Anti-collision
Foot Length in Inches	23.5" and 27.5" available for 23/24" and 29/30" deep worksurfaces
Leg Stage	3 stage
Leg Diameter	2.75" x 2.75"
Height Range (excluding top)	21.6" - 47.7"
Height Range (including top)	22.6" - 48.7"
Frame Width Expansion	120°: 470mm / 90°: 500mm
Worksurface Widths	48", 52", 54", 58", 60", 64", 66", 70", and 72"
Worksurface Depths	23", 24", 29", and 30"
Return width	23", 24", 29", 30", 35", 36", 41", 42", 47", and 48"
Max Lifting Capacity	300 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm
Base Weight Without Top	113 lbs
Speed	38mm/s
Standby Consumption	0.2W
Active Consumption	Max 500W and Max 13.5A
Decibel Rating	50db≤
Total Stroke	650 mm
Power Cord	9' cord length with standard NEMA 3 prong plug
Finishes	Platinum, White, Black and Merle
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor

ACTIV Pro 2.0 2 Stage Desk



Tip: Illustration above shows desk with T-legs.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

Tip: Widths 66" and wider will automatically include a reinforcement channel to be installed underneath the worksurface.

Standard Includes	Required to Specify
- Electric height-adjustable base: – Black – Merle – Platinum – White - Cable management tray - Laminate worksurface - Power cord: 9' 4-preset switch 1/2" glide adjustment - Attachment hardware	- Style number - Low-Pressure Laminate color number for worksurface - Paint color number for base - Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

	Options	U.S. Price	Required to Specify
Leg Type	• C-leg	No cost	Specify with C-leg.
	• T-leg	No cost	Specify with T-leg.
Casters or Glides	• Glides	No cost	Specify with glides.
	• Casters	+\$191	Specify with casters.


Specification Information											
Style Number	Dimensions Depth	U.S. Base Prices									
		Width									
		46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W
APS2	23" or 24"	\$1307	\$1319	\$1346	\$1358	\$1385	\$1398	\$1425	\$1437	\$1464	\$1477
	29" or 30"	\$1350	\$1361	\$1389	\$1401	\$1429	\$1440	\$1468	\$1480	\$1508	\$1519



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

ACTIV Pro 2.0 3 Stage Desk

ACTIV Pro 2.0
3 Stage Desk



Tip: Illustration above shows desk with T-legs.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

Tip: 3 stage base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: Widths 66" and wider will automatically include a reinforcement channel to be installed underneath the worksurface.

Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- Cable management tray
- Laminate worksurface
- Power cord: 9'
- 4-preset switch
- 1/2" glide adjustment
- Attachment hardware

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate color number for worksurface
 - 3 Paint color number for base
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Leg	• C-leg	No cost	Specify <i>with C-leg</i> .
	• T-leg	No cost	Specify <i>with T-leg</i> .
Casters or Glides	• Glides	No cost	Specify <i>with glides</i> .
	• Casters	+\$191	Specify <i>with casters</i> .

Specification Information


•Style Number	•Dimensions Depth	•U.S. Base Prices Width									
		46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W
APS3	23" or 24"	\$1442	\$1455	\$1482	\$1494	\$1522	\$1534	\$1561	\$1574	\$1601	\$1613
	29" or 30"	\$1485	\$1498	\$1525	\$1537	\$1564	\$1577	\$1604	\$1616	\$1643	\$1656

ACTIV PRO 2.0



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

ACTIV Pro 2.0 2 Stage Base



Tip: Illustration above shows desk with T-legs.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

Tip: Widths 66" and wider will automatically include a reinforcement channel to be installed underneath the worksurface.

Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- Cable management tray
- 4-preset switch
- Power cord: 9'
- 1/2" glide adjustment
- Attachment hardware
- Reinforcement channel (for widths 66" and wider)

Required to Specify

- 1 Style number
 - 2 Paint color number for base
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Leg	• C-leg • T-leg	No cost No cost	Specify with C-leg. Specify with T-leg.
Casters or Glides	• Glides • Casters	No cost +\$191	Specify with glides. Specify with casters.

Specification Information

Style Number	Dimensions Depth	U.S. Base Prices									
		Width									
		46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W
APS2B	23" or 24"	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081
	29" or 30"	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081	\$1081




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

ACTIV Pro 2.0 3 Stage Base

ACTIV Pro 2.0
3 Stage Base



Tip: Illustration above shows desk with T-legs.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

Tip: 3 stage base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: Widths 66" and wider will automatically include a reinforcement channel to be installed underneath the worksurface.

Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- Cable management tray
- 4-preset switch
- Power cord: 9'
- 1/2" glide adjustment
- Attachment hardware
- Reinforcement channel (for widths 66" and wider)

Required to Specify

- 1 Style number
 - 2 Paint color number for base
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Leg	• C-leg	No cost	Specify with C-leg.
	• T-leg	No cost	Specify with T-leg.
Casters or Glides	• Glides	No cost	Specify with glides.
	• Casters	+\$191	Specify with casters.

Specification Information

• Style Number	• Dimensions Depth	• U.S. Base Prices									
		• Width									
		46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W
APS3B	23" or 24"	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222
	29" or 30"	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222	\$1222

ACTIV PRO 2.0




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

ACTIV Pro 2.0 90° Desk



Tip: The largest desk size is 72" x 72".

Tip: Base supports a maximum distributed weight capacity of 300 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: All return depths are 24". The depths indicated at the bottom of "return width" indicate desk depths that include an extra stretcher bar needed for certain configurations.

Standard Includes

- Worksurface: Low-Pressure Laminate
- Return depth: 24"
- Electric height-adjustable T-leg base paint:
 - Black
 - Merle
 - Platinum
 - White
- 4-preset switch
- Power cord: 9'
- Two cable management trays
- 1/2" glide adjustment
- Attachment hardware

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate color number for worksurface
 - 3 Paint color number for base
- See *Surface Materials*, page 504.

Specification Information

• Style Number	• Dimensions Depth	• U.S. Prices									
		Width									
		48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W	
With 23"W or 24"W Return											
APS390	23" or 24"	\$2583	\$2611	\$2622	\$2642	\$2656	\$2682	\$2803	\$2829	\$2843	
	29" or 30"	\$2636	\$2662	\$2676	\$2688	\$2695	\$2727	\$2849	\$2875	\$2882	
With 29"W or 30"W Return											
APS390	23" or 24"	\$2595	\$2623	\$2634	\$2654	\$2668	\$2694	\$2815	\$2841	\$2856	
	29" or 30"	\$2648	\$2674	\$2688	\$2700	\$2707	\$2739	\$2861	\$2887	\$2894	
With 35"W Return											
APS390	23" or 24"	\$2603	\$2631	\$2642	\$2662	\$2676	\$2702	\$2823	\$2849	\$2864	
	29"	\$2656	\$2682	\$2696	\$2708	\$2715	\$2747	\$2869	\$2895	\$2902	
	30"	\$2764	\$2790	\$2804	\$2816	\$2823	\$2855	\$2978	\$3004	\$3011	
With 36"W Return											
APS390	23" or 24"	\$2603	\$2631	\$2642	\$2662	\$2676	\$2702	\$2823	\$2849	\$2864	
	29" or 30"	\$2764	\$2790	\$2804	\$2816	\$2823	\$2855	\$2978	\$3004	\$3011	

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

► Specification Information, continued from previous page

Specification Information

• Style Number	• Dimensions Depth	• U.S. Base Prices								
		Width								
		48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W

With 41"W Return

APS390	23"	\$2608	\$2636	\$2647	\$2667	\$2681	\$2707	\$2828	\$2854	\$2869
	24"	\$2716	\$2744	\$2755	\$2775	\$2789	\$2815	\$2937	\$2963	\$2978
	29" or 30"	\$2769	\$2795	\$2809	\$2821	\$2828	\$2860	\$2983	\$3009	\$3016

With 42"W Return

APS390	23" or 24"	\$2716	\$2744	\$2755	\$2775	\$2789	\$2815	\$2937	\$2963	\$2978
	29" or 30"	\$2769	\$2795	\$2809	\$2821	\$2828	\$2860	\$2983	\$3009	\$3016

With 47"W or 48"W Return

APS390	23" or 24"	\$2722	\$2750	\$2761	\$2781	\$2795	\$2821	\$2943	\$2969	\$2984
	29" or 30"	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

ACTIV Pro 2.0 120° Desk



Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- T-leg
- 4-preset switch
- Power cord: 9'
- Two cable management trays
- 1/2" glide adjustment
- Attachment hardware
- Laminate work surface

Required to Specify

- 1 Style number
2 Low-Pressure Laminate color number
for worksurface
3 Paint color number for base
▶ See *Surface Materials*, page 504.

Specification Information

Style Number	Depth	U.S. Price
APS3120	23"	\$3018
	24"	\$3018
	29"	\$3451
	30"	\$3451

Tip: Actual worksurface dimensions are 45.75"W x 45.75"W for 24" and 30" depths.




For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

▶ See Page 4 for details.

ACTIV 2.0 3-Leg Base, 90° and 120° Base

ACTIV 2.0 3-Leg Base,
90° and 120° Base



Tip: Extended stretcher bars are recommended for any width 65" and larger. Short stretcher bars are included and are recommended for worksurfaces 48"-65"W.

Tip: For worksurfaces 65"W and larger, extended stretcher bars are recommended to maximize knee clearance and usable work-surface space.

Tip: 3-leg bases can be designed with up to 8" of overhang.

Tip: 120-degree configurations can support up to 57.75"W x 57.75"W worksurfaces.

Standard Includes

- Electric height-adjustable base:
 - Black
 - Merle
 - Platinum
 - White
- 4-preset switch
- Power cord: 9'
- Two cable management trays
- 1/2" glide adjustment
- Attachment hardware
- Reinforcement channel (for widths 66" and wider)
- T-leg

Required to Specify

- 1 Style number
 - 2 Paint color number for base
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Return	• 23"	No cost	Specify width.
Width	• 24"	No cost	Specify width.
	• 29"	No cost	Specify width.
	• 30"	No cost	Specify width.
	• 35"	No cost	Specify width.
	• 36"	No cost	Specify width.
	• 41"	No cost	Specify width.
	• 42"	No cost	Specify width.
	• 47"	No cost	Specify width.
	• 48"	No cost	Specify width.

Specification Information

• Style Number	• Dimensions Depth	• U.S. Base Prices Width								
		• 48"W	• 52"W	• 54"W	• 58"W	• 60"W	• 64"W	• 66"W	• 70"W	• 72"W
APS3L3B	23"	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068
	24"	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068
	29"	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068
	30"	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068	\$2068

ACTIV PRO 2.0



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

ACTIV Accessories

ACTIV 2.0 Extended Stretcher Bar




Tip: Two stretcher bars are included in a box.

Tip: One style number is needed per side longer than 65".


Standard Includes		Required to Specify
• Stretcher bar, quantity two: paint		1 Style number 2 Paint color number for bar ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
APS3STRETCHER	\$108	

ACTIV Casters — Set of Four



Standard Includes		Required to Specify
• Casters: two locking, two non-locking		Style number
Specification Information		
• Style Number	• U.S. Price	
ACTIV-CASTORS	\$191	

ACTIV Worksurface




Tip: Can be used with the ACTIV Pro 2.0 2-leg base.

Standard Includes		Required to Specify									
• Worksurface: Low-Pressure Laminate		1 Style number 2 Low-Pressure Laminate number for worksurface ▶ See <i>Surface Materials</i> , page 504.									
Specification Information											
• Style Number	• Dimensions Height	• U.S. Base Prices									
		Width									
		46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W
ACTVWORKSURFACE	23" or 24"	\$291	\$303	\$331	\$342	\$370	\$382	\$410	\$421	\$448	\$461
	29" or 30"	\$342	\$356	\$382	\$395	\$422	\$435	\$462	\$474	\$501	\$514



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.


ACTIV Return Worksurface



Tip: Can be used with the ACTIV Pro 2.0 3-leg 90° base.

Standard Includes		Required to Specify				
• Worksurface: Low-Pressure Laminate		1 Style number 2 Low-Pressure Laminate number for worksurface 3 Return width ▶ See <i>Surface Materials</i> , page 504.				
Specification Information						
• Style Number	• Dimensions Depth	• U.S. Prices				
		Return Width				
		23" or 24"W	29" or 30"W	35" or 36"W	41" or 42"W	47" or 48"W
ACTVRETURNWKSF	24"	\$212	\$224	\$232	\$237	\$243

ACTIV 120° Worksurface



Tip: Can be used with the ACTIV Pro 2.0 3-leg 120° base.

Tip: Actual worksurface dimensions are 45.75"W x 45.75"W for 24" and 30" depths.

Standard Includes		Required to Specify	
• Worksurface: Low-Pressure Laminate		1 Style number 2 Low-Pressure Laminate number for worksurface 3 Depth ▶ See <i>Surface Materials</i> , page 504.	
Specification Information			
• Style • Number •	• Depth • •	• U.S. • Price •	
ACTVWORKSURF120	23" or 24"	\$ 950	
	29" or 30"	\$1383	
•			


 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Downloaded from <http://ajph.org/> on November 10, 2015

CLUVO Height-Adjustable Desks and Bases

CLUVO supports wellbeing at work by allowing users to move between seated and standing postures throughout the workday.


► Specifying, page 84



Product Details


Low-Pressure Laminate

Front (user's) edge profile is available in 3 mm edge profile.




PVC-free, 3 mm edge profiles with matching 1 mm side and back edges are also PVC-free. ▶ See *Surface Materials* in this book for specific PVC-free availability, page 503.

Edge profile finishes always match laminate finishes.




Radius corners are standard with a 2" radius on all four sides.


Overhang is available. The maximum overhang available as a standard option is 15"W.




T-leg configuration is available on CLUVO in 29"/30" depth worksurface options.




C-leg configuration is available on CLUVO in 24" and 29"/30" depths worksurface options.



CLUVO 3-stage desk adjusts from 22 3/5"H–48 7/10"H, while the 2-stage desk adjusts from 27"H–46 7/10"H in any increment.




Deluxe switch includes the ability to personalize the LED display, allows users to set seated and standing heights, and set reminders to change postures.



Up/down controller is available as an option and easily adjusts height of desk, at a rate of 2" per second, by simply pushing the up and down arrows.

Obstruction sensing technology is standard with all CLUVO desks. The worksurface will backtrack when it makes contact with an object.

Casters are available as an option on CLUVO. The front two casters lock while the back two casters do not.




Rectangle desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.

Wiring and Cabling


Electric motor with whisper quiet operation adjusts at 2" per second. Motor is 24V DC and includes a 9' power cord. Motor for 2-leg desk has a 0.2W standby power.

CLUVO desks and bases are listed by ETL. ▶ See page 82


Power and data strips are field-installed on worksurface. Specify appropriate attachment bracket depending on application. ▶ See page 137 for *Work Tools*.



Cable management includes a simple organizer to manage desk cables.



Cable baskets, available as an option or ordered separately, support cable management below the worksurface.



Leg sleeves, available as an option, help route the power cords down to the floor and provide additional finish options.

Controller can be mounted on either the left- or right-hand side of the top and is field installed.

Surface Materials

Low-Pressure Laminate Desk

24L0	Graphite Walnut
25L5	Virginia Walnut
25L8	Clear Walnut
26L1	Natural Cherry
2L09	Clear Maple
2L30	Arctic White
2L83	Seagull
2L84	Milk White
2LAW	Ash Wenge
2LCN	Clay Noce
2LCW	Clay Wenge
2LAK	Clear Oak
2LAT	Acacia

3 mm edge profile

- Plastic

Height-adjustable base


- F1 Platinum
- F2 White

Feet and leg sleeves


- F1 Platinum
- F2 White
- F4 Merle
- F9 Burnished Bronze
- F10 Brass

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.




Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.




On extended height desks, any storage higher than 18 $\frac{3}{10}$ " will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies are not allowed on 23"D or smaller than 46"W height-adjustable desks. They do not meet minimum safety requirements.



Steelcase keyboard assemblies can be installed on 29"/30"D. Specify with an 11" track.

! WARNING

Read base only warranty limitations.

Installation

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum of distributed weight capacity of 250 pounds (2-stage) and 300 pounds (3-stage).

CLUVO 2-Stage Specifications

Handset	Up/down switch with lock or deluxe switch with LED
Safety	Obstruction detection technology
Foot Length in Inches	24" foot for 24"D top 30" foot for 29"D and 30"D tops
Legs	2 stage, available with T or C Leg
Leg Diameter	1.9" x 3.15"
Height Range (excluding top)	26"–45.7"
Height Range (including top)	27"–46.7"
Frame Width Expansion	Width extendable 46"–84" in 1mm increments
Worksurface Widths	46", 48", 52", 54", 58", 60", 64", 66", 70", 72", 76", and 84"
Worksurface Depths	24", 29", and 30"
Max Lifting Capacity	250 lbs
Base Weight Without Top	66 lbs
Gauge of Steel	2mm for inner tube and 1.5mm for outer tube
Speed	2" per second
Standby Consumption	.2W
Consumption	Max 350W and Max 5A
Decibel Rating	50db≤
Total Stroke	500 mm
Power Cord	9' cord length with standard NEMA 3 prong plug
Finishes	Platinum, White, Merle, Burnished Bronze, and Brass
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor

CLUVO 3-Stage Specifications


Handset	Up/down switch with lock or deluxe switch with LED
Safety	Obstruction detection technology
Foot Length in Inches	24" foot for 24"D top 30" foot for 29"D and 30"D tops
Legs	3 stage, available with T or C Leg
Leg Diameter	1.9" x 3.15"
Height Range (excluding top)	21.6"–47.7"
Height Range (including top)	22.6"–48.7"
Frame Width Expansion	Width extendable 46"–84" in 1mm increments
Worksurface Widths	46", 48", 52", 54", 58", 60", 64", 66", 70", 72", 76", and 84"
Worksurface Depths	24", 29", and 30"
Max Lifting Capacity	300 lbs
Base Weight Without Top	72 lbs
Gauge of Steel	2mm
Speed	2" per second
Standby Consumption	.2W
Consumption	Max 350W and Max 5A
Decibel Rating	50db≤
Total Stroke	650 mm
Power Cord	9' cord length with standard NEMA 3 prong plug
Finishes	Platinum, White, Black, Merle, Burnished Bronze, and Brass
ANSI BIFMA	X5.5
Green Certification	SCS Gold
UL	UL962
Warranty	10 years plus approved labor

CLUVO Desk

Tip: Illustration above shows desk with T-legs.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

Tip: 2 stage base supports a maximum distributed weight capacity of 250 pounds (300 for 3 stage). When calculating lifting capacity, subtract the weight of the worksurface.



Standard Includes	Required to Specify
-------------------	---------------------

- Electric height-adjustable base: – Platinum – White - Foot: paint - Power cord: 9' - Laminate worksurface with radius corners - Up/down switch 1/2" glide adjustment - Attachment hardware	1 Style number 2 Laminate color number for worksurface 3 Paint color number for base 4 Paint color number for foot 5 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.
--	---

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Leg	- C-leg - T-leg	No cost No cost	Specify <i>with C-leg</i> . Specify <i>with T-leg</i> .
Hand Set	- Up/down - Deluxe	No cost +\$104	Specify <i>with up/down hand set</i> . Specify <i>with deluxe hand set</i> .
Leg Sleeve	- No leg sleeve - With leg sleeve	No cost +\$104	Specify <i>with no leg sleeve</i> . Specify <i>with leg sleeve</i> .
Leg Sleeve Finish	Paint	No cost	Specify paint color number.
Cable Baskets	- No cable basket - With cable baskets	No cost +\$164	Specify <i>with no cable basket</i> . Specify <i>with cable baskets</i> .
Casters or Glides	- Glides - Casters	No cost +\$191	Specify <i>with glides</i> . Specify <i>with casters</i> .

Specification Information

Style Number	Dimensions Depth	U.S. Base Prices Width											
		46"W	48"W	52"W	54"W	58"W	60"W	64"W	66"W	70"W	72"W	76"W	84"W

CLUVO Desk, 2 Stage

CLS2	24"	\$1667	\$1678	\$1705	\$1716	\$1743	\$1754	\$1782	\$1793	\$1820	\$1831	\$1858	\$1908
	29" or 30"	\$1705	\$1716	\$1743	\$1754	\$1782	\$1793	\$1820	\$1831	\$1858	\$1870	\$1897	\$1947

CLUVO Desk, 3 Stage

CLS3	24"	\$1840	\$1851	\$1878	\$1890	\$1917	\$1928	\$1955	\$1967	\$1994	\$2004	\$2032	\$2081
	29" or 30"	\$1878	\$1890	\$1917	\$1928	\$1955	\$1967	\$1994	\$2004	\$2032	\$2043	\$2071	\$2120

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Tip: Illustration above shows desk with T-legs.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

Tip: 2 stage base supports a maximum distributed weight capacity of 250 pounds (300 for 3 stage). When calculating lifting capacity, subtract the weight of the worksurface.



Standard Includes

- Electric height-adjustable base:
 - Platinum
 - White
- Foot: paint
- Up/down switch
- 1/2" glide adjustment
- Power cord: 9'
- Attachment hardware

Required to Specify

- 1 Style number
 - 2 Paint color number for base
 - 3 Paint color number for foot
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Leg	• C-leg • T-leg	No cost No cost	Specify with C-leg. Specify with T-leg.
Hand Set	• Up/down • Deluxe	No cost +\$104	Specify with up/down hand set. Specify with deluxe hand set.
Leg Sleeve	• No leg sleeve • With leg sleeve	No cost +\$104	Specify with no leg sleeve. Specify with leg sleeve.
Leg Sleeve Finish	• Paint	No cost	Specify paint color number.
Cable Baskets	• No cable basket • With cable baskets	No cost +\$164	Specify with no cable basket. Specify with cable baskets.
Casters or Glides	• Glides • Casters	No cost +\$191	Specify with glides. Specify with casters.

Specification Information

Style Number	Depth	U.S. Base Price

CLUVO Base, 2 Stage

CLS2B	24"	\$1382
	29" or 30"	\$1382


CLUVO Base, 3 Stage

CLS3B	24"	\$1556
	29" or 30"	\$1556

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

CLUVO Accessories

Cable Basket, Set of Two



Standard Includes		Required to Specify
- Set of two cable bases (F1 Platinum) - Install hardware		Style number
Specification Information		
Style Number	U.S. Price	
CLCBASKET	\$164	

Set of Four Casters




Standard Includes		Required to Specify
Casters: two locking, two non-locking		Style number
Specification Information		
Style Number	U.S. Price	
CLCASTERS	\$191	


 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Downloaded from <http://ajph.org/> on November 10, 2015

Statement of Line




Worksurface




Frame Assembly


Optional



Modesty Panel



Ganging Kit



Power

Concur Specifications



Frame width	47.25", 59.05" and 70.85"
Width between front legs	44.5", 56.25" and 68.1"
Width between rear legs	40.75", 52.5" and 64.35"
Leg Depth	21"
Cantilever Depth	13.75"
Height (excluding top)	28.5"
Worksurface widths	48", 60" and 72"
Worksurface depths	24"
Worksurface thickness	1"
Modesty Panel	Steel
Modesty Panel Width	39.5", 51.25" and 63.1"
Modesty Panel Height	14"
Clearance between Modesty Panel and Floor	12"
Castors	Soft, Locking
Weight Capacity	200 lbs
Frame weight without top	27 lbs
24" Depth x 48" Wide Worksurface Weight	40 lbs
24" Depth x 60" Wide Worksurface Weight	50 lbs
24" Depth x 72" Wide Worksurface Weight	60 lbs
Power in-feed length	72"
Power Box	2 electrical outlets with worksurface clamp
Certifications	BIFMAX5.5-2014
Electrical Compliance	ETL Listed, UL Recognized

CONCUR Table



Standard Includes	Required to Specify
- Top: Low-Pressure Laminate - Frame: paint - Square edge: 3 mm plastic edge band - Steel legs with locking casters	1 Style number 2 Low-Pressure Laminate color number for top 3 Paint color number for frame 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

	Options	U.S. Price	Required to Specify
Modesty Panel	• 48"W	+\$280	Specify with 48"W modesty panel.
	• 60"W	+\$308	Specify with 60"W modesty panel.
	• 72"W	+\$336	Specify with 72"W modesty panel.

Specification Information				
Style Number	Dimensions Depth	U.S. Base Prices		
		Width		
		48"W	60"W	72"W
CNCRTABLE	24"	\$1318	\$1436	\$1558



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.




Standard Includes	Required to Specify
• Frame: paint • Steel leg with locking casters	1 Style number 2 Paint color number for frame ▶ See <i>Surface Materials</i>, page 504.

Specification Information			
Style Number	U.S. Prices		
	Width		
	48"W	60"W	72"W
CNCRFRAME	\$1006	\$1049	\$1090


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

CONCUR Frame and Two TIZU Nest Chairs Bundle



Tip: Bundle includes two TIZU nest chairs.

Tip: Black frame only available with chrome base and soft, black casters or glides.

Tip: White frame only available with white or platinum base and soft, 2-tone grey casters or glides.

Tip: Armless option not available with plastic back.

Standard Includes	Required to Specify
- Chairs: fabric - Frame: paint - Steel leg with locking casters - Set of two TIZU nest chairs	1 Style number 2 Paint color number for frame 3 Fabric color number for chairs 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Surface Materials - Seat cover - Fabric price group 1 - Fabric price group 2 - Vinyl price group 2 - Fabric price group 3 - Polyurethane	- No cost +\$ 40 +\$ 40 +\$ 82 +\$150	- Specify fabric color number. - Specify fabric color number. - Specify vinyl color number. - Specify fabric color number. - Specify polyurethane color number.
Packaging - Knocked down - Fully assembled	- No cost +\$204	- Specify with knocked down packaging. - Specify with fully assembled packaging.
Casters or Glides - Soft, 2-tone grey - Soft, black - Glides, black	- No cost - No cost +\$134	- Specify with two tone grey soft casters. - Specify with black soft casters. - Specify with black glides.

Specification Information

Style Number	U.S. Base Prices
	Width
	60"W : 72"W

Bundle with Black Frame, Mesh Back, Armless, Chrome Base Chairs

CNCRTIZUBNDL	\$2206	\$2243

Bundle with White Frame, Mesh Back, Armless, Platinum Base Chairs

CNCRTIZUBNDL	\$2243	\$2282

Bundle with White Frame, Mesh Back, Armless, White Base Chairs

CNCRTIZUBNDL	\$2271	\$2310

Bundle with Black Frame, Plastic Back, Fixed Arms, Chrome Base Chairs

CNCRTIZUBNDL	\$2245	\$2323

Bundle with White Frame, Plastic Back, Fixed Arms, Platinum Base Chairs

CNCRTIZUBNDL	\$2285	\$2313

Bundle with White Frame, Plastic Back, Fixed Arms, White Base Chairs

CNCRTIZUBNDL	\$2286	\$2352

Bundle with Black Frame, Mesh Back, Fixed Arms, Chrome Base Chairs

CNCRTIZUBNDL	\$2295	\$2334

Bundle with White Frame, Mesh Back, Fixed Arms, Platinum Base Chairs


CNCRTIZUBNDL	\$2337	\$2370

Bundle with White Frame, Mesh Back, Fixed Arms, White Base Chairs

CNCRTIZUBNDL	\$2367	\$2400

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

CONCUR Power Base In-Feed with Control Box and 72" Cord



Standard Includes		Required to Specify
• Power infeed		Style number
Specification Information		
• Style Number	• U.S. Price	
CONCUR-EE-CB	\$558	

CONCUR 60" Power Link for Concur Training Table



Tip: The limit for connected power links is eight units to prevent control box overload.

Standard Includes		Required to Specify
• Power link		Style number
Specification Information		
• Style Number	• U.S. Price	
CONCUR-EE-CNT	\$370	

CONCUR 24" Power Jumper for Concur Training Table




Tip: Jumpers are not required. Only specify jumpers if a distance needs to be spanned further than the power link power cords will stretch.

Standard Includes		Required to Specify
• Power jumper		Style number
Specification Information		
• Style Number	• U.S. Price	
CONCUR-EE-JMP	\$133	



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.


CONCUR Ganging Kit



Tip: The ganging kit is designed to assist with consistent clean rows and layouts when planning with Concur.


Standard Includes		Required to Specify
• Ganging kit and hardware		Style number
Specification Information		
• Style Number	• U.S. Price	
CONCUR-GK	\$51	

CONCUR Worksurface



Standard Includes		Required to Specify		
• Worksurface: Low-Pressure Laminate		1 Style number	2 Low-Pressure Laminate color number for worksurface	► See <i>Surface Materials</i> , page 504.
Specification Information				
• Style Number	• Dimensions Depth	• U.S. Prices Width		
		48"W	60"W	72"W
CNCRWORKSURFACE	24"	\$312	\$387	\$468

CONCUR Modesty Panel



Standard Includes		Required to Specify	
• Steel modesty panel with attachment hardware		Style number	
Specification Information			
• Style Number	• U.S. Prices		
	Width		
	48"W	60"W	72"W
CNCRMODESTY	\$280	\$308	\$336



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.




Understanding **96**



Specifying **106**

Statement of Line

3F Screens




Linear Screen

Understanding

► Page 99

Specifying

► Page 108




Full Desk L-Screen

Understanding

► Page 100

Specifying

► Page 109




Half Desk L-Screen

Understanding

► Page 100

Specifying

► Page 110




U-Screen

Understanding

► Page 101

Specifying

► Page 111



Hooded Screen

Understanding


► Page 102

Specifying

► Page 112

Tip: Hanging panel mounting kits are specified separately.

Brackets




Screen Corner Connector

Understanding

► Page 105

Specifying

► Page 114



Sleeve Bracket

Understanding

► Page 105

Specifying

► Page 114




Top Mounted Bracket

Understanding

► Page 105

Specifying

► Page 114




Top Mounted Bracket Clamp

Understanding

► Page 105

Specifying

► Page 115



Modesty and Privacy L-Bracket

Understanding

► Page 105

Specifying

► Page 115




Fixed Privacy Modesty Bracket

Understanding

► Page 105

Specifying

► Page 115



Height Adjustable Bracket

Understanding

► Page 105

Specifying

► Page 105

3F Hanging Panels

Understanding

► Page 106

Specifying


► Page 109




Solid




Skyline




Array



Stairstep



Clover




Polka




Palm




Botanica




Bubbles



Pebbles




Cubes




Shimmer

3F Panel Suspension Kits

**Ceiling Suspension Kit**

Specifying

► Page 113

**Rail Suspension Kit**




Specifying

► Page 113

**Rail Sliding Kit**


Specifying

► Page 113

**Single Rail Bridge Extension Kit**Specifying
► Page 113**Double Rail Bridge Extension Kit**Specifying
► Page 113**Rail Wall Mounting Kit**


Specifying

► Page 113

**50" Single Rail**

Specifying

► Page 113


**50" Double Rail**

Specifying

► Page 113

3F Wall Tiles

Understanding
▶ Page 104
Specifying
▶ Page 109




3F Linear Privacy and Modesty Screens

3F Linear Privacy and Modesty Screens

3F

3F linear screens offer privacy and modesty solutions designed for height-adjustable and fixed workspaces.




Product Details


Linear screens are available in four heights—13"H, 18"H, 23"H, and 28"H and with widths ranging from 23"W to 70"W.

Side screens are available in rectangular, round, and slope shapes.

Worksurface side screen applications are achieved through the use of shorter-width linear screens.



Modesty screens are available as 13"H linear panels mounted with L-brackets to provide below-worksurface modesty. L-brackets must be specified separately.



The L-bracket features an etched alignment line that indicates a 1" spacing between the worksurface and screen, facilitating cable feed-through.

Modesty screens are compatible for use in conjunction with privacy screens.

Application Topics

3F privacy screens are compatible with all 3F mounting brackets.

Linear back screens are offered in both rectangular and round shapes.

Brackets are not included with linear screens and must be specified separately.

Privacy screens support both top-mount and outer-wrapped mounting applications.

Screen width may be equal to or less than the width of the attached worksurface; limitations may apply based on the location of worksurface legs and structural supports.

Tip: It is recommended that CET SmartTools planning aid to verify proper screen and worksurface/table compatibility and application.

Surface Materials

PET Screen

- FC1 Briquette
- FC2 Shadow
- FC3 Ash
- FC4 Pearl
- FC5 Celestial
- FC9 Sand
- FC10 Seafoam
- FC11 Warm White
- FC12 Midnight

Actual Dimensions

Width	23", 28", 30", 36", 38", 40", 42", 44", 46", 50", 52", 56", 58", 62", 64", 68", and 70"
Height	13", 18", 23", and 28"
Thickness	18 mm/.7"

3F L-Screens

3F full and half desk L-screens offer privacy solutions designed for height-adjustable and fixed workspaces.

3F L-screens can be ordered as a half or full screen.

One 3F full desk L-screen.

One 3F half desk L-screen.

Two 3F half desk L-screens.

Product Details

Full L-screens are compatible with any brackets other than height-adjustable brackets. Screen brackets must be specified separately.

Two half desk L-screens are required to wrap a full workspace.

Half desk L-screens are available in both top mount and outer-wrapped applications.

Top mount is compatible with top mounted brackets, except for half desk L-screens with 28"H.

Outer wrapped is compatible with sleeve brackets and fixed privacy modesty brackets.

Application Topics

Full L-screens are design for modular-width desks and are intended to span roughly two-thirds of the workspace's rear when installed.
Tip: It is recommended that CET SmartTools planning aid to verify proper screen and workspace/table compatibility and application.

Half desk screens are designed to fit modular desk sizes. Installing a pair on a non-modular desk will result in a visible gap between the screens.

Tip: It is recommended that CET SmartTools planning aid to verify proper screen and workspace/table compatibility and application.

Surface Materials


PET Screen

- FC1 Briquette
- FC2 Shadow
- FC3 Ash
- FC4 Pearl
- FC5 Celestial
- FC9 Sand
- FC10 Seafoam
- FC11 Warm White
- FC12 Midnight

Actual Dimensions

Width	23", 28", 30", 36", 38", 40", 42", 44", 46", 50", 52", 56", 58", 62", 64", 68", and 70"
Height	13", 18", 23", and 28"
Thickness	18 mm/.7"

3F U-screens are tackable privacy screens designed to provide enhanced visual privacy on three sides of height-adjustable and fixed worksurfaces.



Actual Dimensions

Width/Depth	46"W/20"D, 48"W/20"D, 52"W/20"D, 54"W/20"D, 58"W/18"D, 60"W/17"D, 64"W/15"D, 66"W/14"D, 70"W/12"D, and 72"W/11"D
Height	13", 18", 23", and 28"
Thickness	18 mm/.7"

Product Details

Screen brackets must be specified separately.

Application Topics

3F U-screens are available in both top mount and outer-wrapped applications. Top mount is compatible with top mounted brackets, except for U-screens with 28"H. Outer wrapped is compatible with sleeve brackets and fixed privacy modesty brackets.

Surface Materials


- PET Screen**
- FC1 Briquette
 - FC2 Shadow
 - FC3 Ash
 - FC4 Pearl
 - FC5 Celestial
 - FC9 Sand
 - FC10 Seafoam
 - FC11 Warm White
 - FC12 Midnight

3F Hooded Screens

3F hooded screen provides overhead privacy, giving users greater confidentiality at their workstations while also minimizing visual distractions from surrounding activity, helping them stay focused and productive in busy environments.

Hooded screen applications are compatible only with top-mount brackets. Mounting brackets must be specified separately.

Hooded screens include a rear cutout that supports monitor arm clamping or may be left plugged when monitor arms are not used.




Actual Dimensions	
Width	48", 54", 60", 66", and 72"
Height	30"
Roof Angle	30°
Thickness	18 mm/.7"

Surface Materials
PET Screen
• FC1 Briquette
• FC2 Shadow
• FC3 Ash
• FC4 Pearl
• FC5 Celestial
• FC9 Sand
• FC10 Seafoam
• FC11 Warm White
• FC12 Midnight

3F Hanging Panels

3F hanging panels are modular ceiling-suspended panel solutions designed to support visual separation and enhance acoustic performance in open environments.



Product Details

Hanging panels are available as either solid panels or with a range of organic and geometric patterned cutouts.

Application Topics

Hanging panels supports wide range of ceiling heights and privacy applications.

Surface Materials

PET Screen


- FC1 Briquette
- FC2 Shadow
- FC3 Ash
- FC4 Pearl
- FC5 Celestial
- FC9 Sand
- FC10 Seafoam




Solid




Skyline




Array



Stairstep



Clover




Polka




Palm




Botanica




Bubbles



Pebbles



Cubes






Shimmer

Actual Dimensions

Width	94"
Height	28", 38", and 48"
Weight	7 lbs, 10 lbs, and 12 lbs
Thickness	9 mm/.35"

Tip: Weight of hanging panel may decrease when specifying patterns.


3F wall tiles provide modular, wall-mounted visual and acoustic solution designed for flexible space planning and acoustic performance.




Trapezoid




Stripe




Drop




Hexagon




Balloon




Circle




Chevron




Belt



Square



Rhombus



Triangle



Dome

Actual Dimensions

Width 11.5"

Thickness 9 mm/.35"

Product Details

Wall tiles are designed for direct attachment to architectural wall surface for semi-permanent installation.

Wall tile tape must be specified separately.

Tip: One roll of tape is recommended per 30 wall tiles during application.

Wall tiles are available in multiple shapes and finishes to support a wide range of aesthetic and functional applications.

Surface Materials

PET Screen

- FC1 Briquette
- FC2 Shadow
- FC3 Ash
- FC4 Pearl
- FC5 Celestial
- FC9 Sand
- FC10 Seafoam


3F Brackets

Several connection options are available for 3F.

3F offers a variety of brackets designed to support multiple mounting applications, including height-adjustable desks, fixed worksurfaces, and benching applications.

Overview

3F Sleeve Brackets mount beneath the worksurface to support height-adjustable and fixed applications, while maintaining clearance for worktools and cable routing.




3F Fixed Privacy and Modesty Brackets clamp to the worksurface to support applications requiring privacy and modesty, while maintaining clearance for worktools and cable management.




3F Top Mount Brackets are designed for direct installation on the top of a worksurface or desk surface, supporting top-mounted applications that require privacy where worktools and cable clearance are not required.




3F Top Mount Clamp Brackets offer a clamp-on solution that secures to the desk edge, delivering privacy for top-mounted applications when worktools and cable clearance are not required.




3F Modesty and Privacy L-Brackets mount beneath the worksurface and provide flexible support for modesty and privacy applications. The L-bracket design accommodates 13"H linear screens for modesty-only use, or can be configured to support both privacy and modesty. Installation flexibility allows the bracket to be positioned with or without a gap - creating space for cord drop and worktool integration when needed.



3F Height Adjustable Brackets clamp directly to the desk to support privacy and modesty screen applications on height-adjustable workstations, allowing users to adjust screen height for flexibility.



3F Corner Connectors support corner connections when linear back screens and side screens are installed as top-mounted applications on a single worksurface.



Kinex Screen Clips mount directly to the beam of the Kinex Benching System and ILINE beam, providing screen support for privacy applications in both benching and height-adjustable desk environments.



3F Hanging Panel



Standard Includes	Required to Specify
-------------------	---------------------

- 94"L hanging panel: Verve felt

- 1 Style number
 - 2 Fabric color number for panel
 - 3 Options, If selected (see below)
- See *Surface Materials*, page 504.

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Pattern	• Array	No cost	Specify <i>with Array</i> .
	• Botanica	No cost	Specify <i>with Botanica</i> .
	• Bubbles	No cost	Specify <i>with Bubbles</i> .
	• Clover	No cost	Specify <i>with Clover</i> .
	• Cubes	No cost	Specify <i>with Cubes</i> .
	• Palm	No cost	Specify <i>with Palm</i> .
	• Pebbles	No cost	Specify <i>with Pebbles</i> .
	• Polka	No cost	Specify <i>with Polka</i> .
	• Shimmer	No cost	Specify <i>with Shimmer</i> .
	• Skyline	No cost	Specify <i>with Skyline</i> .
	• Solid	No cost	Specify <i>with Solid</i> .
	• Stairstep	No cost	Specify <i>with Stairstep</i> .

Specification Information

• Style Number	• U.S. Prices		
	Width		
	28"W	38"W	48"W
3FHPHANGINGPNL	\$764	\$997	\$1229



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.



Tip: Wall tile tape is specified separately.


Standard Includes	Required to Specify
Verve felt wall tile	1 Style number 2 Fabric color number for tile ▶ See <i>Surface Materials</i>, page 504.

Specification Information	
Style Number	U.S. Price
Dome, Stripe, and Trapezoid	
3FWTTILE	\$36
Balloon, Belt, Chevron, Circle, Drop, Hexagon, Rhombus, Square, and Triangle	
3FWTTILE	\$52



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

3F Linear Screen



Tip: Compatible with any bracket.

Tip: Screen brackets are specified separately.

Tip: Slope shape are only available with side screens.

Tip: 13"H screens can be used for both privacy and modesty applications.

Standard Includes

- Desk screen: Verve felt

Required to Specify

- 1 Style number
 - 2 Fabric color number for screen
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

Options

Shape	Options	U.S. Price	Required to Specify
	• Rectangular	No cost	Specify <i>with rectangular</i> .
	• Round	No cost	Specify <i>with round</i> .
	• Slope	No cost	Specify <i>with slope</i> .

Specification Information

Style Number	Dimensions Height	U.S. Prices Width									
		23"W	28"W	30"W	36"W	38"W	40"W	42"W	44"W	46"W	50"W
3FNSLINEAR	13"	\$148	\$177	\$199	\$236	\$241	\$248	\$256	\$263	\$279	\$308
	18"	\$162	\$191	\$213	\$251	\$257	\$263	\$271	\$279	\$293	\$322
	23"	\$177	\$206	\$228	\$265	\$272	\$279	\$286	\$293	\$308	\$339
	28"	\$206	\$235	\$258	\$293	\$301	\$307	\$315	\$322	\$339	\$367

► Specification Information, continued from above


Style Number	Dimensions Height	U.S. Prices Width							
		52"W	56"W	58"W	62"W	64"W	68"W	70"W	
3FNSLINEAR	13"	\$324	\$354	\$368	\$397	\$413	\$442	\$456	
	18"	\$339	\$367	\$383	\$412	\$426	\$457	\$470	
	23"	\$353	\$383	\$397	\$426	\$440	\$470	\$484	
	28"	\$383	\$412	\$426	\$457	\$470	\$501	\$513	



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.



Tip: Compatible with any bracket other than height adjustable bracket.

Tip: Full desk L-screens have a 23" side depth.

Tip: Screen brackets are specified separately.

Tip: 3F full desk L-screens are handed when the slope shape is selected.

Tip: 13"H screens can be used for both privacy and modesty applications.

Standard Includes Required to Specify

- Desk screen: Verve felt

- 1 Style number
 - 2 Fabric color number for screen
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

Options U.S. Price Required to Specify


Shape	• Rectangular • Round • Slope	No cost No cost No cost	Specify with <i>rectangular</i> . Specify with <i>round</i> . Specify with <i>slope</i> .
Handedness	• Right-handedness • Left-handedness	No cost No cost	Specify with <i>right-handedness</i> . Specify with <i>left-handedness</i> .

Specification Information

Style Number	Dimensions Height	U.S. Prices Width									
		44"W	46"W	50"W	52"W	56"W	58"W	62"W	64"W	68"W	70"W
3FSNLSCREEN	13"	\$437	\$457	\$478	\$499	\$522	\$550	\$573	\$596	\$619	\$640
	18"	\$449	\$478	\$500	\$521	\$544	\$572	\$595	\$618	\$641	\$661
	23"	\$484	\$506	\$523	\$558	\$575	\$601	\$617	\$646	\$661	\$698
	28"	\$527	\$551	\$572	\$601	\$622	\$646	\$667	\$691	\$711	\$742

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

3F Half Desk L-Screen



Standard Includes		Required to Specify	
Desk screen: Verve felt		1 Style number 2 Fabric color number for screen 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.	
Options	U.S. Price	Required to Specify	
Mount - Outer wrapped - Top mount	No cost No cost	Specify with <i>outer wrapped</i> . Specify with <i>top mount</i> .	
Shape - Rectangular - Round - Slope	No cost No cost No cost	Specify with <i>rectangular</i> . Specify with <i>round</i> . Specify with <i>slope</i> .	
Handedness - Right-handedness - Left-handedness	No cost No cost	Specify with <i>right-handedness</i> . Specify with <i>left-handedness</i> .	

Specification Information														
Style Number	Dimensions		U.S. Prices											
	D	H	Width	23"W	24"W	26"W	27"W	29"W	30"W	32"W	33"W	35"W	36"W	38"W
3FSNHALFDESK	24" or 30"	13"	\$341	\$355	\$374	\$390	\$412	\$438	\$453	\$466	\$486	\$503	\$519	\$535
	24" or 30"	18"	\$361	\$374	\$394	\$410	\$432	\$457	\$472	\$485	\$502	\$521	\$537	\$552
	24" or 30"	23"	\$391	\$404	\$423	\$439	\$461	\$484	\$499	\$513	\$538	\$551	\$566	\$581
	24" or 30"	28"	\$435	\$447	\$467	\$483	\$504	\$529	\$544	\$557	\$575	\$595	\$610	\$625

Tip: Half desk L-screens are non-handed. Two half desk L-screens are required to wrap a full worksurface.

Tip: 13"H screens can be used for both privacy and modesty applications.

Tip: Top mount is compatible with top mounted brackets, except for half desk L-screens with 28"H.

Tip: Half desk L-screens are designed to work with modular sized worksurfaces from 46"W to 84"W. Mounting a pair of screens on a different size worksurface will create a gap between the screens.


Tip: Outer wrapped is compatible with sleeve brackets, fixed privacy modesty brackets, and L-brackets.

Tip: Screen brackets are specified separately.

Tip: 3F full desk L-screens are handed when the slope shape is selected.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.



Tip: Top mount is compatible with top mounted brackets, except for U-screens with 28"H.

Tip: Outer wrapped is compatible with sleeve brackets, fixed privacy modesty brackets, and L-brackets.

Tip: Depth dimensions may vary depending on bracket mount type.

Tip: Screen brackets are specified separately.

Standard Includes Required to Specify

- Desk screen: Verve felt

- 1 Style number
 - 2 Fabric color number for screen
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

Options U.S. Price Required to Specify

Mount	• Outer wrapped	No cost	Specify with <i>outer wrapped</i> .
	• Top mount	No cost	Specify with <i>top mount</i> .
Shape	• Rectangular	No cost	Specify with <i>rectangular</i> .
	• Round	No cost	Specify with <i>round</i> .
	• Slope	No cost	Specify with <i>slope</i> .


Specification Information

Style Number	Dimensions Height	U.S. Prices									
		46"W/ 20"D	48"W/ 20"D	52"W/ 20"D	54"W/ 20"D	58"W/ 18"D	60"W/ 17"D	64"W/ 15"D	66"W/ 14"D	70"W/ 12"D	72"W/ 11"D
3FSNUSCREEN	13"	\$581	\$601	\$631	\$655	\$685	\$710	\$740	\$756	\$782	\$817
	18"	\$630	\$646	\$675	\$698	\$727	\$742	\$773	\$786	\$815	\$843
	23"	\$675	\$698	\$727	\$742	\$773	\$786	\$815	\$830	\$859	\$874
	28"	\$734	\$756	\$786	\$800	\$830	\$843	\$874	\$887	\$917	\$935



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

3F Hooded Screen



Tip: Hooded screens only compatible with top mount bracket.


Tip: The removable monitor arm cut-out ships with the hooded screen and is designed to accommodate applications with or without monitor arms.

Tip: The cut-out can be removed to clamp monitor arms or can be plugged into the opening if monitor arms are not being used.

Standard Includes		Required to Specify			
• Desk screen: Verve felt		1 Style number 2 Fabric color number for screen ▶ See <i>Surface Materials</i> , page 504.			
Specification Information					
Style Number	• U.S. Prices				
	48"W	54"W	60"W	66"W	72"W
3FSNHOODED	\$816	\$873	\$926	\$984	\$1039


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.


3F Rail



Tip: When ordering a 3F rail, you must also order a rail suspension mount, a rail sliding mount, or a wall mount.


Standard Includes		Required to Specify	
- Mounting rail beam - Attachment hardware		1 Style number 2 Options, if selected (see below)	
Options		U.S. Price	Required to Specify
Extension Kit	Single rail	+\$16	Specify with single rail extension kit.
	Double rail	+\$29	Specify with double rail extension kit.
Mount	Wall mount	+\$38	Specify with wall mount.
Specification Information			
Style Number	U.S. Base Prices		
	50" Single Rail	50" Double Rail	
3FHPRAILKIT	\$185	\$262	

3F Rail Mount Kit



Standard Includes		Required to Specify			
• Suspension mount: set of two 5'L steel cables • Sliding mount: sliding glider bracket • Attachment hardware		Style number			
Specification Information					
Style Number	U.S. Prices				
		Rail Suspension Mount	Rail Sliding Mount		
3FHPMOUNTKIT	\$62		\$161		

3F Ceiling Kit



Tip: Rails can be positioned adjacent to each other to build a multi-rail system.




For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Standard Includes		Required to Specify			
• Set of two 5'L steel cables • Attachment hardware		Style number			
Specification Information					
• Style Number	• U.S. Price				
X-3F-SUSPENSION	\$139				


Brackets

3F Corner Connector



Standard Includes		Required to Specify
• Set of two corner connectors: paint		1 Style number 2 Paint color number for brackets ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
3FSNCORNERCCT	\$66	

3F Sleeve Bracket




Tip: 1½" clearance is needed from edge of worksurface to cantilever.

Tip: Compatible with ¾" to 1¾" thick worksurfaces.

Standard Includes		Required to Specify
• Set of two sleeve brackets: paint		1 Style number 2 Paint color number for brackets ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
3FSNSLEEVEBKT	\$82	

3F Top Mount Bracket




Tip: Compatible with ¾" to 1¾" thick worksurfaces.

Standard Includes		Required to Specify
• Set of two top mount brackets: paint		1 Style number 2 Paint color number for brackets ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
3FSNTOPMOUNTBKT	\$87	



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

3F Top Mount Bracket and Clamp Set



Tip: 1½" clearance is needed from edge of worksurface to cantilever.

Tip: Compatible with ¾" to 1¾" thick worksurfaces.

Standard Includes

- Set of two top mount brackets: paint


Required to Specify

- 1 Style number
- 2 Paint color number for brackets
- ▶ See *Surface Materials*, page 504.

Specification Information

• Style Number	• U.S. Price
3FSNTOPMNTCLAMPBKT	\$133

3F Fixed Privacy/Modesty Bracket



Tip: 1½" clearance is needed from edge of worksurface to cantilever.

Tip: Compatible with ¾" to 1¾" thick worksurfaces.

Standard Includes

- Set of two desk screen brackets: paint


Required to Specify

- 1 Style number
- 2 Paint color number for brackets
- ▶ See *Surface Materials*, page 504.

Specification Information

• Style Number	• U.S. Price
3FSNFIXEDPRVCYBKT	\$118

3F Modesty and Privacy L-Bracket



Tip: Used to mount 13"H screens in modesty applications.

Tip: 3F markerboards cannot be used on screens mounted by L- brackets (3FSNLBKT).

Standard Includes

- Set of two L-brackets: F3 Black paint


Required to Specify

- Style number

Specification Information

• Style Number	• U.S. Price
3FSNLBKT	\$87

3F Height Adjustable Bracket



Tip: 1½" clearance is needed from edge of work surface to cantilever.

Tip: Compatible with ¾" to 1¾" thick work surfaces.

Tip: Height-adjustable brackets are not compatible with all 24"D work surfaces.

Standard Includes		Required to Specify
• Set of two height-adjustable brackets: paint		1 Style number 2 Paint color number for brackets ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
3FSNHEIGHTADJBKT	\$162	
•	•	

3F Kinex Screen Clip — Double Run



Standard Includes		Required to Specify
• Set of two screen clips: paint		1 Style number 2 Paint color number for clips ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
3FSNKINEXCLIP	\$181	
•	•	


 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

3F Tape Roll

Tip: One roll of tape is recommended per 30 wall tiles.

Standard Includes		Required to Specify
Industrial strength double sided tape for 3F wall tiles 1"W, 54 feet		Style number
Specification Information		
Style Number	U.S. Price	
X-3F-TAPE	\$128	

3F Markerboard



Tip: Recommended use with L- and U-screens only.

Tip: 3F markerboards cannot be used on screens mounted by L- brackets (3FSNLBKT).

Standard Includes		Required to Specify	
• Hang-on markerboard		Style number	
Specification Information			
Dimensions		Style	U.S.
H	W	Number	Price
14"	22"	3FSNMB	\$129




For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

REVI


Understanding	120
Specifying	122

Revi Pedestal Specifications



Housing Dimensions	13"w x 23.5"d x 22.75"h
Drawers	Push-to-open (no pulls or handles)
Drawer Depth	20"
Drawer Width	12.5"
Single/Dual Drawer Height	6"
File Drawer Height	12.25"
Maximum Drawer Extension	15.75"
Bag Drop Height	14"
Bag Drop Extension Range	.25" - 6.5"
Magnetic Cushion Thickness	.85"
Castors	2 locking, 2 non-locking
Bag Drop Castors	2 non-locking
Seated Weight Capacity	220 lbs
Bag Drop Weight Capacity	45 lbs
Lock Availability	Dual Drawer, Drawer + File
Certifications	ANSI/BIFMA X5.9-2019




Revi Undermount Specifications



Housing Dimensions	10"W x 15"D x 18.5"H
Top Shelf Dimensions	10"W x 7.75"D x 2.5"H
Inside Clearance	10"W x 15"D x 15.5"H
Housing Finish Color	Platinum, White and Black
Personal Storage Bin Net Weight	15 lbs
Personal Storage Console Net Weight	18 lbs
Shelf Clearance below	6"
Shelf Clearance above	9"
Laptop Divider Clearance	3"W x 15"D x 15.5"H
Short Shelf Clearance	6.75"W x 15"D x 9"H
Bag Hook	1"W x 1"D x 2"H
File Pocket	1.25"W x 13"D x 5.5"H
Undermount Weight Capacity	80 lbs
Bag Hook Weight Capacity	15 lbs
File Pocket Weight Capacity	5 lbs
Door Rotation	135°
Certifications	ANSI/BIFMA X5.9-2019

REVI Pedestal

Tip: Expandable bag drop casters will be automatically included when the expandable bag drop is selected.



Standard Includes	Required to Specify
• Pedestal: paint • Steel top • Push-to-open (no pulls or handles) • Casters: two locking, two non-locking	1 Style number 2 Paint color number for pedestal 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.

Options	U.S. Price	Required to Specify
Surface Materials Swing door • Paint	No cost	Specify paint color number.
Bag Drop • Expandable	+\$251	Specify <i>with expandable bag drop</i> .
Bag Drop Finish • Paint	No cost	Specify paint color number.
Seat Cushion • Magnetic seat cushion	+\$236	Specify <i>with magnetic seat cushion</i> .
Seat Cushion Finish • Verve	No cost	Specify Verve felt color number. ▶ See <i>Surface Materials</i> , page 504.
Pencil Tray • Pencil tray	+\$ 23	Specify <i>with pencil tray</i> .

Specification Information	
Style Number	U.S. Base Price

Single Drawer

REVIPEDESTAL	\$609


Dual Drawer

REVIPEDESTAL	\$691

Drawer/File

REVIPEDESTAL	\$734


For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.



Standard Includes	Required to Specify
- Steel storage: paint - Hardware package	1 Style number 2 Paint color number for storage 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	Swing door		
	Paint	No cost	- Specify paint color number. ▶ See <i>Surface Materials</i>, page 504.
	Shelf		
	Paint	No cost	- Specify paint color number. ▶ See <i>Surface Materials</i>, page 504.
Door Type	- Left hinged - Right hinged	+\$103 +\$103	- Specify <i>with left hinged door</i>. - Specify <i>with right hinged door</i>.
Shelf	- Shelf - Laptop divider and short shelf	+\$ 44 +\$118	- Specify <i>with shelf</i>. - Specify <i>with laptop divider and short shelf</i>.
Bag Hook	- One bag hook - Two bag hooks	+\$ 28 +\$ 57	- Specify <i>with one bag hook</i>. - Specify <i>with two bag hooks</i>.
File Pocket	- One file pocket - Two file pockets - Three file pockets	+\$ 52 +\$103 +\$155	- Specify <i>with one file pocket</i>. - Specify <i>with two file pockets</i>. - Specify <i>with three file pockets</i>.


Specification Information	
Style Number	U.S. Base Price
REVIUNDERMOUNT	\$382



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.


Accessories

REVI Cushion




Standard Includes		Required to Specify
• Fabric cushion: Verve		1 Style number 2 Fabric color number for cushion ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
REVICUSHION	\$236	

REVI Pencil Tray



Standard Includes		Required to Specify
• Plastic pencil tray		Style number
Specification Information		
• Style Number	• U.S. Price	
REVI-PNCLTRY	\$23	

REVI Undermount Shelf




Standard Includes		Required to Specify
• Metal shelf: paint		1 Style number 2 Paint color number for shelf ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
REVISHelf	\$44	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

REVI Laptop Shelf



Standard Includes		Required to Specify
• Laptop shelf and divider: paint		1 Style number 2 Paint color number for shelf ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style Number	• U.S. Price	
REVILAPTOPSHELF	\$118	

Bag Hook



Standard Includes		Required to Specify
• Bag hook		Style number
Specification Information		
• Style Number	• U.S. Price	
REVI-BH	\$28	

REVI File Pocket



Standard Includes		Required to Specify
• File pocket		Style number
Specification Information		
• Style Number	• U.S. Price	
REVI-FP	\$52	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

S-SERIES


S-Series Pedestals

S-Series pedestals are a mobile or freestanding private storage solution used to store away files, paperwork, and other personal items.

Pedestals include pencil tray, box drawer divider, file hanger, anti-tip counterweight, locking casters, and removable lock core.

Field installed casters are standard on 1.5-High mobile pedestals.

Glides and casters are standard on 2-High pedestals.




15"W 1.5-High Mobile Pedestal (Box/File)


Locks are standard on pedestals and come installed on each unit. Locks are available with random keying only. Locks are labeled as "PR" with three randomly selected numbers.

To remove locks, a core removal key must be specified separately (**SS-CRK**).

Pedestal cushions available in a variety of fabric colors.



2-High Mobile/Freestanding (Box/Box/File) with Casters



2-High Mobile/Freestanding Pedestal (File/File) with Glides and Seat Cushion

Application

S-Series 2-High pedestals are only intended for freestanding or mobile applications. S-Series 2-High pedestals cannot be used under a worksurface or panel-mounted worksurface in fixed applications.

Surface Materials

Paint

- F1 Platinum
- F2 White
- F3 Black

Actual Dimensions

	1.5-High Mobile Pedestal (Box/File)	2-High Pedestal (Box/Box/File and File/File)	Enhanced Cushion
Depth	23"	19"	19" or 23"
Width	12" or 15"	15"	12" or 15"
Height with casters	21"	28"	2"

S-Series Lateral Files and Bookcase

S-Series Lateral Files
and Bookcase

S-SERIES

S-Series lateral files and bookcase are mobile storage solutions used to store and organize files and documents.

1.5-High Lateral File with Drawers and Casters

1.5-High laterals and bookcase are available in two finishes: platinum or white.

1.5-High Bookcase with Casters

2-High laterals are available in three finishes: platinum, white, or black.

Lateral cushions are ordered separately for 2-High laterals only.

2-High Lateral File with Casters

Field installed lateral file drawers are standard with two hanging file frames.

Locks are standard on lateral files and bookcase and come installed on each unit. Locks are available with random keying only. Locks are labeled as "PR" with three randomly selected numbers.

1.5-High bookcase with casters include one adjustable shelf.

To remove locks, a core removal key must be specified separately (**SS-CRK**).

Application Topics

S-Series 2-High laterals are only intended for freestanding or mobile applications. S-Series 2-High laterals cannot be used under a worksurface or panel-mounted worksurface in fixed applications.

Surface Materials

Paint

- F1 Platinum
- F2 White
- F3 Black

Tip: F3 Black is only available with the 2-High lateral.

Actual Dimensions

	1.5-High Lateral	Bookcase	2-High Lateral	Enhanced Cushion
Depth	18"	18"	20"	20"
Width	30"	30"	30"	30"
Height with casters	23"	23"	27"	2"


S-Series Tower

S-Series towers provide users with storage spaces to file away paperwork and store other miscellaneous and personal items.


Towers include a hanger rod and shelves.

Available right-hinged or left-hinged.

Metal shelves can be adjusted to accommodate specific storage needs.



Locks are standard on towers and come installed on each unit. Locks are available with random keying only. Locks are labeled as “PR” with three randomly selected numbers.



To remove locks, a core removal key must be specified separately (**SS-CRK**).

Surface Materials

- Paint**
- F1 Platinum
 - F2 White
 - F3 Black

Actual Dimensions

Tower	
Depth	24"
Width	24"
Height	53"



S-Series Enhanced Cushion

S-Series Enhanced
Cushion


Cushions are ordered separately for use on S-Series pedestals and 2-High laterals.

Cushions are field-installed and attach to the existing top with a hook and loop fastener.

Cushions are available in 15 fabric finishes.



Pedestal cushion



Lateral cushion

Lateral cushions are compatible with 2-High laterals only.

Surface Materials

Fabric
• Billiard


S-SERIES

Actual Dimensions

	Depth	Width	Height
Enhanced Pedestal Cushion	19" or 23"	12" or 15"	2"
Enhanced Lateral Cushion	20"	30"	2"

S-Series

1.5-High Mobile Pedestal



Standard Includes	Required to Specify
▶ Need help? Product details, page 128 • Steel storage pedestal: paint • Includes pencil tray, box drawer divider, file hanger, anti-tip counterweight, locking casters, and removable lock core • Casters • Lock, keyed random	1 Style number 2 Paint color number for pedestal ▶ See <i>Surface Materials</i>, page 504.


Specification Information

Style Number	Dimensions D W H	U.S. Price
--------------	---------------------	------------

S-SERIES 1.5-High Mobile Pedestal

SSRSPEDestal	23" 12" 21"	\$524
	23" 15" 21"	\$609

2-High Pedestal



Standard Includes	Required to Specify
▶ Need help? Product details, page 128 • 2-high pedestal: paint • Includes pencil tray, box drawer divider, file hanger, anti-tip counterweight, locking casters, full extension ball bearing glides, and removable lock core • Glides • Lock, keyed random	1 Style number 2 Paint color number for pedestal 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Storage		
• File/file	No cost	Specify with file/file storage.
• Box/box/file	+\$27	Specify with box/box/file storage.

Specification Information

Style Number	Dimensions D W H	U.S. Base Price
--------------	---------------------	-----------------

SSFP2H	19" 15" 28"	\$576
--------	-------------	-------


Tip: Illustration above shows pedestal with box/box/file storage and glides.

Tip: S-Series 2-High pedestals are only intended for freestanding or mobile applications. Pedestals cannot be used under a worksurface or panel-mounted worksurface in fixed applications.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

1.5-High Bookcase and Lateral File



Tip: Illustration above shows lateral file with drawers and casters.


Standard Includes		Required to Specify	
► Need help? Product details, page 129	• Steel storage lateral: paint • Lock, keyed random, if lateral file with drawers selected • Glides	1 Style number 2 Paint color number for bookcase and lateral file 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.	
Options		U.S. Price	Required to Specify
Casters	• Casters	+\$102	Specify <i>with casters</i> .

Specification Information				
•Style Number	•Dimensions D W H			•U.S. Base Price

S-SERIES 1.5-High Bookcase				
SSRSSTORAGE	18"	30"	21"	\$726

S-SERIES 1.5-High Lateral File with Drawers				
SSRSSTORAGE	18"	30"	21"	\$957

2-High Lateral File



Tip: Illustration above shows lateral file with casters.

Tip: S-Series 2-High laterals are only intended for freestanding or mobile applications. Laterals cannot be used under a worksurface or panel-mounted worksurface in fixed applications.




For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

Standard Includes		Required to Specify	
► Need help? Product details, page 129	• 2-high lateral file: paint • Glides • Lock, keyed random	1 Style number 2 Paint color number for lateral file 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.	

Options		U.S. Price	Required to Specify
Casters or Glides	• Glides • Hard casters	No cost +\$99	Specify <i>with glides</i> . Specify <i>with casters</i> .


Specification Information				
•Style Number	•Dimensions D W H			•U.S. Base Price
SSFL2H	20"	30"	27 ³ / ₈ "	\$927

Tower



Standard Includes		Required to Specify	
► Need help? Product details, page 130	• Tower: paint • Hanger rod and shelves	1 Style number 2 Paint color number for tower 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.	
Options		U.S. Price	Required to Specify
Handedness	• Left hinged • Right hinged	No cost No cost	Specify <i>with left hinged</i> . Specify <i>with right hinged</i> .
Specification Information			
Style Number	Dimensions D W H	U.S. Price	
SSWTF	24" 24" 53"	\$1920	

Enhanced Pedestal Cushion For Use with 1.5-High and 2-High Pedestals




Tip: When 2-High application is selected, only 15"W is available.

Standard Includes		Required to Specify	
► Need help? Product details, page 131	• 2"H fabric cushion: Billiard • 23"D, if 1.5-High application selected • 19"D, if 2-High application selected	1 Style number 2 Specify application 3 Fabric color number for cushion 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.	
Options		U.S. Price	Required to Specify
Width	• 12" • 15"	No cost +\$27	Specify width. Specify width.
Application	• 1.5-high • 2-high	No cost No cost	Specify <i>with 1.5-high application</i> . Specify <i>with 2-high application</i> .
Specification Information			
Style Number	U.S. Base Price		
SSPEDCUSH	\$219		



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Enhanced Lateral Cushion



Tip: Lateral cushions are only compatible with 2-High laterals.

Standard Includes		Required to Specify
► Need help? Product details, page 131	• 20"D x 30"W x 2"H fabric cushion: Billiard	1 Style number 2 Fabric color number for cushion ► See <i>Surface Materials</i> , page 504.
Specification Information		
Style Number	U.S. Price	
SSLATCUSH	\$330	

Core Removal Keys

Tip: Core removal keys must be specified separately to remove lock cores. Removal keys are reusable and do not need to be specified with every furniture order.

Tip: Core removal keys are compatible for S-Series, Revi, Tektis, Embank, and Uptake storage products.

Standard Includes		Required to Specify
	• Core removal keys	Style number
Specification Information		
Style Number	U.S. Price	
SS-CRK	\$24	

Lock Core and Keys

Tip: Lock core and keys are standard keyed random and are labeled with "PR".

Standard Includes		Required to Specify
	• Lock core and keys	Style number
Specification Information		
Style Number	U.S. Price	
SS-LCK	\$61	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Master Keys

Tip: Master keys are keyed random.

Standard Includes		Required to Specify
• Master keys		Style number
Specification Information		
Style Number	U.S. Price	
SS-MK	\$24	

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Work Tools


Intro Monitor Arms		
Understanding		139
Specifying		157
LED Intro Task Lights		
Understanding		142
Specifying		160
Power and Cable Management		
Understanding		145
Specifying		161
Slatwall		
Understanding		148
Specifying		165

Monitor Arms Specifications



Monitor Support	Up to 30"
Monitor Weight	4.5 – 20 lbs
Monitor Tilt Range	-85° – 15°
Height Adjustment Range	12"
Arm Extension	20"
Arm Retraction	6"
VESA hole sizes	75×75mm / 100×100mm

Intro display supports are available in single and dual assembly with universal slider bar tilt heads.



Intro monitor arm supports one or two monitors. Quick release tilt head standard.

Cable management is included.
Tip: Monitor arms utilize the VESA hole pattern to connect monitor to arm. Apple monitors do not connect without optional adapter plate. Plate must be acquired through Apple.

Product Details

Intro monitor arms are standard with 100 VESA plate and tilt head.

Intro monitor arms allow for monitor to rotate portrait to landscape orientation.

Monitor arm assemblies include mounting bracket options of C-clamp and through-mount.

Intro single and dual arm brackets can be C-clamped or through mounted.

Brackets are available in desk C-clamp and through-mount.

All monitor arms utilize the VESA hole pattern to connect monitor to arm. Apple monitors do not connect without optional adapter plate. Plate must be acquired through Apple.

Monitor Arm Assemblies and Supports Dimensions

• Features	• Intro Single (AMQCFINTRO)	• Intro Dual with Sliders (AMQCFINTRODLIDE)
------------	--------------------------------	---

Display Supports		
Maximum Monitor Weight	2.2–20 lb	2.2–20 lb per monitor
Maximum Monitor Width (measured left to right)	32"	27"
Maximum Monitor Height	18"	18"
Functional Focal Length*	23.7"	16"
Vertical Adjustment Range	13.2"	13"
Tilt Forward/backward	200°	180°
Lower Arm Rotation	200°	180°
Upper Arm Rotation	360°	360°
Rotation (portrait to landscape)	Yes	Yes
VESA Plate	100 mm	100 mm
VESA Bracket Range (side to side)	180°	180°
Vertical Adjustment Pole Range	N.A.	N.A.

Tip: Maximum monitor size may be impacted by thickness of monitor and location of VESA bracket mount. Dimensions are estimates.

*Focal length decreases with larger monitor size.

Tip: All monitor arms utilize the VESA hole pattern to connect monitor to arm. Apple monitors do not connect without optional adapter plate. Plate must be acquired through Apple.

LED Intro Task Lights

LED intro task lights

provides ease of user adjustments to direct light where needed, plus a three-step dimming feature. LED light source for energy efficiency.

Capacitive touch switch

is located on the back of the light source with dimming control. The first touch is 10% illumination, second touch is 50%, third touch is 100%, and the fourth touch turns off.


Light source knuckle and base knuckle

provide articulation points for ease of adjustments to where the light is needed.


Freestanding base

is ideal for placing on desk or table tops. Painted to match the entire light fixture and weighted to prevent tipping.

Product Details



LED intro single-arm lights are for use with worksurfaces 58"W or smaller.




LED intro double-arm lights are for use with worksurfaces 60"W or larger.

LED light performance with 3000K color temperature and a 90 color rendering index rating.


Adjustability at the light source and base directs light where needed.

Examples

- Light head swivels 350° (side to side)



- Light head pivots up and down 180° (up/down)



Capacitive touch on/off switch and dimming feature comes standard with three levels: 10%, 50%, and 100%.

Color temperature of LED is 3000K.

Color rendering index (CRI) is 90.

Connections
 Freestanding base
Wiring & Cabling

Light comes standard with single touch on /10%–50%–100% / off.

Power supply uses a modular cord with standard two prong plug, cord length 75".






Surface Materials**Paint**

- 4135 Black Matte
- 4142 Platinum Gloss
- 4143 White Matte

Application Topics

Power cord length is 75". Consider distance from light to power receptacle, and if surface or under the work-surface power receptacle may be needed.

► Pages 145–146

Actual Dimensions**Single Arm****Double Arm**


Task lights offer end users added control and adjustability to place the proper amount of task lighting to create a holistic work setting.

LED Lights

LED Intro Task Light Single Arm






LED Intro Task Light Double Arm



Mounting Options		
	• Freestanding Base	
	Specifying ▶ Page 160	Specifying ▶ Page 160
Watts/Lumens/Efficacy	7 Watts/400 Lumens/62 Efficacy	7 Watts/400 Lumens/62 Efficacy
Color Rendering Index	90	90
Color Temperature	3000K	3000K
Horizontal Arm Range	0"-9 ² / ₅ "	3"-19 ¹ / ₄ "
Vertical Height Adjustment	17 ² / ₅ "-18 ⁹ / ₂₀ "	9 ¹ / ₅ "-24 ⁴ / ₅ "
Tilt/Swivel	• Light head pivot – 180° up/down • Swivel – 350°	• Light head pivot – 180° up/down • Swivel – 350°
Replacement Lamp/Bulb	• Not available	• Not available
Average Rated Lamp Life	• 50,000 hrs.	• 50,000 hrs.
Finish Options	• Paint: Black Matte (4135), Platinum Gloss (4142), or White Matte (4143)	• Paint: Black Matte (4135), Platinum Gloss (4142), or White Matte (4143)
Electronic Dimmer	• Three-step: 10%–50%–100%	• Three-step: 10%–50%–100%
Occupancy Sensor	• Not available	• Not available
Warranty	• 3 year warranty	• 3 year warranty
Power Supply Wattage	• 12 watts	• 12 watts
Power Supply Voltage	• volts	• 24 volts
Cord length	• 75" (6 ¹ / ₄ ')	• 75" (6 ¹ / ₄ ')
Cord material	• Black plastic only	• Black plastic only

Powerstrip Intro



► Specifying, page 160

Product Details

Powerstrip intro offers two power, one USB-A and one USB-C intelligent 20W with a C-clamp mount for the desktop.

Desktop power configuration options and specifications include:



- Two power, one USB-A and one USB-C 20W
- Power outlet is 15A, 120V, 60Hz
- Tamper resistant power outlets

Meets spill test criteria.

Two power with 20 watt intelligent USB A+C (3 port):




- If only USB-C in use: delivers what the device needs up to 20 watts
- If only USB-A in use, up to 10 watts
- If both USB A+C in use, USB-A delivers up to 10 watts and 10 watts to USB-C. If USB-A device needs less than 10W, the remainder up to 20 watts goes to the USB-C device
- USB-A watt/amp output (2 port) is 10W/2A per port with dedicated charging ports

Under worksurface optional utility power-blocks do not ship with independent mounting hardware. They are designed to mount into the universal cable management kit without additional hardware.



Cable management kit comes standard with each powerstrip. Mounts under the worksurface to manage cords.

Optional Under Worksurface Utility Power



The bottom of each utility powerstrip block has slots. The slots allow the block to slide onto raised bars in the universal cable management trays. These help keep the powerstrip in place when the tray is opened or closed.

Universal cable management tray—small tray holds four outlets and large tray holds seven outlets under worksurface utility power.

Overcurrent protection via a circuit breaker

prevents one powerstrip intro assembly from drawing more than 15 amps of power.

Overcurrent protection is included as standard with powerstrip intro configurations with more than four outlets and is an option on configurations with less than four outlets. Check with your local authorities having jurisdiction to see if overcurrent protection is required for assemblies with less than four outlets.

Powerstrip intro includes a 6-foot standard smooth cord with a diameter of 3/8".

Powerstrip intro includes a standard straight 3-prong plug. An overcurrent protection (OCP) 90-degree plug is also an option. Check with your local authorities having jurisdiction to see if overcurrent protection is required.

Overcurrent protection (OCP) includes a circuit breaker rated for 15 amps.

C-clamp is designed to accommodate worksurfaces up to 1 1/2" thick.

USB A+C 20W



Powerstrip intro USB ports are recommended for charging: cell phones, tablets, headphones, wearable fitness trackers, or other small electronic devices. Not recommended for devices needing higher output, more than 20-watts, like compact laptops. See Powerstrip Plus for higher output USB options.

Surface Materials

Housing

- 6009 Arctic White

Tip: Arctic white housing will have white cord.

Actual Dimensions

Depth 37/16"

Width 4 11/16"


Height 1 5/8"

Underwriters Laboratory (UL) Listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code.

Certifications include:

- cULus

Universal Cable Management Kit



► Specifying, page 162

Product Details

Universal cable management kit provides easy management and access to cords, cables, and power blocks under a workstation.



Optional smart straps allow for easy management of cables and cords in the cable management tray. Straps are 5³/₄" long.

Cable management tray is designed to fit behind the stretcher bar and understructure of most height-adjustable tables.



Cable management tray provides tool-free and hardware-free mounting of under worksurface utility power.

Cable management tray allows for a 4⁵/₈" gap around all four sides between the tray and the worksurface when mounted to allow for cable egress.

The small 15¹/₂" cable management tray is designed to hold one, 4 outlet, utility powerstrip. The tray does not have the capacity to hold more than one utility powerstrip.



The large 30" cable management tray holds two utility powerstrips in the raised bars section. There is capacity to add three utility powerstrips, two in the raised bar area and one more in the tray, strapped down.







Surface Materials

Cable tray

• 6527 Merle

Actual Dimensions

Depth	6 ⁵ / ₁₆ " (7 ⁴ / ₅ " with bracket)
Width	15 ¹ / ₂ ", 30"
Height	2 ⁵ / ₈ " (3 ¹ / ₂ " when installed)



SOTO tool box, utility box, and personal box are not offered individually. Available as bundles only, see page 163.

SOTO Tool Box



► Specifying, page 163

Product Details

SOTO tool box accommodates pens, pencils, Post-it® notes, and other small office tools.

SOTO tool box is standard with a translucent removable dividing insert to keep items separate.

SOTO tool box will fit inside c:scape furniture drawers and on shelves.

Surface Materials

SOTO tool box
• 6009 Arctic White

Actual Dimensions

Depth 3½"

Width 3¼"

Height 3½"

Weight 0.3 lb

SOTO Utility Box



► Specifying, page 163

Product Details

SOTO utility box is for use on 3" shelf, inside personal box, or on worksurface.

SOTO utility box will fit inside c:scape furniture drawers and on shelves.

Surface Materials

SOTO utility box
• 6009 Arctic White

Actual Dimensions

Depth 3⅞"

Width 9"

Height 1¼"

Weight 0.3 lb

SOTO Personal Box



► Specifying, page 163

Product Details

SOTO personal box provides user controlled area for small business or personal items.

SOTO personal boxes may be used freestanding or on 10" shelf.

SOTO personal boxes may be used individually or stacked horizontal. Boxes interlock when stacked horizontal.

SOTO storage box set of three fits neatly inside personal box.

SOTO personal box will fit inside c:scape furniture drawers and on shelves.

Surface Materials

SOTO personal box
• 6009 Arctic White

Actual Dimensions

Depth 9"

Width 9"

Height 2"

Weight 0.3 lb


Slatwall

Slatwall allows for vertical stacking anywhere on the tile.
► Specifying, page 164

Slatwall tiles are standard in 12" or 18" heights and seven different widths.


Mounting brackets are available to correspond with selected furniture system and are ordered separately.

Slatwall can be panel-mounted or wall-mounted. 12" high Slatwall can be freestanding.




Actual Dimensions			
	Freestanding slatwall stanchions	Slatwall tiles	Slatwall brackets
Depth	3"	1/2"	N.A.
Width	3 1/2"	24", 30", 36", 42", 45", 48", or 60"	2"
Height	16"	12" or 18"	12 1/3" or 18"

Product Details




Slatwall tiles are available for straight mounting applications only.


Slatwall tiles support a maximum of 60 lb.




Freestanding Slatwall stanchions are for use with 12"H Slatwall tiles only. Stanchions and Slatwall tiles must be ordered separately.





Freestanding Slatwall stanchions clamp to work surfaces $\frac{3}{4}$ " to 2" thick and uses a 2" footprint on the work surface.




Worksurface must be a minimum depth of 18" and able to support a maximum weight of 60 lb when using freestanding Slatwall stanchions.




In freestanding application, top of Slatwall is 15 $\frac{1}{2}$ " above mounting surface and is a fixed height. Rubber feet under stanchions ensure a tight fit without marring work surface.



Slatwall can overhang freestanding stanchions by 12" for tiles 48"W or less and 15" for 60"W tiles.




When using freestanding Slatwall stanchions, a 2" clearance is required below work surface to accommodate C-clamp.




Freestanding Slatwall stanchions cannot work in a corner application.

Freestanding Slatwall stanchions are not for use with glass, bullnose, knife edge, or other non-standard work surface edges.



Panel mount Slatwall brackets cannot be used with transaction top work surfaces.



Panel or wall-mount applications require a minimum of 13" vertical space between work surface and overhead bins or shelves.


Wall mount brackets must be installed in a wall stud.

Surface Materials

Slatwall tiles, stanchions, and brackets
• 4799 Platinum

Freestanding Worktools

Trays



► Specifying, page 167

Product Details

Trays are available to accommodate letter, legal, and A4 filing.

Trays may be used with Slatwall or freestanding applications.

Trays are 2½"H and stackable.

Tray holds a maximum weight of 7 lb per tray.

Trays stack four high on 12"H Slatwall and six high on 18" Slatwall.

Surface Materials

Tray

- 6009 Arctic White
- 6544 Frost

Actual Dimensions

Letter tray

Depth 12½"

Width 10⅜"

Height 2½"

Weight 1.5 lb

Landscape letter tray

Depth 10"

Width 12½"

Height 2½"

Weight 1.5 lb

Landscape legal tray

Depth 10"

Width 15½"

Height 2½"

Weight 1.75 lb

Binder Holder



Tip: Binder holder requires 9½" of clearance under overhead bins and shelves.

► Specifying, page 167

Product Details

Binder holder may be used with Slatwall, or freestanding applications.

Binder holder mounts in tall orientation for most materials or short orientation for large binders.

Binder holder holds a maximum weight of 10 lb and holds up to 4" of materials.

Surface Materials

Binder holder

- 6009 Arctic White
- 6544 Frost

Actual Dimensions


Depth 9⅞"

Width 4¾"

Height 11⅜"

Weight 1.2 lb

PaperFlo Manager



Tip: PaperFlo Manager requires 11" of clearance under overhead bins and shelves.

► Specifying, page 168

Product Details

PaperFlo Manager may be used with Slatwall or freestanding applications.

PaperFlo Manager is standard with three sloped slots with non-handed wire dividers and sturdy base.

Blank identification tags are included.

PaperFlo Manager holds a maximum weight of 15 lb.

Surface Materials

PaperFlo Manager

- 6009 Arctic White
- 6544 Frost

Actual Dimensions


Depth 12"

Width 9¾"

Height 9¾"

Weight 2 lb

Universal Shelves



► Specifying, page 168

Product Details

Universal shelves are sloped for storing 2³/₄" of materials.

Universal shelves may be positioned vertically for letter-size material or horizontally for legal-size material.

Universal shelves are available in either a single pack or three pack.

Universal shelf holds a maximum weight of 7 lb per shelf.

Surface Materials

Universal shelves

- 6009 Arctic White
- 6544 Frost

Actual Dimensions

Depth 9¹/₂"

Width 2³/₄"


Height 12"

Weight 0.5 lb

Slatwall Width Maximum Number of Shelves

24"W	6
30"W	9
36"W	11
42"W	13
45"W	14
48"W	15
60"W	19

Hanging Brackets



Tip: Hanging brackets are recommended for use in pairs only. Brackets should not be shared with mounting multiple brackets side by side.

► Specifying, page 169

Product Details

Hanging brackets are solid and four stepped for displaying hanging files.

Hanging brackets require 6" clearance from top step of bracket to access files under bin and 9" clearance from the bottom step to allow files to hang freely.

Surface Materials

Hanging brackets

- 6009 Arctic White
- 6544 Frost

Actual Dimensions

Depth 9³/₄"

Width 1¹/₂"

Height 1¹/₄"

Weight 1 lb

Pen/Pencil Cup



► Specifying, page 169

Product Details

Pen/Pencil cup is 2³/₈" in diameter.

Surface Materials

Pen/Pencil cup

- 6009 Arctic White
- 6544 Frost

Actual Dimensions

Depth 4"

Width 3¹/₄"

Height 3⁵/₈"

Weight 0.5 lb

Double Square Dish



► Specifying, page 169

Product Details

Double square dish may be used with Slatwall or freestanding applications.

Surface Materials

Double square dish

- 6009 Arctic White
- 6544 Frost

Actual Dimensions

Small square

Depth 27/8"

Width 25/8"

Large square

Depth 27/8"

Width 55/8"

Outside dimensions


Depth 4"

Width 93/4"

Height 11/2"

Weight 0.5 lb

Office in a File



► Specifying, page 170

Product Details

Office in a File may be used with Slatwall, hanging brackets, or freestanding applications.

Office in a File is portable and standard with seven compartments and translucent cover.

Office in a File is standard with built-in tape dispenser.

Translucent cover may be used as a writing surface.

Surface Materials

Office in a File

- 6009 Arctic White
- 6544 Frost

Actual Dimensions


Depth 95/8"

Width 121/4"

Height 13/8"

Weight 1.5 lb

Personal Shelf



► Specifying, page 170

Product Details

Personal shelf is standard with raised front edge to prevent items from falling.

Surface Materials

Personal shelf

- 7018 Pewter

Actual Dimensions

Depth 71/8"

Height 131/2"

Weight 3 lb

Telephone Caddy



Tip: Telephone caddy is not compatible with Cisco phones.

► Specifying, page 170

Product Details

Telephone caddy mounts off desktop at an optimal angle to view numbers and dialing.

Telephone caddy is standard with vertical channel for managing telephone cable.

43/4" clearance required to mount on Slatwall.

Surface Materials

Telephone caddy

- 7018 Pewter

Actual Dimensions

Depth 2"

Width 8"

Height 11"

Weight 6 lb

Tackstrip



► Specifying, page 171

Product Details

Tackstrip is a slim tack-able surface for posting reminders or photos.

Tackstrip surface is self-filling, reducing the sight of holes from frequent use.

Surface Materials

Tackstrip
• 6000 Black

Actual Dimensions


Depth 5/16"

Width 15"

Height 3 1/8"

Weight 0.5 lb

Wastebasket



► Specifying, page 171

Product Details

Wastebasket design allows wastebasket to hug wall and provide greater foot room underneath worksurface.

Wastebasket is made of recycled materials.

Capacity of wastebasket is four gallons.

Recycling labels are available at no charge and must be ordered separately.

Surface Materials

Wastebasket
• 6000 Black

Actual Dimensions

Depth 10"

Width 10"

Height 15"

Weight 5 lb

Coat Hook



Tip: Coat hook is not recommended for use at end of panel run configurations.

► Specifying, page 171

Product Details

Coat hook is one piece, solid steel and for use with TEKtIS.

Surface Materials

Coat hook
• 7018 Pewter

Actual Dimensions

Depth 7/8"

Width 2 1/2"

Height 2 1/4"

Weight 0.15 lb

LED Linear Shelf Lights

A properly diffused light source under the linear head provides a softly blended light pattern that reduces eye strain.
► Specifying, page 172

Optional occupancy sensor turns off after 30 minutes of no activity and will turn back on upon return.


Magnetic mounts and wood mount bracket hardware, both come standard with both LED light and optional occupancy sensor.

Single touch on/off pad plus touch and hold dimming for easy individual user control.

Continuous dimming from 100% to 15% with last state memory.

Light widths available in 17", 31", and 44".

Cord exits from either end of the light. When needed, allow 1 3/4" cord bend clearance. With optional occupancy sensor, allow additional 4 3/4" clearance from the light fixture.



Actual Dimensions		
	Light	Occupancy Sensor
Depth	2"	2"
Width	17", 31", or 44"	2 3/10"
Height	1/2"	7/10"

Product Details

LED linear stand alone and daisy chain starter lights include the lamp, power supply, and both magnetic mounts, and wood bracket hardware with adhesive cord managers.

LED linear daisy chain lights include the lamp, daisy chain cords, and both magnetic mounts, and wood mount bracket hardware with adhesive cord managers.

Optional occupancy sensor is a separate component that connects to the light fixture and activates in 30 minutes when no movement is detected to conserve energy. It will also turn back on upon return.

Average rated lamp life of LED linear shelf lights is 50,000 hours.

Color temperature of LEDs is 3500K.

Color rendering index of LEDs is 92.

Automatic turn off after 10 hours (+/- 15 mins.); standard with both models.

Connections

Lights mount recessed or flush depending on design of overhead storage bin or shelf. Installation is done in the field.

Magnet mounts allow shelf lights to be installed without tools under most metal overhead storage bins or shelves.

Wood mount brackets allow shelf lights to be mounted to wood shelves.

Specify LED linear shelf light for use under 24" wide bins.

Light width	Number of LEDs in Standard Output	System Wattage Standard Output
17"	24	9.1
31"	48	17.6
44"	72	25.9


Wiring & Cabling

Light is standard with single touch on/off and touch control dimming.

User adjustable touch and hold dimming pad includes continuous dimming range of 100% to 15%.

Power supply for 17" linear stand alone only uses a straight plug with a 9' 18 watt 24 volt wall transformer.


LED Linear Shelf Light Power Supply Dimensions



Tip: Cord length is 9'.

Power supply for 31", 44", or 17" starter light; 65 watt compact in-line brick straight plug. The cord is 11', 6' from power supply to power outlet and 5' from power supply to fixture.

LED Linear Shelf Light Power Supply Dimensions



Tip: Applies to 31", 44", and daisy chained.

Tip: Daisy chain starter light comes with a 65 watt power supply to support up to a limited number of lights – refer to chart for daisy chaining fixture. Daisy chain secondary lights do not come with a power supply, but instead come with two daisy chain jumper cords, one 8" and one 30" set.
► See page 156.

Surface Materials

Housing

- 4321 Arctic White
- 0835 Black

Cord

- Black plastic only

Photometric Data

17"W Standard Output Linear Shelf Light

Measured from 18" above worksurface

	10"	18"	27"	31"	27"	18"	11"
12"	10	18	27	31	27	18	11
6"	15	30	49	59	49	30	15
CL	18	38	64	79	65	38	19
8"	16	32	54	65	64	33	17
12"	12	21	31	37	31	21	12
18"	12"	6"	CL	6"	12"	18"	

Worksurface front

31"W Standard Output Linear Shelf Light

Worksurface rear

	12"	25"	38"	49"	53"	50"	39"	26"
12"	25	38	49	53	50	39	26	
6"	41	67	88	95	87	67	42	
CL	50	86	114	125	115	87	52	
8"	43	73	96	104	97	74	45	
12"	29	45	57	62	58	46	30	
18"	12"	6"	CL	6"	12"	18"		

Worksurface front

44"W Standard Output Linear Shelf Light

Worksurface rear

	12"	42"	54"	61"	63"	61"	54"	42"
12"	42	54	61	63	61	54	42	
6"	73	95	106	109	104	93	72	
CL	94	124	138	141	137	122	94	
8"	80	105	117	121	117	104	80	
12"	50	64	72	75	72	64	50	
18"	12"	6"	CL	6"	12"	18"		


Worksurface front

Chart for Daisy Chaining Fixtures

Standard Output Linear Shelf Light											
Light fixture widths	Maximum number of fixtures allowed with daisy chain starter light										
17"	6	4	3	2	2	1	1	-	-	-	-
31"	-	1	-	2	-	2	1	3	1	1	-
44"	-	-	1	-	-	-	1	-	1	-	2

- A 65 watt power supply is required for daisy chaining.
- Total system wattage of all fixtures together cannot meet or exceed 65 watts, see chart.
- Cannot daisy chain standard output and high output together.
- Cannot daisy chain 58" high output fixtures.
- Occupancy sensor must be positioned between the power supply and the first starter fixture.
- Only need one sensor when daisy chaining.

Tip: Each column is the maximum number of fixtures that can be daisy chained together.

Occupancy Sensor

- Turns off after 30 minutes of no activity and will turn back on upon return
- 360° lens view
- 90° outward detection angle
- 30" diameter coverage if mounted 15" above worksurface
- 36" diameter coverage if mounted 18" above worksurface
- Connects to fixture with one end-to-end connector. 8" or 30" jumper cords

ACTIV Eco Power Box



Standard Includes		Required to Specify
• Power box with two electrical outlets • Edge mounting clamp • 78" cord • White		Style number
Specification Information		
Style Number	U.S. Price	
X-E-PB4	\$197	

ACTIV Boost Power Box



Standard Includes		Required to Specify
• Power box with two electrical outlets • Edge mounting clamp • 108" cord • One USB A and one USB C		Style number
Specification Information		
Style Number	U.S. Price	
BOOSTPOWER	\$419	

ACTIV Soft Cable Management




Standard Includes		Required to Specify
• Felt cable manager with zipper and attachment hardware		Style number
Specification Information		
Style Number	U.S. Price	
X-FCMT	\$161	




For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

ILINE Wire Tray



Standard Includes		Required to Specify	
Metal tray: paint		1 Style number 2 Paint color number for metal tray 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.	
Options		U.S. Price	Required to Specify
Cable Management	Wire tray with cable management	+\$148	Specify <i>with cable management</i> .
Specification Information			
Style Number	U.S. Base Price		
ILNEWIRETRAY	\$141		

ACTIV Wire Tray



Standard Includes		Required to Specify	
• 36"W metal tray: paint • Attachment hardware		1 Style number 2 Paint color number for metal tray ▶ See <i>Surface Materials</i> , page 504.	
Specification Information			
Style Number	U.S. Price		
ACTVWIRETRAY	\$133		



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.

Single Monitor Arm



Standard Includes		Required to Specify
Single monitor arm with VESA plate: paint		1 Style number 2 Paint color number for arm ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
Style Number	U.S. Price	
MONITORARM	\$314	

Intro Single



Tip: **AMQCFINTRO** supports 2.2–20 lbs. per monitor.


Tip: Standard tilt head is standard with quick release.

Tip: Intro monitor arms come standard with C-clamp and through mount bracket types.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 139 - Monitor arm: paint - Standard tilt head with 100x100 VESA plate - C-clamp - Through mount bracket		1 Style number 2 Paint color number for monitor arm 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.	
Options		U.S. Price	Required to Specify
Tilt Head	Intro standard tilt head	No cost	Specify with Intro standard tilt head.
Specification Information			
Weight	Style Number	U.S. Price	
7.6 lbs	AMQCFINTRO	\$413	

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Intro Dual Assembly with Universal Slider Bar Tilt Heads



Tip: **AMQCFINTRODSLIDE** is not recommended for corner applications.

Tip: **AMQCFINTRODSLIDE** is standard with two Universal slider bar tilt heads.

Tip: **AMQCFINTRODSLIDE** supports 2.2-20 lbs. per monitor.

Standard Includes		Required to Specify
► Need help? Product details, page 139	• Monitor arm: paint • Standard tilt head with 100x100 VESA plate • C-clamp • Through mount bracket	1 Style number 2 Paint color number for monitor arm ► See <i>Surface Materials</i> , page 504.
Specification Information		
Weight	Style Number	U.S. Price
13.65 lbs	AMQCFINTRODSLIDE	\$726

LED Intro Task Lights

Standard Includes		Required to Specify
► Need help? Product details, page 142	• Task light and freestanding base: paint • 75" cord two-prong power supply • LED light source • Capacitive switch • Three-step dimming • 7W LED 3000K	1 Style number 2 Paint color number for task light and free-standing stand ► See <i>Surface Materials</i> , page 504.

Specification Information			
Dimensions			U.S. Price
D	W	H	Style Number

LED Intro Single-Arm Task Light

7"	7"	18 ³ / ₁₀ "	AMQLSCTSKLIGHT1	\$357
----	----	-----------------------------------	------------------------	-------


LED Intro Double-Arm Task Light

7"	7"	17 ³ / ₄ "	AMQLSCTSKLIGHT2	\$511
----	----	----------------------------------	------------------------	-------



Tip: Power cord length is 75". Consider distance from light to power receptacle, and if surface or under the worksurface power receptacle may be needed. Applies to both single-arm and double-arm lights.

Powerstrip Intro



Tip: C-clamp is designed to accommodate worksurfaces up to 1½" thick.

Tip: Each USB port can provide up to 10 watts (2 amps).

Tip: Overcurrent protection includes a 15 amp circuit breaker.

Tip: USB A+C 20W for charging cell phones, tablets, headphones, wearable fitness trackers, or other small electronic devices.

Tip: Optional under work-surface utility power blocks do not ship with independent mounting hardware. Designed to be used with the universal cable management kits.

Standard Includes	Required to Specify
- Need help? Product details, page 145 - Powerstrip intro: 6009 Arctic White 6' standard cord - Standard NEMA 5-15 3-prong 2 power/1 USB-A/1 USB-C 2W - PVC - C-clamp mount	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Utility Power 1 utility + 1 female plug + tray mount 2 utility + 1 female plug + tray mount	+\$164 +\$326	- Specify with 1 utility + 1 female plug + tray mount. - Specify with 2 utility + 1 female plug + tray mount.

Specification Information				
Dimensions			Style Number	U.S. Base Price
D	W	H		
3"	3"	3½"	AMQDSPINTRO	\$415




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

Cable Management Kits



Tip: The weight limit of the 15 1/2" tray is five pounds, while the weight limit of the 30" tray is 10 pounds.

Tip: Tray attachment hardware accommodates worksurfaces more than 3/4" in thickness. Screws may pop through thinner worksurfaces.

Tip: When installed, tray provides 4/5" of clearance on all sides to allow for cable egress between the underside of the worksurface and the top of the tray.

Standard Includes		Required to Specify
► Need help? Product details, page 146	• Cable management tray: 6527 Merle • Attachment hardware	Style number

Specification Information				
Dimensions			Style	U.S.
D	W	H	Number	Price


Small Cable Management Kit

65/16"	15 1/2"	3 1/2"	AMQDSTRAYSM	\$123

Large Cable Management Kit

65/16"	30"	3 1/2"	AMQDSTRAYLG	\$164

Smart Straps Bulk Pack—For Use with Universal Cable Management Kit




Standard Includes		Required to Specify
• 100 red rubber: smart straps • 5 4/5" in length		Style number

Specification Information	
Style	U.S.
Number	Price
AMQDSBULKSTRP	\$164

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.


SOTO Intro Bundle



Tip: SOTO intro bundle contains a tool box, personal box, and personal hook.

Standard Includes		Required to Specify
► Need help? Product details, page 147	• SOTO tool box: 6009 Arctic White	Style number
	• SOTO personal box: 6009 Arctic White	
	• SOTO personal hook: 6009 Arctic White	
Specification Information		
Style Number	U.S. Price	
AMQPCDB1	\$140	

SOTO Box Bundle




Tip: SOTO box bundle contains a tool box, utility box, and personal box.

Standard Includes		Required to Specify
► Need help? Product details, page 147	• SOTO tool box: 6009 Arctic White	Style number
	• SOTO utility box: 6009 Arctic White	
	• SOTO personal box: 6009 Arctic White	
Specification Information		
Style Number	U.S. Price	
AMQPCDB3	\$165	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Freestanding Slatwall Stanchions



Tip: Position top of Slatwall a fixed height of 15½" above mounting surface.

Tip: Slatwall can overhang stanchions up to 12".

Tip: For use on worksurfaces ¾" to 2" thick.

Tip: Worksurface/table must be able to support 60 lb.

Tip: Stanchion cannot be used in a corner application or on a glass surface.

Tip: Requires 18"D work-surface and uses 2" surface footprint.

Tip: Freestanding Slatwall stanchion is for use with 12"H tiles only.

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|---|
| ► Need help? Product details, page 148 | • Pair of slatwall stanchions: 4799 Platinum
• Non-marring rubber feet |
|--|---|

Style number

Specification Information					
---------------------------	--	--	--	--	--

Dimensions			Weight	Style Number	U.S. Price
D	W	H			
3"	3½"	16"	3.5 lb	SWALLFS	\$280

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Slatwall Tiles

Tip: Total dimensions of worktools specified should not exceed slatwall dimensions.

Tip: Slatwall is not dedicated to the exact panel width; a 12" overhang is acceptable.

Tip: Two slatwall tiles cannot be used in a corner application.



Tip: Tiles require a minimum worksurface depth of 18" for stability.

Tip: A clearance of 2" is required under worksurface to accommodate C-clamp.

Tip: Tiles cannot be used on glass, bullnose, knife edge, or other non-standard work-surface edges.

Tip: Supports up to 140 lb.

Tip: Slatwall is 1/8" shorter than stated without end caps installed.



 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Standard Includes	Required to Specify
- Need help? Product details, page 148 - Slatwall tile: 4799 Platinum	Style number

Specification Information

Style Number	Dimensions D W H	Weight	U.S. Price

12"H Slatwall Tiles

SWALLTILE	1/2"	24"	12"	4.5 lb	\$223
	1/2"	30"	12"	5.7 lb	\$252
	1/2"	36"	12"	6.8 lb	\$280
	1/2"	42"	12"	8 lb	\$327
	1/2"	45"	12"	8.5 lb	\$346
	1/2"	48"	12"	9.1 lb	\$373
	1/2"	60"	12"	11.4 lb	\$463

18"H Slatwall Tiles

SWALLTILE	1 1/8"	24"	18"	4.04 lb	\$470
	1 1/8"	30"	18"	11.5 lb	\$539
	1 1/8"	36"	18"	13.16 lb	\$603
	1 1/8"	42"	18"	15.62 lb	\$664
	1 1/8"	45"	18"	16.5 lb	\$730
	1 1/8"	48"	18"	17.28 lb	\$798
	1 1/8"	60"	18"	19 lb	\$863

Panel-Mount Brackets



Tip: Brackets for use with 42"H panels cannot be used with transaction top worksurfaces.

Tip: **SWALLPM42** positions the slatwall tile in the top position on the panel. Use this bracket with TEKTIS 42"H panels.



Standard Includes				Required to Specify
▶ Need help? Product details, page 148 • Pair of slatwall brackets: 4799 Platinum				Style number
Specification Information				
Dimensions		Weight	Style Number	U.S. Price
W	H			
12"H Panel-Mount Brackets				
For Use with TEKTIS				
2"	12 $\frac{1}{3}$ "	2 lb	SWALLPM	\$ 72
For Use with TEKTIS 42"H Panels				
2"	12 $\frac{1}{3}$ "	2 lb	SWALLPM42	\$138
18"H Panel-Mount Brackets				
For Use with TEKTIS				
2"	18"	3.5 lb	SWALLPM	\$201

Wall-Mount Brackets



Tip: Wall-mount brackets must be mounted to a wall stud.



Standard Includes				Required to Specify
▶ Need help? Product details, page 148 • Pair of slatwall brackets: 4799 Platinum				Style number
Specification Information				
Dimensions		Weight	Style Number	U.S. Price
W	H			
12"H Wall-Mount Brackets				
2"	12 $\frac{1}{3}$ "	2 lb	SWALLWM	\$ 67
18"H Wall-Mount Brackets				
2"	18"	3.5 lb	SWALLWM	\$201



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

File Trays

Tip: Trays do not interlock when installed on slatwall.

► Need help?
Product details,
page 150

• Tray: 6009 Arctic White or 6544 Frost

Required to Specify

1 Style number
2 Plastic color number for tray

Specification Information

Dimensions			Weight	Style Number	U.S. Price
D	W	H			

Portrait Letter Tray




12½"	10¾"	2½"	1.5 lb	SWALLTRAY	\$72

Landscape Letter Tray


10"	12½"	2½"	1.5 lb	SWALLTRAY	\$72

Landscape Legal Tray

10"	15½"	2½"	1.75 lb	SWALLTRAY	\$72



Binder Holder



Tip: Binder holder requires 9½"H clearance under bins or shelves.

► Need help?
Product details,
page 150

• Binder holder: 6009 Arctic White or 6544 Frost

Required to Specify

1 Style number
2 Plastic color number for binder holder


Specification Information

Dimensions			Weight	Style Number	U.S. Price
D	W	H			

9⅛"	4¾"	11⅜"	1.2 lb	SWALLBH	\$72

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.


PaperFlo Manager



Tip: PaperFlo manager requires 11" clearance under bins.

Standard Includes			Required to Specify		
Need help? Product details, page 150			• PaperFlo manager: 6009 Arctic White or 6544 Frost		1 Style number 2 Plastic color number for PaperFlo manager
Specification Information					
Dimensions			Weight	Style Number	U.S. Price
D	W	H			
12"	9¾"	9¾"	2 lb	SWALLPF	\$174

Universal Shelves




Tip: Shelves do not interlock when installed on Slatwall.

Standard Includes					Required to Specify	
Need help?		• Shell: 6009 Arctic White or 6544 Frost			1 Style number	
Product details, page 151					2 Plastic color number for shell	
Specification Information						
Dimensions			Weight	Style	U.S.	
D	W	H		Number	Price	
Universal Shelves—Single Pack						
9½"	2¾"	12"	0.5 lb	SWALLUS	\$ 42	
Universal Shelves—Three Pack						
9½"	2¾"	12"	1.5 lb	SWALLUS3	\$124	

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Hanging Brackets




Tip: Hanging brackets require 6" clearance from top step of bracket to access files under bin and a 9" clearance from the bottom step to the top of worksurface to allow files to hang freely.

Tip: Hanging brackets are recommended using in pairs only. Brackets should not be shared when mounting multiple brackets side by side.

Standard Includes			Required to Specify		
▶ Need help? Product details, page 151			• Hanging brackets: 6009 Arctic White or 6544 Frost		1 Style number 2 Plastic color number for hanging brackets

Specification Information					
•Dimensions			•Weight	•Style	•U.S.
D	W	H		Number	Price
9¾"	1½"	1¼"	1 lb	SWALLHB	\$72


Pen/Pencil Cup



Standard Includes		Required to Specify	
▶ Need help? Product details, page 151		• Pen/pencil cup: 6009 Arctic White or 6544 Frost	1 Style number 2 Plastic color number for pen/pencil cup

Specification Information					
•Dimensions		•Weight	•Style	•U.S.	
D	W	H	Number	Price	
4"	3¼"	3⅝"	0.5 lb	SWALLCUP \$72	

Double Square Dish




Standard Includes			Required to Specify	
▶ Need help? Product details, page 152			• Dish: 6009 Arctic White or 6544 Frost • Attachment bracket	1 Style number 2 Plastic color number for dish

Specification Information					
•Dimensions			•Weight	•Style	•U.S.
D	W	H		Number	Price
4"	9¾"	1½"	0.5 lb	SWALLDISH	\$72



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.


Office in a File



Standard Includes			Required to Specify		
► Need help? Product details, page 152			• Storage file: 6009 Arctic White or 6544 Frost • Built-in tape dispenser • Translucent cover		
			1 Style number 2 Plastic color number for storage file		

Specification Information					
•Dimensions			•Weight	•Style	•U.S.
D	W	H		Number	Price
95⁄8"	12¼"	13⁄8"	1.5 lb	SWALLOF	\$72

Personal Shelf



Standard Includes		Required to Specify	
▶ Need help? Product details, page 152		• Personal shelf: 7018 Pewter Style number	
Specification Information			
•Dimensions D W	•Weight	•Style Number	•U.S. Price
71⁄8"	13½"	3 lb	SWALLPS \$79

Telephone Caddy




Standard Includes		Required to Specify	
▶ Need help? Product details, page 152		• Telephone caddy: 7018 Pewter	
		Style number	

Specification Information					
Dimensions			Weight	Style Number	U.S. Price
D	W	H			
2"	8"	11"	6 lb	SWALLTC	\$175




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Tackstrip



Standard Includes				Required to Specify	
▶ Need help? Product details, page 153		• Tackstrip: 6000 Black		Style number	
Specification Information					
•Dimensions		•Weight	•Style	•U.S.	
D	W	H	Number	Price	
5/16"	15"	3 1/8"	0.5 lb	SWALLTACK \$82	

Wastebasket



Standard Includes			Required to Specify		
▶ Need help? Product details, page 153			• Wastebasket: 6000 Black		Style number
Specification Information					
•Dimensions			•Weight	•Style	•U.S.
D	W	H		Number	Price
10"	10"	15"	5 lb	SWALLWB	\$79

Coat Hook



Tip: Coat hook not recommended for use at end of panel run configurations.

Tip: Maximum weight for coat hook is 10 lb.


Standard Includes			Required to Specify	
▶ Need help? Product details, page 153			• Coat hook: 7018 Pewter	
			Style number	

Specification Information					
•Dimensions			•Weight	•Style	•U.S.
D	W	H		Number	Price
7/8"	2 1/2"	2 1/4"	0.15 lb	SWALLHOOK	\$32



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Shelf Lights



Tip: The power supply for the 17" stand alone only uses a straight plug with a 9' 18 watt 24 volt transformer. The power supply for the 31" or 44" starter light uses a 11' 65 watt compact in-line brick with straight plug.

Tip: Cord exists on ends of light fixture. Allow 1¾" cord bend radius. With optional occupancy sensor, add 4¾".

	Standard Includes	Required to Specify
► Need help? Product details, page 154	• Task light and mounting bracket: paint price group 1 • Standard output • Power supply with cord: black • Soft touch switch • Magnetic and wood mounting brackets • Continuous range dimmer • Automatic turn off program • Color temperature: 3500K	1 Style number 2 Paint color number for task light and mounting bracket 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2	No cost +\$ 18	Specify paint color number. Specify paint color number.
Occupancy Sensor	• No occupancy sensor • With occupancy sensor	No cost +\$182	Specify <i>with no occupancy sensor</i> . Specify <i>with occupancy sensor</i> .

Specification Information				
Dimensions			Style	U.S.
D	W	H	Number	Base Price
:	:	:	:	:

LED Linear 17" Stand Alone Shelf Light

2"	17"	7/10"	UBLIGHT17	\$374
:	:	:	:	:

LED Linear 31" Stand Alone or Daisy Chain Starter Shelf Light

2"	31"	7/10"	UBLIGHT31	\$604
:	:	:	:	:

LED Linear 44" Stand Alone or Daisy Chain Starter Shelf Light

2"	44"	7/10"	UBLIGHT44	\$803
:	:	:	:	:

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

TEKTIS


	
Statement of Line	174

	
TEKTIS	
Understanding	188
Specifying	239

	
Surface Materials	285
Resources	377

Statement of Line

Monolithic Panels




Understanding
▶ Page 188
Specifying
▶ Page 239

Monolithic Panels

	24"W	30"W	36"W	42"W	48"W	60"W
42"H	●	●	●	●	●	●
48"H	●	●	●	●	●	●
54"H	●	●	●	●	●	●
66"H	●	●	●	●	●	●

Panel Stackers




Understanding
▶ Page 190
Specifying
▶ Pages 240 and 242

Panel Stackers

	24"W	30"W	36"W	42"W	48"W	60"W	72"W
12"H	●	●	●	●	●	●	●
18"H	●	●	●	●	●	●	●
24"H	●	●	●	●	●	●	●

Frameless Glass Stackers



Understanding
▶ Page 192
Specifying
▶ Pages 241

Frameless Glass Stackers

	24"W	30"W	36"W	42"W	48"W	60"W
6"H	●	●	●	●	●	●
12"H	●	●	●	●	●	●
18"H	●	●	●	●	●	●


Panel Trim



Understanding
 ▶ Page 194
 Specifying
 ▶ Page 243

Vertical End-of-Run Trim


	42"H	48"H	54"H	60"H	66"H	72"H	78"H
Standard	●	●	●	●	●	●	●



Understanding
 ▶ Page 194
 Specifying
 ▶ Page 245

Vertical Corner Trims

	42"H	48"H	54"H	66"H
Standard	●	●	●	●



Understanding
 ▶ Page 194
 Specifying
 ▶ Page 247

Vertical Corner Change-of-Height Trims


	6"H	12"H	18"H	24"H
Standard	●	●	●	●



Understanding
 ▶ Page 194
 Specifying
 ▶ Page 244

Change-of-Height Trim

	6"H	12"H	18"H	24"H	36"H
Standard	●	●	●	●	●




Understanding
 ▶ Page 194
 Specifying
 ▶ Page 246

120° Vertical Corner Trims

	42"H	48"H	54"H	66"H
Standard	●	●	●	●

Panel Connectors



**Change-of-Height
In-Line and Corner
Panel Connector
Package**
Understanding
▶ Page 196
Specifying
▶ Page 250




**Wall Start Connector
Package**
Understanding
▶ Page 196
Specifying
▶ Page 250



120° Connectors
Understanding
▶ Page 196
Specifying
▶ Page 250


Boundary Screens



Understanding
 ▶ Page 234
 Specifying
 ▶ Page 276

End-of-Run Boundary Screen—Single-Sided


	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
42"H	•	•	•	•	•	•	•	•	•
48"H	•	•	•	•	•	•	•	•	•
54"H	•	•	•	•	•	•	•	•	•



Understanding
 ▶ Page 234
 Specifying
 ▶ Page 276

End-of-Run Boundary Screen—Spanning


	48"W	60"W	72"W
28½"H	•	•	•
42"H	•	•	•
48"H	•	•	•
54"H	•	•	•



Understanding
 ▶ Page 234
 Specifying
 ▶ Page 276

End-of-Run Boundary Screen—Split

	36"W	42"W	48"W	54"W	60"W	66"W	72"W
28½"H	•	•	•	•	•	•	•
42"H	•	•	•	•	•	•	•
48"H	•	•	•	•	•	•	•
54"H	•	•	•	•	•	•	•




Understanding
 ▶ Page 234
 Specifying
 ▶ Page 278

Middle-of-Run Boundary Screen—Single-Sided

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
42"H	•	•	•	•	•	•	•	•	•
48"H	•	•	•	•	•	•	•	•	•
54"H	•	•	•	•	•	•	•	•	•


Boundary Screens, continued



Understanding
▶ Page 234
Specifying
▶ Page 278

Middle-of-Run Boundary Screen—Spanning


	48"W	60"W	72"W
42"H	●	●	●
48"H	●	●	●
54"H	●	●	●



Understanding
▶ Page 234
Specifying
▶ Page 278

Middle-of-Run Boundary Screen—Split

	36"W	42"W	48"W	54"W	60"W	66"W	72"W
42"H	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●



Understanding
▶ Page 234
Specifying
▶ Page 280

L Return End-of-Run Boundary Screen—Single-Sided (Primary Screen)


	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
42"H	●	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●	●

Understanding
▶ Page 234
Specifying
▶ Page 280

L Return End-of-Run Boundary Screen—Single-Sided (Return Screen)

	24"W	30"W
42"H	●	●
48"H	●	●
54"H	●	●


Boundary Screens, continued



Understanding
 ▶ Page 234
 Specifying
 ▶ Page 282

L Return End-of-Run Boundary Screen—Spanning (Primary Screen)

	48"W	60"W	72"W
28½"H	●	●	●
42"H	●	●	●
48"H	●	●	●
54"H	●	●	●



Understanding
 ▶ Page 234
 Specifying
 ▶ Page 282

L Return End-of-Run Boundary Screen—Split (Primary Screen)

	42"W	48"W	54"W	60"W	66"W	72"W
28½"H	●	●	●	●	●	●
42"H	●	●	●	●	●	●
48"H	●	●	●	●	●	●
54"H	●	●	●	●	●	●

Understanding
 ▶ Page 234
 Specifying
 ▶ Page 282

L Return End-of-Run Boundary Screen—Spanning (Return Screen)


	24"W	30"W
28½"H	●	●
42"H	●	●
48"H	●	●
54"H	●	●

Understanding
 ▶ Page 234
 Specifying
 ▶ Page 282

L Return End-of-Run Boundary Screen—Split (Return Screen)

	24"W	30"W
28½"H	●	●
42"H	●	●
48"H	●	●
54"H	●	●

Boundary Screens, continued



Understanding
▶ Page 234
Specifying
▶ Page 282


L Return Middle-of-Run Boundary Screen—Single-Sided (Primary Screen)

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
42"H	●	●	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●	●	●

Understanding
▶ Page 234
Specifying
▶ Page 282

L Return Middle-of-Run Boundary Screen—Single-Sided (Return Screen)

	24"W	30"W
42"H	●	●
48"H	●	●
54"H	●	●



Understanding
▶ Page 234
Specifying
▶ Page 282

Understanding
▶ Page 234
Specifying
▶ Page 282


L Return Middle-of-Run Boundary Screens—Spanning (Primary Screen)

	48"W	60"W	72"W
42"H	●	●	●
48"H	●	●	●
54"H	●	●	●

L Return Middle-of-Run Boundary Screen—Spanning (Return Screen)

	24"W	30"W
42"H	●	●
48"H	●	●
54"H	●	●

Boundary Screens, continued



Understanding
▶ Page 234
Specifying
▶ Page 282


L Return Middle-of-Run Boundary Screen—
Split (Primary Screen)

	36"W	42"W	48"W	54"W	60"W	66"W	72"W
42"H	●	●	●	●	●	●	●
48"H	●	●	●	●	●	●	●
54"H	●	●	●	●	●	●	●

L Return Middle-of-Run Boundary Screen—
Split (Return Screen)

	24"W	30"W
42"H	●	●
48"H	●	●
54"H	●	●

Understanding
▶ Page 234
Specifying
▶ Page 282



Understanding
▶ Page 238
Specifying
▶ Page 284


Hanging Markerboard

	24"W	30"W	36"W	42"W	48"W	60"W
24"H	●	●	●	●	●	●


Worksurface Legs and Supports




Post Leg
Understanding
▶ Page 224
Specifying
▶ Page 252




On-Module End Panel
Understanding
▶ Page 224
Specifying
▶ Page 252




Universal Cantilever
Understanding
▶ Page 224
Specifying
▶ Page 252



Cantilever with Tie Plate
Understanding
▶ Page 224
Specifying
▶ Page 252




Side Support Brackets to Connect Worksurface to Panel
Understanding
▶ Page 224
Specifying
▶ Page 252




H-leg with bracket
H-Leg with Bracket
Understanding
▶ Page 224
Specifying
▶ Page 252


TEKTIS and EMBANK Shared Accessories



In-Line Support Plates
Understanding
▶ Page 224
Specifying
▶ Page 375




Package of Six Tie Plates for Side-by-Side Worksurfaces
Understanding
▶ Page 224
Specifying
▶ Page 375



Reinforcing Channels
Understanding
▶ Page 224
Specifying
▶ Page 375

Fixed Pedestals




Understanding
▶ Page 228
Specifying
▶ Page 254

Fixed Pedestals

15"W
27"H

Bins




Understanding
▶ Page 230
Specifying
▶ Page 255

Bins

	24"W	30"W	36"W	42"W	48"W	60"W	72"W
15 3/4"D	●	●	●	●	●	●	●

Laminate Common Shelves



Understanding
▶ Page 232
Specifying
▶ Page 256


Laminate Common Shelves

	24"W	30"W	36"W	42"W	48"W
15"D	●	●	●	●	●


Panel Wiring and Cabling



Receptacles
Understanding
▶ Page 210
Specifying
▶ Page 259



2" x 2" Power and Cable Poles
Understanding
▶ Page 212
Specifying
▶ Pages 260–261




Base Power-Ins
Understanding
▶ Page 214
Specifying
▶ Page 262



Grommet Package
Understanding
▶ Page 220
Specifying
▶ Page 263


Worksurfaces





Understanding
▶ Page 222
Specifying
▶ Pages 264–265

Straight Worksurfaces

With 1/2" Cord Drop




With Full Depth



Understanding
▶ Page 222
Specifying
▶ Page 266

Straight Corner Worksurfaces








Worksurfaces, continued







Understanding
 ▶ Page 222
 Specifying
 ▶ Page 267

Curved Corner Worksurfaces




Understanding
 ▶ Page 222
 Specifying
 ▶ Pages 268–269

Extended Curved Corner Worksurfaces*





* Left-hand is shown. Right-hand is also available.

Worksurfaces, continued




Understanding
▶ Page 222
Specifying
▶ Page 270

120° Corner Worksurfaces



Understanding
▶ Page 222
Specifying
▶ Page 271


Transaction Worksurfaces




Fixed Pedestals Accessories



Pedestal Filler
Understanding
▶ Page 228
Specifying
▶ Page 272




Rails
Understanding
▶ Page 228
Specifying
▶ Page 273



Pencil Tray
Understanding
▶ Page 228
Specifying
▶ Page 273

Flexible Markerboard Surface



Specifying
▶ Page 274


Flexible Markerboard Surface

	30"W	36"W	42"W	48"W
16¼"H	●	●	●	●

Wall Channels and Wall Channel Horizontal Braces



Wall Channels
Understanding
▶ Page 233
Specifying
▶ Page 257




**Wall Channels
Horizontal Braces**
Understanding
▶ Page 233
Specifying
▶ Page 258

Monolithic Panels

Panels are constructed with a rigid, tubular steel frame and are shipped fully assembled. Remember to order trim separately.

Vertical slots in panel accommodate hang-on components, overhead storage bins, shelves, worksurface supports, and connector brackets. Components can be mounted at 1" increments.




Base cavity accepts a factory-installed powerway
► See *Powerways*, page 208.

Leveling glides adjust 1½" to install panels on uneven floors.

Removable base cover has receptacle knockouts. Base covers have a receptacle opening on the left and right side of the base cover. *Exception: 24"W base covers have a receptacle opening in the center of the base trim.*

Product Details



Tackable acoustical has a skin on each side, covered with horizontal surface fabric.

Wiring & Cabling

Panel frames have hollow interior to allow routing cables from top cap through to base raceway.

Chicago electrical code requires that all electrical connections be hardwired in the field. Order a non-powered panel and have the electrician obtain conduit and receptacles (Leviton 5325) to make the connections in the field.

Surface Materials

Base cover, top cap, and border

- Paint

Panel surface

- Fabric

Tip: Fabric is applied horizontally on the screen. Fabric must be of the same fabric group and color on both sides.

Actual Dimensions

Height	42", 48", 54", or 66"
Width	24", 30", 36", 42", 48", or 60"
Thickness	2"
Base Raceway Height	3⅝"
Glides	1½" adjustment

Monolithic Panels and Stacker Options

Monolithic Panels and
Stacker Options

TEKTIS allows a wide variety of panel arrangements to meet specific functional and aesthetic needs.

Stacking Guidelines

Stackers are available in 12"H, 18"H, or 24"H in tackable acoustical or glass.


Maximum height is 78".

Maximum number of tackable acoustical stackers is three.


Maximum number of glass stackers is one.

Any height base panel can be used with stackers.

42"H Base panels




42"H Base panels with stacker




48"H Base panels




48"H Base panels with stacker



54"H Base panels




54"H Base panels with stacker



66"H Base panels




66"H Base panels with stacker



Panel Stackers

Stackers are constructed with a rigid, tubular steel frame and are shipped fully assembled.




Vertical slots in stackers, identical to slots in base panel, accommodate overhead storage, laminate common shelves, and connector brackets.

Actual Dimensions	
Height	12", 18", or 24"
Width	24", 30", 36", 42", 48", 60", or 72"
Thickness	2"

Product Details

All existing base panels accept stackers.


Stackers do not include vertical trim, must be specified separately.



Base panels can accept one, two, or three stackers, up to a total height of 78". Base panels can only accept one glass stacker. All stackers are load bearing, but load cannot be mounted above 66" height.
► See page 189.


Two fork connectors are included with every stacker.

Attaching stackers to panels will not cause disruption to existing panel connections.



Spanning stackers are available in 48", 60", or 72" widths.

Stacker can span over an in-line connection between two base panels or two stackers. Width of stacker must equal total width of two base panels.



Two smaller stackers cannot be attached to the top of a larger stacker or panel.

Stackers are available in two surface options.



Tackable acoustical—skin on each side, covered with horizontal surface fabric.



Glass—single pane of clear, tempered safety glass on panel centerline, surrounded by painted border.
Tip: Fabric and glass stackers cannot be combined on the same panel.

Application Topics

Maximum height with base panel and stackers cannot exceed 78".

Maximum number of stackers is three.

Any base panel can accept stackers.

Bins and shelves can hang from first or second, stacker, not above 66" in height.

When adding a stacker to existing panels with a power or cable pole connected at L-, T-, or X- corner, the universal panel connector can not be used. Contact orders@amqsolutions.com to order service parts for special connections.

Panel stackers cannot be used in a V- or Y-configuration.

Surface Materials

Border

- Paint


Panel surface

- Fabric
- 6500 Clear Glass

Tip: Fabric is applied horizontally on the screen. Fabric must be of the same fabric group and color on both sides.

Frameless Glass Stackers

Frameless glass stackers mount to the top of panels to enhance privacy and daylight while balancing focus and openness to promote collaboration between workstations.



Actual Dimensions

Height	6", 12", and 18"
Width	24", 30", 36", 42", 48", and 60"
Glass Thickness	3/8"

Product Details

Frameless glass stacker is secured to the panel with two bracket supports below the top cap. Two brackets are used below the stacker top cap to attach the glass to the panel.

Frameless glass stackers include glass screen, brackets, and top caps.

Application Topics

Frameless glass stackers can be placed on the top of a base panel only.

Frameless glass stackers cannot be stacked on top of any tackable or framed glass stackers.

A single frameless glass stacker cannot span two or more in-line panels.

At an in-line change-of-height condition, a stacker top cap should be specified when a frameless glass stacker is positioned on the taller in-line panel.

Surface Materials

Glass


- 6500 Clear Glass
 - 6530 Frosted Glass
- Tip: Frosted glass for Tektis frameless glass is a laminated construction. There may be variation in color, texture, and finish between the sample of 6530 Frosted Glass and the actual product.*

Top cap

- Paint


Panel Trim

Steel top caps are standard in low height.



Actual Dimensions			
	Vertical Corner Trim	End-of-Run Trim	Change-of-Height Trim
Height	42", 48", 54", or 66"	42", 48", 54", 60", 66", 72", or 78"	6", 12", 18", 24", or 36"
Standard Thickness	1/4"	1/4"	1/4"



Product Details







Vertical corner trim allows cables to be laid in before the cover is snapped into place and can be removed for cable access. Corner trim is required for L-, T-, and X-configurations.






Always specify vertical corner trim the same height as the tallest panel.

L-configurations:



T-configurations:Low universal
end capLow universal
end capLow universal
end cap**X-configurations:**Low universal
end cap



Tip: In an X-configuration, carrier and vertical corner trim must be attached to one panel prior to installation of last panel.

Low universal
end capLow universal
end cap**End caps:**Low universal
end cap


Vertical corner trim and corner change-of-height trim are required in combination for L-, T-, and X-configurations when stackers are used. All corner trims include a low trim end cap.

Always specify vertical corner trim the same height as the tallest base panel. Specify vertical corner change-of-height trim to cover the ends of stackers.

Vertical end-of-run trim covers the exposed end of panels and includes a low trim end cap.

**Vertical end-of-run trim** must match height of base panel.**Vertical end-of-run trim** must match combined height of base panel and stacker.

Vertical in-line change-of-height trim is available 6"H, 12"H, 18"H, 24"H, and 36"H. Trim covers the exposed section of the taller panel when panels of different heights are joined.



120° vertical corner trim is required for all 120° connections. The same 120° vertical corner trim is used for two- and three-way connections. Both two- and three-way end caps are included with each 120° vertical corner trim package.

► Page 250

Application Topics

Always specify vertical corner trim the same height as tallest panel.

When specifying a base panel and a stacker, specify corner trim to match base panel and change-of-height trim piece to cover the ends of stacker.


When base panel and stacker are specified in end-of-run trim must match total overall height.

Surface Materials


Trim
• Paint

Panel Connectors



Universal connector package joins panels of the same height in a straight line or in L-, T-, or X-configurations. The package, included with panels, contains two universal connectors—one for the top and one for the bottom connection.



Same connector is used at both the top and bottom of panel.




Different slots are used to create in-line, L-, T-, or X-conditions.



Universal Connector




120° Connector




Wall Start

Product Details



Wall start connector package is used to anchor a panel run to a perpendicular wall. Mounting screws that connect the brackets to the panel are included in each package.

Tip: Vertical end-of-run trim is not required at the end of panel that is attached to the wall.




Change-of-height in-line and corner panel connector

package is used to join panels at varying heights in a straight line or at 90° angles. Package contains left and right connectors for both in-line and corner configurations.

Tip: Change-of-height in-line and corner panel connectors cannot be used in 120° configurations.

Left and right in-line connectors are required to connect panels in a straight line.

One-handed corner connector is required for connecting panels at 90°.



To connect panels in a 120° application, a 120° panel connector is required. A two-panel connection requires one 120° connector package. A three-panel connection requires three 120° connector packages.

Tip: Change-of-height in-line and corner panel connectors cannot be used in 120° configurations.

► Page 250

120° connectors are for the same height panels only.

120° and 90° connections can occur within the same workstation.


Surface Materials

Universal and 120° connector


• 0835 Black

Stability Guidelines


Tackable Acoustical Panels without Components




Two-panel run



Four-panel run




Three-panel run



Multiple panel run

Tackable Acoustical Panels



Two-Panel Run with Supported Components



Optional worksurface supports:


- 20"W H-leg
- Pedestal with filler
- Lateral file
- End panel

Tip: Overhead storage bins cannot support any load on top.



Tackable Acoustical Panels, continued

Three-Panel Run with Supported Components




Optional worksurface supports at 30"H:

- 20"W H-leg
- Pedestal with filler
- End panel

Tip: Overhead storage bins cannot support any load on top.


Tackable Acoustical Panels without Components

120° Connection



Tackable Acoustical Panels with Supported Components

One Panel—120° Connection



Optional worksurface supports:


- Pedestal with filler
- 90° panel connection—panel width must match worksurface depth
- End panel

Optional worksurface supports:

- 90° panel connection—panel width must match worksurface depth
- 20\"W H-leg

Tackable Acoustical Panels with Supported Components, continued


Two-Panel Run—120° Connection



Optional worksurface supports:

- Pedestal with filler
- 90° panel connection—panel width must match worksurface depth
- 20"W H-leg


Three-Panel Run—120° Connection




Tip: Same rule applies if using 120° worksurfaces in place of straight worksurfaces.

Tackable Acoustical Panels—Three-Way 120° Connection


Three Panel 120° Connection with One Supported Component



Three Panel 120° Connection with 120° Worksurface and up to One Additional Component



Tip: Loads must be counterbalanced in this application.




Tip: Worksurface needs to be supported to floor or application needs to be counterbalanced.

Panels and Panel Stackers


Base panels can accept one, two, or three stackers, up to a total height of 78". Base panels can accept only one glass stacker. See below for additional rules and exceptions.

Universal or change-of-height connectors must be used at top of base panel and each stacker wherever possible to increase stability.



Panels and Panel Stackers, continued

All stackers are load bearing, but load cannot be mounted above 66" height.



Circuit Specifications

Detailed Information for the Electrical Engineer

Five wiring schematics

are available for TEKTIS—two 3-circuit systems and three 4-circuit systems.

All the components in an electrical distribution network must use the same wiring schematic. The components (power poles, base power-ins, and receptacles) snap together and are keyed to make it impossible to connect mismatched parts. Color-coded and labeled components make it easy for installers to identify which wiring schematic each component is dedicated to.

Color coding

For power components manufactured before June 19, 2023:

- 3 circuits shared = Black
- 3 circuits separate = White
- 4 circuits 3+D = Black
- 4 circuit 3I+1 = Tan
- 4 circuit 2+2 = Grey

For power components manufactured on or after June 19, 2023:

- 3 circuits shared = Blue
- 3 circuits separate = Rust
- 4 circuits 3+D = Black
- 4 circuit 3I+1 = Black
- 4 circuit 2+2 = Brown

Overview

Three-circuit electrical components with shared neutrals

are standard with 5 wires to provide three circuits that share one oversized neutral and one ground.

Three-circuit with separate neutrals have 8 wires providing three circuits, each with its own separate neutral. The first two circuits share an isolated ground; the third uses the system ground.

Four-circuit 3+D are standard with 8 wires to provide four circuits. Three of these circuits share an oversized neutral and a system ground while the remaining circuit has its own neutral and isolated ground.


Four-circuit, 3I+1 again have 8 wires but with three circuits that share an oversized neutral and isolated ground. The fourth circuit has its own neutral and is attached to the system ground. This electrical system is like the standard 3+D, but the grounds are switched, providing three isolated circuits and one general purpose circuit as compared to one isolated circuit and three general purpose circuits.

Four-circuit 2+2 also have 8 wires but provide two circuits that share an oversized neutral and a system ground and an additional two circuits with a second oversized neutral and an isolated ground.


3 Circuit Shared Neutral, 5 Wires




3 Circuit Separate Neutral, 8 Wires




4 Circuit 3+D, 8 Wires



4 Circuit 3I+1, 8 Wires



4 Circuit 2+2, 8 Wires



How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

How to Calculate Power Needs

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance: The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in.

If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

► See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

Approximate power consumption for common devices

• Device	• Wattage	• Amperage	• Voltage	• Number of Devices Supported on Single 20 Amp Circuit*
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/Copier (high)	1900	17.3	110	1
Large Printer/Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

Special Requirements for Chicago

	Chicago Code	Specification:	Electrician will supply:
Panel Requirements Chicago code requires hardwiring of all electrical components.	Panel must be hardwired in the field. Electrician hardwires all receptacle boxes and conduits into panel bases in the field. <i>Tip: Panel depth prohibits use of standard device boxes for back-to-back receptacles in Chicago.</i>	• Order panels with factory-installed power base covers with receptacle knockouts where you intend to install receptacles. <i>Tip: Chicago code doesn't require a special base cover with different receptacle locations.</i> • Receptacles in Chicago are supplied by electrician. Contact orders@amqsolutions.com to order service parts for special connections. <i>Tip: Because receptacles in Chicago cannot be installed back-to-back, you may want to avoid powered panels that are 30"W or less. These panels only have one receptacle location on each side, so these panels can only accommodate one duplex-size receptacle.</i> • Order corner fillers for L-, T-, and X-configurations separately to conceal electrical conduits.	• Connection to building power supply • Wires • Fittings • Duplex receptacle (Leviton 5325-Decora style) • Electrical components

Test and verify capacities for your individual situation. We recommend that testing be conducted using your specific cable, as well as the furniture configuration you are considering. Cable capacities in this table are based on actual cable studies performed by an independent contractor following EIA/TIA codes and practices and can be taken as an accurate assessment of maximum practical capacity. Actual cable capacities may vary slightly depending on which manufacturer produced the cable and the specific field conditions.

Cable capacities are based on Category 6 and Category 6a cables at 55% fill capacity.

Tip: Low top cap does not accept any cables.







Cables Tested



A CommScope Systimax Gigaspeed 1071E Series Category 6 Cable
OD=0.23"




B CommScope Systimax X10D 1091B Series Category 6A Cable
OD=0.285"

Powerways reduce cable capacity. An average of 10-15 cables will be reduced per powerway used. However, this number varies according to installation practices and the type of cables used.

When laying cables vertically behind skins, capacity is dependent on skin width.

	A	B
L, T, X, V, and Y Horizontal Routing		
	9	5
	32	21
	9	5
	9	5
	32	21
	32	21

	A	B
Straight Horizontal Routing		
	8	5
	32	21

	A	B
Straight Vertical Routing		
	28 Hi	18 Hi
	28 Hi	18 Hi
	24	16

Tip: Low top cap does not accept any cables.

Powerways

Powerways that are installed in the panel base cavity allow power to be distributed wherever panels go. They are concealed when properly installed.

On June 19, 2023, TEKIS power components changed design. Power components manufactured before June 19, 2023 are not compatible with power components manufactured after June 19, 2023. ▶ See *Power Components Transition Details* on page 216.

All the components in an electrical distribution network must use the same wiring schematic. Components are color coded and keyed to make it impossible to connect mismatched parts.

Electrical systems are designed in compliance with the National Electrical Code (NEC) and Canadian Electrical Code (CEC) to function as a multi-wire branch circuit. Installations should be made in accordance with the NEC or CEC provisions for multi-wire branch circuits.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper installation of electrical equipment. Chicago, New York City, and Los Angeles have special requirements.


Wire separator tray supports the powerway and provides some space for cable routing.

Powerblocks of the powerway are attached to the wire separator tray.


Harness connectors come attached to the powerway and connect the powerway to the powerway in an adjacent panel.

Receptacles snap into powerblock of the powerway.


Two modular connections on end of powerkit accept modular connectors of adjacent powerkit or power infeeds.




Product Details




Straight connection is formed when a harness connector from one powerway attaches to the powerblock of the adjacent powerway.



L-connection is formed when a powerway connector harness turns to the left or right and connects to the powerblock of the adjacent panel.




T-connection is formed by two powerway connector harnesses each turning in the same direction.




X-connection is formed by three powerway connector harnesses, each turning in the same direction.

The **powerway connector harness** comes attached to each powerway and can be removed in the field.

Removing the powerway connector harness and adding it to the opposite end of the powerway powerblock can be used to correct planning and installation oversights.



Power can be routed through the base of panels in a two- and three-panel, 120° connection.



(inside measurement)

2" x 2" power and cable poles can bring building power and data from the ceiling to a 120° panel application at the end of a run or 90° connection only.

Application Topics

Factory included powerway for field installation replaces need to order separate powerways.

Wiring and Cabling

Chicago, New York City, and Los Angeles have special requirements.

Chicago electrical code requires that all electrical connections be hardwired in the field. Order a non-powered panel and have the electrician obtain conduit and receptacles (Leviton 5325) to make the connections in the field.


Underwriters Laboratory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult with a qualified electrician or electrical engineer for proper installation of all electrical equipment.

Receptacle

Receptacles are ordered separately and installed in the field in the base cover knockout opening. Receptacles snap into the powerblock in the field. Receptacles are designed to link to a specific circuit.

On June 19, 2023, TEKTIS power components changed design. Power components manufactured before June 19, 2023 are not compatible with power components manufactured after June 19, 2023.
► See *Power Components Transition Details* on page 216.

All receptacles are duplex (two outlets) and are available in 15-amp.



Product Details


Numbers printed on the receptacles indicate the line number. Label on receptacle indicates which circuit the receptacle connects to, so the user can control which devices are on specific circuits.

With the 3-circuit separate neutral system, these designations are with letters A, B, or C as compared to 1, 2, 3, or 4 in the other systems.


All the components in an electrical distribution network must use the same wiring schematic. Components are color coded and keyed to make it impossible to connect mismatched parts.

Available in 6000 Black plastic only.

Receptacles come in packages of six receptacles.



Receptacles snap into both faces of the powerblock in the field.



Controlled receptacle must be indicated when tying into the building management system. Duplex receptacles have an option for a factory permanent, pad stamp power icon symbol with the word controlled per compliance with the Energy Code.

2" x 2" Power and Cable Pole

Power poles bring building power from the ceiling to the powerways in the base cavity of panels. They can also be used to run cables into the top cap or into the panel base cavity. All five wiring schematics are available.

Trim conceals powerway and cables routed to the base of the panel.

Knockout

The power pole harness attaches to either end of a powerway.

Hanger bar secures the top of the pole to the ceiling grid.

Ceiling trim plate

Cable poles provide a space to route cables from the ceiling to the high top cap or base cavity of a panel.

Knockouts allow data distribution in change-of-height conditions.


Retainer attaches to the end of a panel with screws that attach below the top cap. Panel remains undamaged so power and cable pole can be removed and relocated later.

On June 19, 2023, TEKtis power components changed design. Power components manufactured before June 19, 2023 are not compatible with power components manufactured after June 19, 2023.
► See *Power Components Transition Details* on page 216.


All the components in an electrical distribution network must use the same wiring schematics. Components are color coded and keyed to make it impossible to connect mismatched parts.

Product Details


Power and cable poles
accommodate ceiling
heights up to 10'4"H.




Height of the pole
must correspond with the
height of the panel it is
attached to so that the pole
will connect under the top
cap. Adjacent panels can
be lower. Ceiling heights
up to 10'4" can be
accommodated.



**Power and cable pole
pack- ages** ship with one
left-hand and one right-hand
corner change-of-height
connector. A separate
change-of-height package
may be required in certain X
configurations.



In T configurations,
height of power and cable
pole must correspond to the
height of the center panel.



**120° vertical corner
trim** is required for all 120°
connections. The same
120° vertical corner trim is
used for two- and three-way
connections and is available
with a low end cap only.
Both two- and three-way end
caps are included with each
120° vertical corner trim
package.

► Page 250

Surface Materials

Power pole
• Paint

Ceiling trim plate
• 4790 Sodium paint

Base Power-In


Base power-ins are field installed and connect the panel electrical system to the building power source.

Power-ins are UL listed and CSA certified. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code.

All the components in an electrical distribution network must use the same wiring schematic. Components are color coded and keyed to make it impossible to connect mismatched parts. Building power source can come from the floor, wall, or column.

On June 19, 2023, TEKTIS power components changed design. Power components manufactured before June 19, 2023 are not compatible with power components manufactured after June 19, 2023. ▶ See *Power Components Transition Details* on page 216.


Connector on end of base power infeed harness occupies one receptacle location in powerblock.



Flexible harness secures hardwired connection to building monument. The harness must be back fed through the base trim prior to connection into the building monument.

Cover is included with base power to conceal the connection.

Product Details



Power-in brings power to panel run by connecting to a designated receptacle location on either end of the powerway. Power-ins fit standard-size receptacle openings if the green end of the powerway is located behind the receptacle opening.

Paint color is required for base power-in for use in New York.








Power Components Transition Details

On June 19, 2023, TEKTIS power components changed design. Power components manufactured before June 19, 2023 are not compatible with power components manufactured after June 19, 2023.

The style numbers of power component have changed. The panel style numbers have not changed. Any panel segment ordered with power after June 19, 2023 will include the new power component design.

How power is specified remains unchanged. Power can be optioned on to the panel segment. Powerways can be specified as installed in the factory or installed in the field.


Components included in the design change are powerways, receptacles, base power-ins, and the harness included in the power pole.

Power before June 19, 2023	Power after June 19, 2023	
Powerways		
		
Receptacles		
 Standard	 Larger	
Base Power-Ins		
		
Power Harness in Power Pole		
		


Difference between power components		
What is different	Power before June 19, 2023	Power after June 19, 2023
Connector flag/harness	Mesh connector flag is not removable from the powerway.	Mesh connector flag is removable from the powerway.
Power access in 24" and 30" wide panel segments	24"W and 30"W base covers have a standard-size opening on one side of the panel and larger size opening on the reverse side.	24"W and 30"W base covers have standard-size openings on both sides of the panel.
Receptacle size	Receptacles were available in two sizes— standard and larger.	All receptacles are standard size.
Receptacle cutout locations on base covers	Receptacle location differs before and after June 19, 2023. See details under <i>Receptacle Location Change</i> . Page 219	Receptacle location differs before and after June 19, 2023. See details under <i>Receptacle Location Change</i> . Page 219
Base power-in	Connection at receptacle location does not include an aesthetic cover.	Connection at receptacle location includes an aesthetic cover.
Receptacle connection to powerway	Receptacle connect to powerway with screws.	Receptacle snaps into the powerway without any screws.
Wiring schematics	All five wiring schematics available. Color-coding and keying have changed.	All five wiring schematics available. Color coding and keying have changed.

Planning with power components manufactured before and after June 19, 2023.

Power components manufactured before June 19, 2023 can still be used but do not connect to power components manufactured on or after June 19, 2023. The following two approaches can be used when both power systems are used:




Cluster with all power components manufactured before June 19, 2023.




Cluster with all power components manufactured on or after June 19, 2023.

Organize by cluster: Power systems can be organized by workstation cluster. Some clusters can use power components manufactured before June 19, 2023 and other clusters can utilize power components manufactured on or after June 19, 2023.




Utilize multiple infeeds in a single cluster: A single workstation cluster can use both power systems by utilizing multiple infeeds. Power components manufactured before June 19, 2023 can power part of the workstation and have its infeed and power components manufactured on or after June 19, 2023 can power part of the workstation and have its infeed. Each power system covers part of the workstation and the two systems do not connect to one another.

Receptacle location change



Receptacle location for base
Trims manufactured before
June 19, 2023



Receptacle locations for base trims
manufactured after June 19, 2023

Status of power components manufactured before June 19, 2023

Powerways, panel connectors, receptacles, base power-ins and harnesses included in the power pole manufactured before June 19, 2023 are no longer supported.

Basecovers with receptacle cutouts for the receptacle locations of the pre-June 19, 2023 powerways are supported as service parts.

Receptacle knockout fillers for both the pre-June 19, 2023 and post-June 19, 2023 are available as a service part.

The pre-June 19, 2023 wire separator, which supports the powerway in the panel, is available as a service part.

How to convert a TEKTIS panel manufactured before June 19, 2023 with post June 19, 2023 power components.

1. Remove all pre-June 19, 2023 power components and the pre-June 19, 2023 wire separator.
2. Order from service parts a post June 19, 2023 wire separator, a post June 19, 2023 powerway and a post June 19, 2023 set of base covers of the appropriate width. Powerways, wire separators, and base covers are not available as style numbers.
3. Add post June 19, 2023 components to base area of the panel frame manufactured before June 19, 2023.


Worksurface-Height Grommet

Power can be accessed at or near worksurface height by using a grommet.



Grommet

Product Details



Grommets are available in packages of 10 to finish exposed edges of field-installed openings in the worksurface for vertical cable routing.

Grommets are available in black plastic only.

Worksurfaces


Worksurface has a wood core with laminate top and plastic edge band. Low-Pressure Laminates are available. Plastic edge band color is selectable.

Systems worksurfaces —with 1/2" cord drop feature built-in cable management flexibility, allowing cords to drop below the worksurface at any point along the back edge.

Systems worksurfaces —full depth feature a tighter fit to panels for a cleaner aesthetic.

Grommet is standard on corner worksurfaces only. Field-installed grommet requires a 3" diameter hole in the worksurface.


Front (user's) edge is a plastic edge band with a 3 mm radius. Back and side edges are flat.



Full-depth worksurfaces fit flush against panels.

Worksurface has a wood core with a Low-Pressure Laminate surface and is 1 3/16" thick.


Product Details




3 mm edge profile

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

Edge profile finishes are specified separately from laminate color.




Corner bracket is included to connect the back corner of worksurface to panels.



30"D straight cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.

Edge Profiles




Edge Profile is applied to front (user's) edge only.


Connections



Post leg



H-leg with bracket



Cantilever with tie plate



Universal Cantilever with tie plate




Side support brackets



Tie plates



In-line support plate



Reinforcing channel




End panels—standard height

Supports are ordered separately and installed in the field. The following supports are available for use with worksurfaces:

- Post leg
- H-leg
- Cantilever with tie plate
- Universal cantilever with tie plate
- Side support brackets
- Tie plates
- In-line support plate
- Reinforcing channel
- On-module end panel


Cantilever with tie plate works in left-hand, right-hand, or shared applications.



Worksurface spans greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception; worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a reinforcing channel is used. Reinforcing channel must be specified separately.

► Specifying, page 258

Wiring & Cabling



Grommet is standard on corner worksurfaces.

Surface Materials

Low-Pressure Laminate Worksurfaces

- Laminate

Front (user's) edge(s)

- Plastic

Back and side edges

- Plastic color default to match user's edge



Straight



Straight corner



Curved corner



Left-hand extended curved corner



Right-hand extended curved corner



120° Corner




Transaction

Worksurfaces are available in a wide variety of worksurface shapes. Directional laminate grain direction is shown.


Worksurface Legs and Supports

On-module supports can be used to panel support worksurfaces in various configurations.




End panel can be used to support the end of a worksurface at seated height.


Cantilever can be used to panel-support a worksurface at any height.




Side support brackets can be used to support the ends of straight and corner worksurfaces and to support the back corner of any corner worksurface.



Universal cantilever features alignment tab used to set a depth for straight worksurfaces with 1/2" cord drop. This tab is bent down when installing full-depth worksurfaces.




Post Leg




H-leg with bracket

Product Details


On-module worksurface supports engage the slots in the vertical uprights of panels.



Side support brackets support worksurfaces at any height in 1" increments. Brackets ship as a left- and right-hand pair and are ordered separately.





Side support brackets can be used to support the end of a worksurface that is wrapped by a panel with the same width dimension that matches the worksurface depth.




Single side support bracket can be used to support the rear corner of corner, extended corner, and 120° corner worksurfaces. It is standard with these corner worksurfaces.


Actual Dimensions					
	Universal cantilever	Cantilever	End panel	Post leg	H-leg
Height	12 1/4"	13"	28 1/2"	28 1/2"	28 1/2"
Depth	15 1/2"	16"	23 3/4" or 29 3/4"	N.A.	14" or 22 3/4"
Glide Range	N.A.	N.A.	1 1/4"	2"	2 3/4"



Cantilevers support worksurfaces at any height in 1" increments. Cantilever is non-handed and can be used to support either end of a worksurface, or shared to support two worksurfaces at the same height simultaneously. One tie plate ships with each cantilever.




30"D straight, cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.




End panels can be used to support the end of a worksurface for additional panel stability. Refer to the applicable panel stability guidelines for specific requirements.
► See page 198

End panels are available in seated height, and cannot be used in freestanding applications.

All panel mounted supports can be removed and repositioned later without any permanent damage to panels or skins.



Pedestals and lateral files with a filler can be used to support the end of a worksurface in place of an end panel.



Worksurface spans greater than 54" require additional support of a cantilever, pedestal, intermediate support, or leg. Exception; worksurfaces can span up to 60" in heavy load applications and up to 72" in light load applications if a reinforcing channel is used. Reinforcing channel must be specified separately.
► Specifying, page 375

Surface Materials

Side support bracket and reinforcing channel

- Black paint only


Cantilever, post leg, and end panel

- Paint


Freestanding Guidelines

For TEKTIS Worksurfaces with Legs


The following section on freestanding worksurfaces gives some guidelines to be used with common freestanding configurations. Consult your local dealer or AMQ representative prior to deviating from these guidelines.




With post legs.




72" max.




Combined worksurfaces can give each other support when joined with an 11"W H-leg and tie plate.





Corner worksurface attached to adjacent worksurfaces requires 11"W H-leg. Tie plate is recommended to align worksurfaces. This application only good for 48"W corner worksurfaces. The 36"W and 42"W corner worksurfaces do not meet ADA requirements.



72" max. 72" max.



20"W H-leg can support adjacent worksurfaces up to 72"W.



120° worksurface.

H-leg can be used to support adjacent perpendicular worksurfaces up to 72"W.

Reinforcing channel (AMQTSATRC) is available to add support to worksurfaces that have 60" or more of unsupported kneespace and that are heavily loaded.




Pedestals

Pedestals provide fixed storage for personal items and filing of infrequently referenced materials.

Top of pedestal is open to attach beneath the worksurface.


Finished back and sides are standard.

Leveling glides on pedestals adjust to install furniture on uneven floors. Leveling glide range is 1".



Locks ship with a lock face ring and removable plastic plug to accommodate a lock cylinder installed on site.


Standard lock cylinders and keys are included with TEKTIS pedestals. If a master key is specified, **AMQLOCK9201XF** must be specified to be included.




Interlocks allow only one drawer to be opened at a time and can be required for safety and stability purposes.

Ledge pulls are available on drawers.


Product Details



Ledge pulls are available on drawers.



Pencil tray for use with fixed pedestals are included and available as an option.



To file legal-size or side-to-side letter-size filing in pedestal file drawers, rails are included with pedestals and available as an option.

Counterweight packages and interlocks may be required to ensure stability and must be ordered separately.

► Page 272

Actual Dimensions


Fixed Pedestals

Depth	21 ³ / ₁₆ ", 27 ¹³ / ₁₆ "
Width	15"
Height	27"

Connections

Fixed pedestals are intended for use under a panel-mounted worksurface. Attachment hardware is provided.

Tektis fixed pedestals cannot be converted to a freestanding pedestal using a pedestal conversion kit.



Pedestal filler, ordered separately, adds structure and fills the gap between the pedestal and panel. Pedestal filler works with panels only.
► Page 272


Additional supports are required if worksurface overhang is 7" or larger.

Stability

Counterweights are required for single desk applications, including when a Tektis fixed pedestal is paired with a worksurface and floor supports for a standalone desk application

Panel stability guidelines must be met prior to determining counterweight requirements. Refer to stability guidelines on page 206.

Counterweights are not required for fixed pedestals installed below a worksurface attached in a panel spine application. With the exception of single workstation applications which require a counterweight in each pedestal (**AMQTS2CW**).



Interlocks are required when using a Tektis fixed pedestal with a single pedestal desk, 48"W and below require an interlock. Single pedestal desks with 28"D pedestals also requires an interlock (**AMQTS2INT**).

Wiring & Cabling

Fixed pedestals do not accommodate cable-routing. Plan accordingly when installing pedestals underneath worksurfaces with grommets or other cable-routing accessories.

Surface Materials

Pedestals

Case

- 4799 Platinum Metallic
- Ledge pull** (default)
- 4799 Platinum Metallic

Case

- 7207 Black
- Ledge pull** (default)
- 7207 Black

Case

- 7243 Seagull
- Ledge pull** (default)
- 4799 Platinum Metallic

Shipping

Fixed pedestals are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Bins

Bins can be attached to TEKTIS with integrated hooks. These storage bins provide overhead storage in the workspace.

On-module attachment hooks are integral to the end supports and are used to mount bins on panels of the same width as bins.


Safety catch locks overhead storage unit to frame to prevent accidental removal.

Bin is steel and ships assembled.


Backstop prevents notebooks and equipment from damaging the surface of the panels or walls.

Flat-front lift-up doors open and close quietly. When up, the doors rest on top of the case to provide more storage space inside.

Product Details




Lock in bin is concealed from view beneath the shelf. Field-installed locks are standard with random keying options. Master-keyed locks are also available. **AMQLOCK9201XF** must be specified separately. **► Lock and Keying, page 378**



Back of storage bin is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging panel surface.


Overhead storage bin height accepts standard and A4 binders.



Actual Dimensions


Depth	15 ³ / ₄ "
Width	24", 30", 36", 42", 48", 60", or 72"
Height	16 ¹ / ₄ "

Connections




Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.

On-module steel support hooks can be used above and adjacent to TEKTIS panels.



Width of overhead bin must match the width of the panel or panels that it is attached to. Bin may span up to two frames.



Bin may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.

Bins cannot be attached to upmount brackets.

Surface Materials


Overhead bin

- Paint


Lock

- 9201 Polished Chrome

Application Topics




Clearance between work surfaces and bottom of overhead bins is 21 $\frac{3}{8}$ " when storage unit is installed in the highest position on a 66"H panel and glides are adjusted all the way into the panel.




On-module brackets and hooks are used to mount overhead bins and common shelves to panels with vertical slot patterns. Panels can support on-module attachment brackets.

Common shelves can attach on-module to panels.



Width of overhead storage unit must match the width of the panel or panels that it is attached to. Storage bins or shelves may span up to two panels.

Additional support for stability may be required when shelves and overhead storage bins are attached to panels. Loads on the opposite sides of the panels increases stability.




On-module attachment brackets install in panel seams.

On-module brackets can be used with a panel stacker on panels. Follow standard panel stacker guidelines for each panel.


Stability Guidelines

► Page 198

Guidelines for Stackable Components



Correct




Incorrect

Bins and shelves can hang from the first stacked tier only.


Laminate Common Shelves

Laminate common shelf has a wood core and is covered with Low-Pressure Laminate. Plastic edge band is selectable.
Tip: For anticipated heavy loads on 42" and 48"W laminate common shelves, a field-installed reinforcing channel (AMQTSATRC) can be used.
▶ page 256




Laminate common shelf

Product Details



Laminate common shelf ships with steel support brackets. Support brackets hook into the vertical panel slots or wall channel and lock into place with a safety catch. Support brackets can be used in either orientation.



Shelf may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.

Surface Materials

- Shelf**
- Laminate
- Edge**
- Plastic
- Supports**
- Paint

Actual Dimensions

Depth	15"
Width	24", 30", 36", 42", or 48"
Height	7 ³ / ₄ "

Wall Hang Channels and Horizontal Braces

For Use with Overhead Storage Bins and Shelves

Wall Hang Channels and
Horizontal Braces


Slotted steel channel

can attach to wall of building to accept shelves, overhead storage bins, or worksurfaces. Channel will accept all universal bins and shelves, TEKTIS bins and shelves introduced prior to March 2007.

► Specifying, page 375

Tip: Must specify bin or shelf with TEKTIS bracket to hang on wall channel.

Product Details



Wall channel can be positioned on wall at height needed.


Connections

Wall channels can be used to support shelves, overhead storage bins, or worksurfaces. Wall channels can be shared.


Field install:

- Concrete walls with Hilti type anchors.
- Drywall or plywood with $\frac{5}{8}$ " thick Toggler R-type $\frac{3}{16}$ " wall anchors with countersunk flat head screw.
- Steel or wood studs with #10 sheet metal or wood screws of appropriate length with countersunk flat head screw.


Anchors must be used in each screw hole location on the wall channel.



Components attach at 1" increments, but screws block some slot locations.



Screw hole positions




Floor

Actual Dimensions


Wall hang channels and horizontal braces

Depth	1 $\frac{1}{8}$ " (28 mm)
Width	1 $\frac{5}{16}$ " (24 mm)
Height	66" (1676 mm)




Component limits for each pair of wall channels

- Two bins or shelves
- One worksurface and two shelves
- One worksurface and one bin



Horizontal brace is available to reinforce vertical wall channels that support storage bins, shelves, or worksurfaces that are attached to walls. Bins and shelves that are 48"W or less do not require a horizontal brace. All worksurfaces require horizontal braces.




Wall channel horizontal brace is required for EACH storage bin or shelf that is wider than 48". The brace should be placed at the position along the vertical wall channel where the top of the bin or shelf will be placed.

Width of horizontal brace must match width of shelf or storage bin.

Wall channel horizontal brace

is also available in 42" and 48" widths and can be used in applications where there is concern regarding the strength of the wall. These braces must also be used with wall-mounted worksurfaces.

Wall hang channels for shelves or overhead storage bins cannot be used with a wall start junction.




Worksurfaces may be attached to wall channels with cantilevers, subject to the following application guidelines:

- All worksurfaces must be 24"D or less.
- Worksurfaces must be supported by a cantilever or legs every 42" or 48". Cantilevers can be shared when worksurfaces are adjacent.
- Wall channel horizontal braces must be installed directly behind all wall-mounted worksurfaces, and also at the top of the wall channels.
- Worksurface-supported pedestals cannot be hung from a wall-mounted worksurface.

Application Topics

Reinforce wall by positioning studs where wall channels will be attached. See dimensions below.

Distance between center lines of reinforced wall channels matches width of overhead storage unit.



Top view

Tip: Wall channels can be shared.

TEKTIS


Boundary Screens

Boundary screens have a thin profile and provide light scale space division and visual boundary.


TEKTIS boundary screens attach to the TEKTIS panel at end-of-run and middle-of-run junctions.
► Specifying, page 276

Screens are available in classic woodgrain or solid laminates.


Boundary screens come standard with adjustable glides, with a range of 1½". The glides are located 3" from the outside of each edge.



TEKTIS boundary screens have a thickness of 1⅜".




Product Details



End-of-Run Single Sided Screens

Boundary screens can connect to panels at the end-of run junction and middle-of-run junction.



Boundary screens cannot be used as a support in place of a leg, pedestal, or other worksurface support.


Screens are made of 1⅜" board with Low-Pressure Laminate.

Actual Dimensions

Height	28½", 42", 48", or 54"
Single-Sided Width*	26", 26½", 32", 32½", 38", 38½", 44", 44½", 50", 50½", 56", 56½", 62", 62½", 74", or 74½"
Spanning Width*	50", 53", 62", 65", 74", or 77"
Split Width per Side*	49", 49½", 55", 55½", 61", 61½", 73", or 73½"
Return Width*	25⅞" and 31⅞"
Thickness	1⅜"

* Dimensions above include extra inches of trim when connecting to a panel.

Tip: 28½"H boundary screens are available for end-of-run junctions for spanning and split boundary screens.





Boundary screens have modular heights and widths.

Note: TEKTIS panels are available in 66"H, but TEKTIS boundary screens are not available in 66"H.

Boundary screen heights align with thin trim top cap panel heights at 42", 48", and 54". 28½"H boundary screens are also available for end-of-run junctions for spanning and split boundary screens.

TEKTIS boundary screens are available in six different configurations.

1. Single-sided boundary screens provide boundary to one side of a TEKTIS panel and are specified either as left or right. Available in end-of-run and middle-of-run configurations.





2" Tektis panel thickness

Single-sided boundary screens will always include the 2" thickness of the TEKTIS panel to which they attach. For a 72" width screen (72"W inside, +2"W for the TEKTIS panel thickness for a maximum of 74"W). The above is shown with a right-handed screen application.

Tip: The above image shows a 72" specified width. The planning width is 74".


2. Spanning boundary screens use one screen segment to provide boundary of equal widths to both sides of a TEKTIS panel. Available in end-of-run and middle-of-run configurations.




Spanning boundary screens will always extend in equal dimension from the panel to which it attaches and include the 2" thickness on the TEKTIS panel.

For a 48"W spanning boundary screen (48"W inside, and 2" for the TEKTIS panel thickness for a total of 50"W minimum). For a 72"W spanning boundary screen (72"W inside, and 2" for the TEKTIS panel thickness for a total of 74"W maximum).

3. Split boundary screens use two screen segments to provide boundary to both sides of a TEKTIS panel. Both sides of a split boundary screen must be the same height. Available in end-of-run and middle-of-run configurations.





Split boundary screens can either be equal or asymmetrical in dimension from the TEKTIS panel to which they attach and include the 2" thickness of panel in total.



For a 36" width split (36"W inside, and 1" for half of a TEKTIS panel thickness for a total of 37"W minimum) for each side of the panel. For a 72" width split (72"W inside, and 1" for half of a TEKTIS panel thickness for a total of 73"W minimum) for each side of the panel.

Tip: The above image shows a 37" specified right width and a 73" specified left width. The planning right width is 36" and the planning left width is 72".

4. Single-sided L return boundary screens provide boundary and additional privacy to one side of a TEKTIS panel. Both screen segments (primary and return screen) are the same height and are specified as either left or right-handed.





2" Tektis panel thickness



Single-sided L return boundary screens in modular widths have inside clearance in 6" increments to wrap standard width worksurfaces in 6" increments. Panel connected segments (the primary screens) are available in widths of 27" (24" inside, return width 27", and 2" for TEKTIS panel thickness) to 75" (72" inside, and 2" for TEKTIS panel thickness). The inside width of modular returns are 24" or 30". There is an additional 13/16" that will be added to the return width for the primary screen thickness. Both boundary screens have equal heights and are specified as either left or right handed.

Tip: The above image shows a 75" specified width. The planning width is 72".

5. Spanning L return boundary screens provide boundary and additional privacy to both sides of a TEKtis panel. Both screen segments (primary and return screen) are the same height. Spanning L configuration screens and returns must have symmetrical widths.



6. Split L return boundary screens consist of four segments to provide boundary and additional side privacy to both sides of a TEKtis panel. Split L configuration screens do not have to have symmetrical widths but must have the same height.



Split L return boundary screens in modular widths have inside clearance in 6" increments to wrap standard width worksurfaces from 24" to 72" in 6" increments for each side of the split. The inside width of modular returns will be 24" or 30". There is an additional $\frac{13}{16}$ " that will be added to the return width for the primary boundary screen thickness. Each panel connected segment is available in widths from 25 1/2" (24" inside, and 1 1/2" for half of the TEKtis panel thickness) to 73 1/2" (72" inside, and 1 1/2" for half of the TEKtis panel thickness).

Tip: The above image shows a 61 1/2" specified left width and a 73 1/2" specified right width. The planning left width is 60" and the planning right width is 72".

Connections


Boundary screens cannot be taller than the TEKtis panel they attach to.

End-of-run single-sided boundary screens must always attach either at the height of the base panel or the height of the base panel with stackers.

End-of-run spanning boundary screens and end-of-run split boundary screens can be shorter than the height of the base panel and base panel with stackers.


Boundary screens at the end-of-run junction may be shorter than connecting TEKtis panel. In this situation, specify change-of-height trim separately (width the exception of single-sided.)

All middle-of-run boundary screens (single-sided, spanning, and split) must be attached to a base panel or base panel with stacker at the same height.



On spanning and split boundary screens, a metal plate is used to cover the bracket that connects the boundary screen to the panel. The cover is located 12 1/8" from the bottom of the screen and is 3 5/8"W and 13 1/2"H.

Middle-of-run boundary screens add an additional $\frac{13}{16}$ " to the overall panel run.



Return segments have a metal plate that covers the connection the return screen to the primary screen segment.

In spanning and split boundary screen junction, no worksurface supports (i.e., cantilever, pedestal, end panel) under 28"H can be used with the TEKtis panel with the exception of side-support brackets.

In single-sided applications, all worksurface support brackets may be used on the panel channel cantilever, pedestal, end panel, etc.

Surface Materials

Boundary screens:

- Laminate

Edge on laminate:

- Plastic

Bracket cover:

- Paint

Tip: When specifying the paint finish for the bracket, select a finish that compliments the selected laminate finish.


Grain direction rules:

Boundary screens less than 60" wide can have vertical or horizontal grain direction. Boundary screens 60" wide or larger must be horizontal.

For a split with one side greater than 60"W, both sides of the split screen must have a horizontal grain direction.

All boundary screen sides will have the same finish applied.

Application Topics



Middle-of-run screens cannot attach on anything higher than a 54"H base panel.


TEKTIS boundary screens fulfill the same stability requirements as TEKTIS panels of the same heights and widths. TEKTIS boundary screens do not support hang-on components.

► See *Stability Guidelines*, page 198


Boundary screens can attach to panels with fabric stacker and glass stacker application.

Boundary screens are not for use with wall starts.


Boundary screens with returns cannot be used in a free-standing application. Boundary screens must be attached to a corresponding TEKTIS panel.



End-of-Run Single Sided Boundary Screen




End-of-Run Split Boundary Screen




Single-sided and split boundary screens are available left and right handed. This is determined by the user facing the attaching TEKTIS panel.


Tip: For split boundary screens with returns, returns do not have to mirror the opposite screen.



End-of-Run Split Boundary Screen



Split boundary screen widths in both end-of-run and middle-of-run configurations do not have to be symmetrical.




All L-return boundary screens have a step miter detail at the adjoining edge.

Hanging Markerboard

Hanging markerboard can be added to TEKTIS panels and is a writable surface that provides visual display and invites collaboration.
► Specifying, page 284

Markerboards are non-magnetized.




On-module attachment hooks are used to mount markerboards on panel(s) of the same width.

Product Details

Clearance needed between worksurface and bottom of markerboard is 1 1/8".

Width of markerboard must match the width of the panel or panels that it is attached to. Markerboards may span up to two panels.

Hanging markerboard can attach to TEKTIS wall channel with a horizontal brace.




Four hooks must be attached on each corner of the markerboard.

Actual Dimensions

Height	24"
Width	24", 30", 36", 42", 48", and 60"
Thickness	1/2"

Tackable Acoustical Panels

Tackable Acoustical
Panels



Tip: Factory-included powerway for field installation option replaces need to order separate powerways.

Tip: Remember to order end-of-run trim and vertical corner trim packages.

Tip: Factory-installed wire separator is only an option on panels without power. A wire separator is included with the powerway in panels specified with power.

Standard Includes

- Tackable acoustical panel with two fabric surfaces: horizontal fabric
- Base covers with receptacle knockouts and low top cap: paint price group 1
- Top cap aligner: black plastic
- Universal connector package
- Frame: fire retardant polyurethane foam

Required to Specify

- 1 Style number
 - 2 Fabric color number for panel
 - 3 Paint color number for trim
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim		
	• Paint price group 1 • Paint price group 2	No cost +\$ 15	Specify paint color number. Specify paint color number.
Power Installation	• Factory installation • Field installation	No cost No cost	Specify <i>with factory installation</i> . Specify <i>with field installation</i> .
	Powerway		
	• No powerway • Shared powerway • 4 circuit 3+D • Separate neutral powerway • 4 circuit 2+2 • 4 circuit 3I+1	No cost +\$188 +\$222 +\$234 +\$278 +\$278	Specify <i>with no powerway</i> . Specify <i>with shared powerway</i> . Specify <i>with 4 circuit 3+D</i> . Specify <i>with separate neutral powerway</i> . Specify <i>with 4 circuit 2+2</i> . Specify <i>with 4 circuit 3I+1</i> .
Top Cap	• Low top cap • No top cap	No cost No cost	Specify <i>with low top cap</i> . Specify <i>with no top cap</i> .

Specification Information

Style Number	Dimensions Height	U.S. Base Prices Width					
		24"W	30"W	36"W	42"W	48"W	60"W
AMQTSAPF	42"	\$539	\$560	\$614	\$679	\$723	\$830
	48"	\$560	\$613	\$655	\$744	\$798	\$879
	54"	\$564	\$626	\$666	\$762	\$813	\$885
	66"	\$575	\$655	\$697	\$785	\$866	\$982

TEKTIS




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

Tackable Acoustical Stackers



Tip: Remember to order end-of-run trim and vertical corner trim packages.

Tip: When adding a stacker to existing panels with a power or cable pole connected at L-, T-, or X- corner, the universal panel connector can not be used. Contact orders@AMQsolutions.com to order service parts for special connections.


Standard Includes	Required to Specify
- Tackable acoustical stacker: fabric - Frame: fire retardant polyurethane foam - Universal connector package - Two stacking fork connectors	1 Style number 2 Fabric color number for stacker 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Fabric Direction • Horizontal	No cost	Specify <i>with horizontal fabric direction</i> .

Specification Information								
Style Number	Dimensions Height	U.S. Base Prices						
		Width						
		24"W	30"W	36"W	42"W	48"W	60"W	72"W
AMQTSAPS	12"	\$414	\$430	\$466	\$521	\$553	\$632	\$643
	18"	\$476	\$508	\$559	\$622	\$656	\$754	\$761
	24"	\$497	\$534	\$589	\$652	\$686	\$786	\$798



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.



Tip: Only one frameless glass stacker per panel is allowed.

Tip: Frameless glass stackers cannot stack on top of a tackable or framed glass stacker.

Tip: Stackers must be equal in width to the corresponding panels. Spanning stackers are not permitted for frameless glass.

Tip: Remember to order end-of-run trim and vertical corner trim packages.

Standard Includes	Required to Specify
- Glass screen: 6500 Clear Glass - Two supports - Top cap trim: paint	1 Style number 2 Glass finish for screen 3 Paint color number for trim 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Surface Materials Trim - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.
Glass screen - Clear glass - Frosted glass	Prices below Prices below	Specify with 6500 Clear Glass. Specify with 6530 Frosted Glass.

Specification Information

Style Number	Dimensions Height	U.S. Base Prices					
		Width					
		24"W	30"W	36"W	42"W	48"W	60"W

Clear Glass Screen


TKFGS		6"	\$458	\$485	\$530	\$572	\$612	\$ 695
	12"	\$525	\$562	\$629	\$680	\$730	\$ 838	
	18"	\$614	\$676	\$765	\$816	\$884	\$1039	

Frosted Glass Screen

TKFGS		6"	\$502	\$537	\$603	\$650	\$697	\$ 816
	12"	\$580	\$619	\$707	\$763	\$824	\$ 979	
	18"	\$676	\$749	\$854	\$910	\$998	\$1190	

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Glass Panel Stackers



Tip: Only one glass stacker per panel is allowed.

Tip: Remember to order change-of-height connectors.

Tip: Remember to order end-of-run trim and vertical corner trim packages.

Standard Includes	Required to Specify
- Glass stacker: 6500 Clear glass - Border: paint price group 1 - Frame: fire retardant polyurethane foam - Universal connector package - Two stacking fork connectors	1 Style number 2 Paint color number for border 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Surface Materials - Trim - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.

Specification Information								
Style Number	Dimensions Height	U.S. Base Prices Width						
		24"W	30"W	36"W	42"W	48"W	60"W	72"W
AMQTSAPSG	12"	\$682	\$713	\$777	\$ 870	\$ 923	\$1054	\$1065
	18"	\$814	\$848	\$930	\$1039	\$1097	\$1260	\$1275
	24"	\$856	\$888	\$974	\$1086	\$1148	\$1321	\$1335
:	:	:	:	:	:	:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.



Standard Includes	Required to Specify
- End-of-run trim: paint price group 1 - One low end cap: plastic to match paint	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.


	Options	U.S. Price	Required to Specify
Surface Materials	Trim - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.
End Cap	- Low end cap - Stacker end cap	No cost No cost	Specify <i>with low end cap</i> . Specify <i>with stacker end cap</i> .

Specification Information		
Style Number	Corresponding Panel Height	U.S. Base Price
AMQTSAPTE	42"	\$76
	48"	\$76
	54"	\$76
	60"	\$76
	66"	\$76
	72"	\$76
	78"	\$76



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Vertical In-Line Change-of-Height Trim



Tip: Remember to order change-of-height connectors.

Standard Includes

- Change-of-height trim: paint price group 1
- One plastic low end cap to match paint

Required to Specify

- 1 Style number
 - 2 Paint color number for trim
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

Options


Surface Materials	Trim	U.S. Price	Required to Specify
	• Paint price group 1 • Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.
End Cap	• Low end cap • Stacker end cap	No cost No cost	Specify <i>with low end cap</i> . Specify <i>with stacker end cap</i> .

Specification Information

Style Number	Panel Height	U.S. Base Price
AMQTSAPTXS	4"	\$76
	6"	\$76
	10"	\$76
	12"	\$76
	13 1/2"	\$76
	16"	\$76
	18"	\$76
	19 1/2"	\$76
	22"	\$76
	24"	\$76
	25 1/2"	\$76
	31 1/2"	\$76
	36"	\$76
	37 1/2"	\$76



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.




Standard Includes	Required to Specify
- Vertical corner trim: paint price group 1 - One low end cap: plastic to match paint - Carrier: fire retardant polyurethane foam	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.
End Cap	- Low end cap - Stacker end cap	No cost No cost	Specify <i>with low end cap</i> . Specify <i>with stacker end cap</i> .

Specification Information			
Style Number	Trim Height	Carrier Height	U.S. Base Price
AMQTSAPTC	42"	42"	\$108
	48"	48"	\$108
	54"	54"	\$108
	66"	66"	\$108
.	.	.	.

 **For Canadian Pricing**
 Multiply U.S. Price by the
 Canadian price factor.
 ► See Page 4 for details.

120° Vertical Corner Trims



Standard Includes	Required to Specify
• Corner trim: paint price group 1 • Low trim end caps for two- or three-way connections (one each): plastic to match paint	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.


	Options	U.S. Price	Required to Specify
Surface Materials	Trim • Paint price group 1 • Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.

Specification Information		
Style Number	Trim Height	U.S. Base Price
AMQTSAPTCY	42"	\$142
	48"	\$142
	54"	\$142
	66"	\$142


For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.

Vertical Corner Change-of-Height Trims

Vertical Corner
Change-of-Height
Trims



Tip: Vertical corner change-of-height trims can be used with panel stackers.

Standard Includes	Required to Specify
- Vertical corner trim: paint price group 1 - One low end cap: plastic to match paint - Carrier: fire retardant polyurethane foam	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.
End Cap	- Low end cap - Stacker end cap	No cost No cost	Specify <i>with low end cap</i> . Specify <i>with stacker end cap</i> .

Specification Information		
Style Number	Trim Height	U.S. Base Price
AMQTSAPTXC	6"	\$76
	12"	\$76
	18"	\$76
	24"	\$76


 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

A perspective line drawing showing the front panel being inserted into the frame. The panel has a rectangular shape with a semi-circular cutout on its right side. It is being positioned between the two vertical frame rails, with its top edge aligned with the top rail and its bottom edge aligned with the bottom rail. The panel's left edge is shown fitting into the channel of the left vertical rail.

• **Style Number**




Middle-of-Run Boundary
Screen Top Cap



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Panel Connectors


Change-of-Height In-Line and Corner Panel Connector Package



Tip: Change-of-height connections must be used at top of base panel and each stacker whenever possible to increase stability.

Standard Includes		Required to Specify	
Two corner and two in-line connectors: paint		1 Style number 2 Paint color number for connector 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.	
Surface Materials	Options	U.S. Price	Required to Specify
	- Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.
Specification Information			
Style Number	U.S. Base Price		
AMQTSAPBCOH	\$45		

Wall Start Connector Package



Standard Includes		Required to Specify
• Wall start connector package: black paint		Style number
Specification Information		
• Style Number	• U.S. Price	
AMQTSAPBWS66	\$45	

120° Connectors



Tip: Two-way, 120° connection requires one package. Three-way, 120° connection requires three packages.

Tip: 120° connector does not allow change-of-height connections.

Standard Includes		Required to Specify
• 120° connectors: fire retardant polyurethane foam • Package includes two 120° connectors and eight screws		Style number
Specification Information		
• Style Number	• U.S. Price	
AMQTSAPB120	\$45	



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.



Worksurface Legs and Supports


Standard Includes	Required to Specify
• Post leg, H-leg, end panel, and cantilever: paint price group 1 • Worksurface supports and channels: black paint • 2 3/4" adjustable glides on legs • Attachment hardware	1 Style number 2 Paint color number for leg, end panel, and cantilever 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	End panel • Paint price group 1 • Paint price group 2	No cost +\$41	Specify paint color number. Specify paint color number.
	Leg • Paint price group 1 • Paint price group 2	No cost +\$18	Specify paint color number. Specify paint color number.

Specification Information			
Style Number	Dimensions D H	U.S. Base Price	


Post Leg

AMQTSATP27	N.A.	27"	\$176




H-Leg

AMQTSATH	11"	N.A.	\$238
	20"	N.A.	\$293




On-Module End Panel

AMQTSATEP	24"	27"	\$534
	30"	27"	\$610



Cantilever with Tie Plate

AMQTSATCANT	16"	13"	\$128



▶ **Specification Information, continued on next page**


For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.


► **Specification Information, continued from previous page**

Specification Information

• Style Number	• Dimensions D H	• U.S. Base Price
---------------------------	----------------------------------	----------------------------------


Universal Cantilever with Tie Plate

AMQUCANT	15½"	12¼"	\$147
-----------------	------	------	-------



Side Support Bracket to Connect Worksurface to Panel

AMQTSATSIDE	N.A.	N.A.	\$ 53
--------------------	------	------	-------




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.





Fixed Pedestals

Tip: Tektis fixed pedestals should be used under a worksurface and should not be used as a stand alone pedestal.

Tip: File drawer rails are required to file legal-sized files or side-to-side letter-sized files in pedestal.

*Tip: When using a Tektis pedestal with a single pedestal desk, desks below 48"W require an interlock and a counterweight. Single pedestal desks with 28"D pedestals also require an interlock (**AMQTS2INT**) and counterweight (**AMQTS2CW**).*

*Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.*



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Standard Includes	Required to Specify
• Pedestal: paint price group 1 • Ledge pull: paint to match • Lock face ring with plastic plug to accommodate lock cylinder, if keyed lock selected: 0835 Black • Attachment hardware • Lock cylinder included in package, field-installed • Steel ball-bearing suspensions on box and file drawers • Adjustable glides: black	1 Style number 2 Paint color number for pedestal 3 Paint color number for pull 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	Case • Paint price group 1 • Paint price group 2	No cost +\$11	Specify paint color number. Specify paint color number.
	Pull • Paint price group 1 • Paint price group 2	No cost +\$ 6	Specify paint color number. Specify paint color number.
Pencil Tray	• With pencil tray	+\$23	Specify <i>with pencil tray</i> .
Drawer Rail	• With drawer rail	+\$23	Specify <i>with drawer rail</i> .
Keys	• Standard key plug • Master key plug	No cost +\$41	Specify <i>with standard key plug</i> . Specify <i>with master key plug</i> .

Specification Information				
• Style Number	• Dimensions			• U.S. Base Price
	D	W	H	

File, File

AMQTS2PFFU	22"	15"	27"	\$587
:	:	:	:	:

Box, Box, File


AMQTS2PBBFU	22"	15"	27"	\$619
:	:	:	:	:

File, File

AMQTS2PFFU	28"	15"	27"	\$638
:	:	:	:	:

Box, Box, File

AMQTS2PBBFU	28"	15"	27"	\$673
:	:	:	:	:



Tip: TEKTIS bins cannot be upmounted.

Standard Includes	Required to Specify
- Overhead bin with lift-up door: paint price group 1 - Shelf backstop - On-module attachment hooks with safety catch - Lock face ring with plastic plug to accommodate lock cylinder, if keyed lock selected: 0835 Black - Lock cylinder included in package, field-installed	1 Style number 2 Paint color number for bin 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.


	Options	U.S. Price	Required to Specify
Surface Materials	Trim - Paint price group 1 - Paint price group 2	No cost +\$11	Specify paint color number. Specify paint color number.
Keys	- Standard key plug - Master key plug	No cost +\$41	Specify <i>with standard key plug</i> . Specify <i>with master key plug</i> .

Specification Information					
Style Number	Dimensions			Number of Doors	U.S. Base Price
	D	W	H		
AMQTSASUBL	15 3/4"	24"	16 1/4"	1	\$ 627
	15 3/4"	30"	16 1/4"	1	\$ 655
	15 3/4"	36"	16 1/4"	1	\$ 682
	15 3/4"	42"	16 1/4"	1	\$ 710
	15 3/4"	48"	16 1/4"	1	\$ 747
	15 3/4"	60"	16 1/4"	2	\$1154
	15 3/4"	72"	16 1/4"	2	\$1271
:	:	:	:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Laminate Common Shelves



Tip: For anticipated heavy loads on 42"W and 48"W laminate common shelves, a 39"W field-installed reinforcing channel (**AMQTSATRC**) can be used.

Standard Includes	Required to Specify
1 3/16"-thick shelf: Low-Pressure Laminate 3 mm radius profile edge: plastic - Support brackets: paint price group 1	1 Style number 2 Laminate color number for shelf 3 Plastic color number for edge 4 Paint color number for brackets 5 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Surface Materials Trim - Paint price group 1 - Paint price group 2	No cost +\$11	Specify paint color number. Specify paint color number.

Specification Information				
Style Number	Dimensions			U.S. Base Price
	D	W	H	
AMQTSASLCL	15"	24"	7 3/4"	\$171
	15"	30"	7 3/4"	\$176
	15"	36"	7 3/4"	\$187
	15"	42"	7 3/4"	\$200
	15"	48"	7 3/4"	\$218



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

Wall Channels for Overhead Bins and Shelves


Wall Channels for Overhead
Bins and Shelves

Standard Includes		Required to Specify
• Pair of channels: paint		1 Style number 2 Paint color number for channels ▶ See <i>Surface Materials</i> , page 504.
Specification Information		
• Style • Number	• U.S. • Price	
AMQTS7BSWHC	\$165	

TEKTIS


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Wall Channel Horizontal Brace



Standard Includes	Required to Specify
Brace: paint	1 Style number 2 Paint color number for brace

Specification Information		
Style Number	Width	U.S. Price
AMQTSHB	42"	\$121
	48"	\$121
	60"	\$121
	72"	\$121


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.



Tip: You must specify receptacle to match wiring schematic used in other components.

Standard Includes Required to Specify

- Package of six powerway receptacles: 6000 Black

- 1 Style number
- 2 Options, if selected (see below)

Options U.S. Price Required to Specify

Controlled Stamp

- No stamp
- 3-circuit with controlled stamp
- 4-circuit with controlled stamp

- No cost
- +\$25
- +\$27

- Specify *with no stamp*.
- Specify with controlled stamp.
- Specify with controlled stamp.

Specification Information

Style Number	Description	Size	U.S. Base Price
--------------	-------------	------	-----------------

3-Circuit with Shared Neutral

AMQTSAESB	Line 1	Standard	\$314
	Line 2	Standard	\$314
	Line 3	Standard	\$314

3-Circuit with Separate Neutral

AMQTSAESB	Line A	Standard	\$469
	Line B	Standard	\$469
	Line C	Large	\$610

4-Circuit 3+D

AMQTSBEDASB	Line 1	Standard	\$314
	Line 2	Standard	\$314
	Line 3	Standard	\$314
	Line 4	Large	\$408

4-Circuit with 2+2 Wiring

AMQTSBEDASB	Line 1	Standard	\$348
	Line 2	Standard	\$348
	Line 3	Standard	\$469
	Line 4	Large	\$469


4-Circuit with 3I+1 Wiring

AMQTSBEDASB	Line 1	Standard	\$469
	Line 2	Standard	\$469
	Line 3	Standard	\$469
	Line 4	Large	\$610



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Power Pole




Standard Includes	Required to Specify
- Power pole: paint price group 1 - Ceiling trim plate: 4790 Sodium paint only - Harness with 3-circuit, and shared neutral - Junction box - Mounting brackets - Pair of corner change-of-height connectors	1 Style number 2 Paint color number for pole 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	Pole - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.
Harness	- Shared harness - Separate neutral harness	No cost +\$18	Specify <i>with shared harness</i> . Specify <i>with separate neutral harness</i> .
Wiring Schematic	4 circuit 3+D 4 circuit 2+2 4 circuit 3I+1	No cost +\$18 +\$18	Specify <i>with 4 circuit 3+D</i> . Specify <i>with 4 circuit 2+2</i> . Specify <i>with 4 circuit 3I+1</i> .

Specification Information		
Style Number	Panel Height	U.S. Base Price
3-Circuit		
AMQTSAP3B	42"	\$661
	48"	\$661
	54"	\$661
	66"	\$661
..	..	..
4-Circuit		
AMQTSAP4B	42"	\$751
	48"	\$751
	54"	\$751
	66"	\$751
..	..	..


For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.



Standard Includes	Required to Specify
- Cable pole: paint price group 1 - Ceiling trim plate: 4790 Sodium paint only - Junction box - Mounting brackets - Pair of corner change-of-height connectors	1 Style number 2 Paint color number for pole 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.


Options	U.S. Price	Required to Specify
Surface Materials Pole - Paint price group 1 - Paint price group 2	- No cost +\$15	- Specify paint color number. - Specify paint color number.

Specification Information		
Style Number	Panel Height	U.S. Base Price
AMQTSAEPC	42"	\$602
	48"	\$602
	54"	\$602
	66"	\$602



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Wiring Schematic



Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|--|
| <ul style="list-style-type: none"> Power infeed cover: black plastic only 6' long, 1/2" diameter conduit: black plastic only 3-circuit with shared neutral or 4-circuit 3+D | 1 Style number
2 Options, if selected (see below) |
|--|--|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Wiring Option	• 4 circuit 3+D	No cost	Specify <i>with 4 circuit 3+D</i> .
	• Shared powerway wiring	No cost	Specify <i>with shared powerway wiring</i> .
	• Seperate neutral wiring	+\$55	Specify <i>with seperate neutral wiring</i> .
	• 4 circuit 2+2	+\$67	Specify <i>with 4 circuit 2+2</i> .
	• 4 circuit 3I+1	+\$67	Specify <i>with 4 circuit 3I+1</i> .

Specification Information

Style Number	U.S. Base Price	Style Number	U.S. Base Price
3-Circuit Shared Neutral		4-Circuit 3+D	
AMQTSAE98669B	\$381	AMQTSAE986694B	\$417
For Use In San Francisco		For Use In San Francisco	
AMQTSAE98669SFB	\$381	AMQTSAE986694SFB	\$417



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.



Tip: Grommet requires a 3" diameter hole in the worksurface.


Standard Includes		Required to Specify
• Package of 10 grommets: black plastic		Style number
Specification Information		
• Style Number	• U.S. Price	
• AMQTSAEGROM	\$77	
•		



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Straight Worksurfaces

with 1/2" Cord Drop



Standard Includes	Required to Specify
1 3/16"-thick worksurface: Low-Pressure Laminate 3 mm radius profile edge on user's side: plastic - Side and back edges: plastic default to match user's side 1/2" cord drop along the back edge for cable management	1 Style number 2 Low-Pressure Laminate color number for worksurface 3 Plastic color number for edge 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Scallop - No scallop - With scallop	No cost No cost	Specify <i>with no scallop</i> . Specify <i>with scallop</i> .

Specification Information										
Style Number	Dimensions Depth	U.S. Prices								
		Width								
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
AMQCDWS	23 1/2"	\$196	\$205	\$223	\$254	\$292	\$332	\$363	\$398	\$408
	29 1/2"	\$217	\$240	\$264	\$296	\$325	\$373	\$418	\$452	\$490




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

Straight Worksurfaces

with Full Depth




Standard Includes	Required to Specify
1 3⁄16"-thick worksurface: Low-Pressure Laminate 3 mm radius profile edge on user's side: plastic - Side and back edges: plastic default to match user's side	1 Style number 2 Low-Pressure Laminate color number for worksurface 3 Plastic color number for edge ► See <i>Surface Materials</i>, page 504.

Specification Information										
Style Number	Dimensions Depth	U.S. Prices								
		Width								
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
AMQTSAWLR	24"	\$196	\$205	\$223	\$254	\$292	\$332	\$363	\$398	\$408
	30"	\$217	\$240	\$264	\$296	\$325	\$373	\$418	\$452	\$490

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

Straight Corner Worksurfaces



Standard Includes	Required to Specify
1 3⁄16"-thick worksurface: Low-Pressure Laminate 3 mm radius profile edge on user's side: plastic - Side and back edges: plastic default to match user's side - Grommet: black plastic only - Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate color number for worksurface 3 Plastic color number for edge ▶ See <i>Surface Materials</i>, page 504.


Specification Information				
Style Number	Dimensions Depth	U.S. Prices		
		Width		
		36"W	42"W	48"W
AMQTSAWLCF	24"	\$414	\$476	\$515
	30"	N.A.	N.A.	\$554



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Curved Corner Worksurfaces

Curved Corner
Worksurfaces




Standard Includes	Required to Specify
• 1 3/16"-thick worksurface: Low-Pressure Laminate • 3 mm radius profile edge on user's side: plastic • Side and back edges: plastic default to match user's side • Grommet: black plastic only • Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate color number for worksurface 3 Plastic color number for edge ► See <i>Surface Materials</i>, page 504.

Specification Information				
Style Number	Dimensions Depth	U.S. Prices		
		Width		
		36"W	42"W	48"W
AMQTSAWLCC	24"	\$454	\$502	\$554
	30"	N.A.	N.A.	\$640

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

Left-Hand Extended Curved Corner Worksurfaces



Tip: Long worksurface spans require additional support.


Standard Includes	Required to Specify
• 1 3⁄16"-thick worksurface: Low-Pressure Laminate • 3 mm radius profile edge on user's side: plastic • Side and back edges: plastic default to match user's side • Grommet: black plastic only • Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate color number for worksurface 3 Plastic color number for edge ▶ See <i>Surface Materials</i>, page 504.

Specification Information					
• Style Number	• Dimensions				• U.S. Price
	A	B	C	D	
AMQTSAWLEL	24"	24"	60"	48"	\$750
	24"	24"	72"	48"	\$894
	30"	30"	60"	48"	\$794
	30"	30"	72"	48"	\$946


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Right-Hand Extended Curved Corner Worksurfaces

Right-Hand Extended
Curved Corner
Worksurfaces




Tip: Long worksurface spans require additional support.

Standard Includes	Required to Specify
1 3⁄16"-thick worksurface: Low-Pressure Laminate 3 mm radius profile edge on user's side: plastic - Side and back edges: plastic default to match user's side - Grommet: black plastic only - Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate color number for worksurface 3 Plastic color number for edge ▶ See <i>Surface Materials</i>, page 504.

Specification Information					
•Style Number	•Dimensions				•U.S. Price
	A	B	C	D	
AMQTSAWLER	24"	24"	48"	60"	\$750
	24"	24"	48"	72"	\$894
	30"	30"	48"	60"	\$794
	30"	30"	48"	72"	\$946

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

120° Corner Worksurfaces




Standard Includes	Required to Specify
• 1 3⁄16"-thick worksurface: Low-Pressure Laminate • 3 mm radius profile edge on user's side: plastic • Side and back edges: plastic default to match user's side • Grommet: black plastic only • Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate color number for worksurface 3 Plastic color number for edge ▶ See <i>Surface Materials</i>, page 504.

Specification Information					
• Style Number	• Dimensions				• U.S. Price
	A	B	C	D	
AMQTSAWLY	24"	36"	30 1⁄2"	63 11⁄32"	\$772
	24"	42"	30 1⁄2"	72 3⁄4"	\$827
	24"	48"	30 1⁄2"	85 5⁄32"	\$912



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.



Tip: Transaction worksurfaces are for use on panels with a low top cap only.

Standard Includes	Required to Specify
1 3⁄16"-thick worksurface: Low-Pressure Laminate 3 mm radius profile edge on user's side: plastic - Side and back edges: plastic default to match user's side - Grommet: black plastic only - Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate color number for worksurface 3 Plastic color number for edge ► See <i>Surface Materials</i>, page 504.

Specification Information			
Style Number	Dimensions D W		U.S. Price
AMQTSAWLT	16"	36"	\$293
	16"	42"	\$334
	16"	48"	\$351
	16"	60"	\$386
.	.	.	.

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Fixed Pedestal Accessories

Pedestal Filler

For Use with Under-Worksurface Pedestal to Attach to TEKTIS Panel System



Tip: When using a pedestal to anchor the end of a panel run, you must use a pedestal filler.

Standard Includes				Required to Specify
• Filler: paint • Attachment hardware				1 Style number 2 Paint color number for filler ▶ See <i>Surface Materials</i> , page 504.
Specification Information				
• Style Number	• Dimensions			• U.S. Price
	D	W	H	
AMQTS2FILLER	23/16"	1"	27"	\$76

Counterweight Package

For Use with Tektis Fixed Pedestals



*When using a Tektis pedestal with a single pedestal desk, desks below 48"W require an interlock and a counterweight. Single pedestal desks with 28"D pedestals also require an interlock (**AMQTS2INT**) and counterweight (**AMQTS2CW**).*

Standard Includes		Required to Specify
• Counterweight: black • Attachment hardware		Style number
Specification Information		
• Style Number	• U.S. Price	
AMQTS2CW	\$166	

Tektis Interlock


For Use with Tektis Fixed Pedestals



*When using a Tektis pedestal with a single pedestal desk, desks below 48"W require an interlock and a counterweight. Single pedestal desks with 28"D pedestals also require an interlock (**AMQTS2INT**) and counterweight (**AMQTS2CW**).*

Standard Includes		Required to Specify
• Interlock: black • Attachment hardware		Style number
Specification Information		
• Style Number	• U.S. Price	
AMQTS2INT	\$58	

Rails




Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders.

Standard Includes		Required to Specify
• Package of two rails: black only		Style number

Specification Information		
• Style Number	• Width	• U.S. Price
AMQRXADRL15	12"	\$34
•	•	•

Pencil Tray

For Use in Fixed Pedestals



Tip: Pencil trays for use with fixed pedestals are available as optional accessories.


Standard Includes		Required to Specify
• Pencil tray: black only		Style number

Specification Information	
• Style Number	• U.S. Price
AMQRPXDPT	\$46
•	•



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Flexible Markerboard Surface



Tip: Used on TEKTIS overhead bins with flat fronts (AMQTSASUBL).

Standard Includes	Required to Specify
• Flexible, magnetic markerboard surface to attach to door of overhead storage bin: white plastic	Style number

Specification Information			
• Style Number	• Dimensions		• U.S. Price
	W	H	
AMQRMBB	30"	16¼"	\$160
	36"	16¼"	\$169
	42"	16¼"	\$176
	48"	16¼"	\$185



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.



End-of-Run Boundary Screen


for Use with TEKTIS Monolithic Tackable Panels

Tip: When attaching a boundary screen to a TEKTIS panel with a stacker segment, order a boundary screen and add a change-of-height trim when panel is taller than connecting screens.

Tip: Additional hardware upcharge is applied only when spanning or split style number is specified.

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate finish or matches panel trim finish.

Tip: When specifying a boundary screen taller than the TEKTIS panel, order a change-of-height trim.



Tip: Trim varies between single sided and split/spanning screens. Single-sided screens are a spine bracket while the spanning/split screens are a cover.

Standard Includes	Required to Specify
- Screen: Low-Pressure Laminate - Edge on laminate screen: plastic - Trim finish: paint price group 1 - Attachment hardware - Glides	1 Style number (additional hardware specified by style number) 2 Low-Pressure Laminate color number for screen 3 Plastic color number for edge on laminate screen 4 Paint color number for trim 5 Handedness, if single-sided screen selected (see below under Required Selections) 6 Grain direction (see below under Required Selections) 7 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.

Additional Hardware	U.S. Price
- Split - Spanning	+\$29 +\$36

Required Selections	U.S. Price	Required to Specify
Handedness (Single-Sided Screens only) - Right handed - Left handed	No cost No cost	Specify with <i>right hand</i> . Specify with <i>left hand</i> .
Grain Direction - No grain direction - Horizontal - Vertical	No cost No cost No cost	Specify with <i>no grain direction</i> . Specify with <i>horizontal grain direction</i> . Specify with <i>vertical grain direction</i> .

Options	U.S. Price	Required to Specify
Surface Materials - Trim - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.

Specification Information		U.S. Base Prices								
Style Number	Dimensions Height	Width								
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W

Single-Sided

TKBSSSE	Height	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
	42"	\$553	\$636	\$697	\$775	\$840	\$ 895	\$ 940	\$ 973	\$ 995
	48"	\$581	\$696	\$758	\$840	\$910	\$ 966	\$1012	\$1042	\$1062
	54"	\$597	\$711	\$811	\$895	\$966	\$1023	\$1066	\$1095	\$1110

Spanning

TKBSSPNE	Height	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
	28 1/2"	N.A.	N.A.	N.A.	N.A.	\$751	N.A.	\$ 863	N.A.	\$ 945
	42"	N.A.	N.A.	N.A.	N.A.	\$840	N.A.	\$ 940	N.A.	\$ 995
	48"	N.A.	N.A.	N.A.	N.A.	\$910	N.A.	\$1012	N.A.	\$1062
	54"	N.A.	N.A.	N.A.	N.A.	\$966	N.A.	\$1066	N.A.	\$1110

▶ **Specification Information, continued on next page**


► Specification Information, continued from previous page

Specification Information

• Style Number	• Dimensions Height	• U.S. Base Prices								
		Width								
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W

Split

TKBSSPTE	28½"	N.A.	N.A.	\$607	\$682	\$751	\$ 811	\$ 863	\$ 909	\$ 945
	42"	N.A.	N.A.	\$697	\$775	\$840	\$ 895	\$ 940	\$ 973	\$ 995
	48"	N.A.	N.A.	\$758	\$840	\$910	\$ 966	\$1012	\$1042	\$1062
	54"	N.A.	N.A.	\$811	\$895	\$966	\$1023	\$1066	\$1095	\$1110



Tip: When specifying a split boundary screen, two screen widths will need to be specified (left and right) and added together for total price.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Middle-of-Run Boundary Screen

for Use with TEKTIS Monolithic Tackable Panels

Tip: When attaching a boundary screen to a TEKTIS panel with a stacker segment, order a boundary screen and add a change-of-height trim when panel is taller than connecting screens.

Tip: Additional hardware upcharge is applied only when spanning or split style number is specified.

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate finish or matches panel trim finish.

Tip: When specifying a boundary screen taller than the TEKTIS panel, order a change-of-height trim.



Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate finish or matches panel trim finish.

Standard Includes	Required to Specify
- Screen: Low-Pressure Laminate - Trim finish: paint price group 1 - Top cap: paint price group 1 - Edge on laminate screen: plastic - Attachment hardware - Glides	1 Style number (additional hardware specified by style number) 2 Low-Pressure Laminate color number for screen 3 Paint color number for trim 4 Paint color number for top cap 5 Plastic color number for edge on laminate screen 6 Grain direction (see below under Required Selections) 7 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.

Additional Hardware	U.S. Price
- Split - Spanning	+\$29 +\$36

Required Components	U.S. Price	Required to Specify
Grain Direction - No grain direction - Horizontal - Vertical	No cost No cost No cost	Specify <i>with no grain direction</i> . Specify <i>with horizontal grain direction</i> . Specify <i>with vertical grain direction</i> .

Options	U.S. Price	Required to Specify
Surface Materials Trim - Paint price group 1 - Paint price group 2 Top cap - Paint price group 1 - Paint price group 2	No cost +\$15 No cost +\$15	Specify paint color number. Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information									
Style Number	Dimensions Height	U.S. Base Prices Width							
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W 72"W

Single-Sided

TKBSSM	42"	48"	54"	60"	66"	72"
	\$553	\$581	\$597	\$711	\$840	\$895
	\$636	\$696	\$711	\$840	\$966	\$1023
	\$697	\$758	\$811	\$966	\$1066	\$1110
	\$775	\$840	\$895	\$1023	\$1066	\$1110
	\$840	\$910	\$966	\$1023	\$1066	\$1110
	\$895	\$966	\$1023	\$1066	\$1110	
	\$940	\$1012	\$1066	\$1110		
	\$973	\$1042	\$1095			
	\$995	\$1062				

▶ **Specification Information, continued on next page**



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

► Specification Information, continued from previous page

Specification Information



• Style Number	• Dimensions Height	• U.S. Base Prices									
		Width									
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	

Spanning

TKBSSPNM	42"	N.A.	N.A.	N.A.	N.A.	\$840	N.A.	\$ 940	N.A.	\$ 995
	48"	N.A.	N.A.	N.A.	N.A.	\$910	N.A.	\$1012	N.A.	\$1062
	54"	N.A.	N.A.	N.A.	N.A.	\$966	N.A.	\$1066	N.A.	\$1110

Split

TKBSSPTM	42"	N.A.	N.A.	\$697	\$775	\$840	\$ 895	\$ 940	\$ 973	\$ 995
	48"	N.A.	N.A.	\$758	\$840	\$910	\$ 966	\$1012	\$1042	\$1062
	54"	N.A.	N.A.	\$811	\$895	\$966	\$1023	\$1066	\$1095	\$1110



Tip: When specifying a split boundary screen, two screen widths will need to be specified (A and B) and added together for total price.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

L Return End-of-Run Boundary Screens

for Use with TEKTIS Monolithic Tackable Panels


Tip: When attaching a boundary screen to a TEKTIS panel with a stacker segment, order a boundary screen and add a change-of-height trim when panel is taller than connecting screens.

Tip: Additional hardware upcharge is applied only when spanning or split style number is specified.

Tip: When attaching boundary screens to a TEKTIS panel with a stacker segment, order a boundary screen and add a change-of-height trim.

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate finish or matches panel trim finish.

Tip: When specifying a boundary screen taller than the TEKTIS panel, order a change-of-height trim.



Standard Includes	Required to Specify
- Screen: Low-Pressure Laminate - Trim finish: paint price group 1 - Edge on laminate screen: plastic - Attachment hardware - Glides	- Style number (additional hardware specified by style number) - Low-Pressure Laminate color number for screen - Paint color number for trim - Plastic color number for edge on laminate screen - Handedness, if single-sided screen selected (see below under Required Selections) - Grain direction (see below under Required Selections) - Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Additional Hardware	U.S. Price
- Split - Spanning	+\$29 +\$36

	Required Selections	U.S. Price	Required to Specify
Handedness (Single-Sided Screens only)	- Right handed - Left handed	No cost No cost	Specify <i>with right hand</i> . Specify <i>with left hand</i> .
Grain Direction	- No grain direction - Horizontal - Vertical	No cost No cost No cost	Specify <i>with no grain direction</i> . Specify <i>with horizontal grain direction</i> . Specify <i>with vertical grain direction</i> .

	Options	U.S. Price	Required to Specify
Surface Materials	Trim - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.

Specification Information										
Style Number	Dimensions Height	U.S. Base Prices								
		Width								
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
Single-Sided										
Primary Screen										
TKBSSSEL	42"	\$553	\$636	\$697	\$775	\$840	\$ 895	\$ 940	\$ 973	\$ 995
	48"	\$581	\$696	\$758	\$840	\$910	\$ 966	\$1012	\$1042	\$1062
	54"	\$597	\$711	\$811	\$895	\$966	\$1023	\$1066	\$1095	\$1110
Return Screen										
TKBSSSEL	42"	\$553	\$636	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	48"	\$581	\$696	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	54"	\$597	\$711	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

► Specification Information, continued on next page

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

► Specification Information, continued from previous page

Specification Information

Style Number	Dimensions Height	U.S. Base Prices Width									
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	

Spanning

Primary Screen

TKBSSPNEL	28½"	N.A.	N.A.	N.A.	N.A.	\$751	N.A.	\$ 863	N.A.	\$ 945
	42"	N.A.	N.A.	N.A.	N.A.	\$840	N.A.	\$ 940	N.A.	\$ 995
	48"	N.A.	N.A.	N.A.	N.A.	\$910	N.A.	\$1012	N.A.	\$1062
	54"	N.A.	N.A.	N.A.	N.A.	\$966	N.A.	\$1066	N.A.	\$1110

Return Screen

TKBSSPNEL	28½"	\$465	\$544	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	42"	\$553	\$636	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	48"	\$581	\$696	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	54"	\$597	\$711	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.


Split

Primary Screen


TKBSSPTEL	28½"	N.A.	N.A.	\$607	\$682	\$751	\$ 811	\$ 863	\$ 909	\$ 945
	42"	N.A.	N.A.	\$697	\$775	\$840	\$ 895	\$ 940	\$ 973	\$ 995
	48"	N.A.	N.A.	\$758	\$840	\$910	\$ 966	\$1012	\$1042	\$1062
	54"	N.A.	N.A.	\$811	\$895	\$966	\$1023	\$1066	\$1095	\$1110

Return Screen

TKBSSPTEL	28½"	\$465	\$544	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	42"	\$553	\$636	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	48"	\$581	\$696	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	54"	\$597	\$711	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Tip: Returns on spanning boundary screens will always be mirrored.



Tip: When specifying a split L return boundary screen, four screen widths will need to be specified and added together for total price.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

L Return Middle-of-Run Boundary Screens

for Use with TEKTIS Monolithic Tackable Panels

Tip: When specifying an L return boundary screen, primary and return screen widths need to be specified. The final price will include the price of both individual screen segments.


Tip: Additional hardware upcharge is applied only when L return spanning or L return split style number is specified.

Tip: When attaching boundary screens to a TEKTIS panel with a stacker segment, order a boundary screen and add a change-of-height trim.

Tip: When specifying a boundary screen taller than the TEKTIS panel, order a change-of-height trim.

Tip: When specifying the paint finish for the bracket cover, select a finish that compliments the selected laminate finish or matches panel trim finish.

Tip: When required, handedness will be selected for the return screen.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Standard Includes	Required to Specify
- Screen: Low-Pressure Laminate - Trim finish: paint price group 1 - Top cap: paint - Edge on laminate screen: plastic - Attachment hardware - Glides	- Style number (additional hardware specified by style number) - Low-Pressure Laminate color number for screen - Paint color number for trim - Paint color number for top cap - Plastic color number for edge on laminate screen - Handedness, if single-sided screen selected (see below under Required Selections) - Grain direction (see below under Required Selections) - Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.

Additional Hardware	U.S. Price
- Split - Spanning	+\$29 +\$36

	Required Selections	U.S. Price	Required to Specify
Handedness (Single-Sided Screens only)	- Right handed - Left handed	No cost No cost	Specify <i>with right hand</i> . Specify <i>with left hand</i> .
Grain Direction	- No grain direction - Horizontal - Vertical	No cost No cost No cost	Specify <i>with no grain direction</i> . Specify <i>with horizontal grain direction</i> . Specify <i>with vertical grain direction</i> .

	Options	U.S. Price	Required to Specify
Surface Materials	Trim - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.
	Top cap - Paint price group 1 - Paint price group 2	No cost +\$15	Specify paint color number. Specify paint color number.

Specification Information									
Style Number	Dimensions Height	U.S. Base Prices Width							
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W 72"W

Single-Sided

Primary Screen

TKBSSML										
	42"	\$553	\$636	\$697	\$775	\$840	\$ 895	\$ 940	\$ 973	\$ 995
	48"	\$581	\$696	\$758	\$840	\$910	\$ 966	\$1012	\$1042	\$1062
	54"	\$597	\$711	\$811	\$895	\$966	\$1023	\$1066	\$1095	\$1110

Return Screen

TKBSSML										
	42"	\$553	\$636	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	48"	\$581	\$696	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	54"	\$597	\$711	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

▶ **Specification Information, continued on next page**

► Specification Information, continued from previous page

Specification Information

Style Number	Dimensions Height	U.S. Base Prices								
		Width								
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W

Spanning

Primary Screen

TKBSSPNML	42"	N.A.	N.A.	N.A.	N.A.	\$840	N.A.	\$ 940	N.A.	\$ 995
	48"	N.A.	N.A.	N.A.	N.A.	\$910	N.A.	\$1012	N.A.	\$1062
	54"	N.A.	N.A.	N.A.	N.A.	\$966	N.A.	\$1066	N.A.	\$1110

Return Screen

TKBSSPNML	42"	\$553	\$636	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	48"	\$581	\$696	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	54"	\$597	\$711	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
:	:	:	:	:	:	:	:	:	:	:


Split

Primary Screen


TKBSSPTML	42"	N.A.	N.A.	\$697	\$775	\$840	\$ 895	\$ 940	\$ 973	\$ 995
	48"	N.A.	N.A.	\$758	\$840	\$910	\$ 966	\$1012	\$1042	\$1062
	54"	N.A.	N.A.	\$811	\$895	\$966	\$1023	\$1066	\$1095	\$1110

Return Screen

TKBSSPTML	42"	\$553	\$636	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	48"	\$581	\$696	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	54"	\$597	\$711	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
:	:	:	:	:	:	:	:	:	:	:



Tip: Returns on spanning boundary screens will always be mirrored.




Tip: When specifying a split L return boundary screen, four screen widths will need to be specified and added together for total price.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Hanging Markerboard



Tip: Hanging markerboards may span more than one panel.

Tip: Hanging markerboards may be used with TEKTIS wall channels.

Standard Includes		Required to Specify
• Markerboard height: 24"H		Style number
Specification Information		
• Style Number	• Width	• U.S. Price
TKHMB	24"	\$357
	30"	\$384
	36"	\$412
	42"	\$466
	48"	\$494
	60"	\$549


 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Paint	Laminate	Plastic	Metal	Surface Fabric
<i>Tip: All products may not be available in all colors listed below.</i> Price Group 1 Applies to: • Pulls Textured Paint 7207 Black Applies to: • Cable pole • Laminate common shelf brackets • New York base-in power • Panel trim • Power pole • Vertical trim • Boundary screens Textured Paint 7207 Black 7225 Sand 7238 Fieldstone 7243 Seagull Applies to: • Cantilever • End panel • Fixed pedestal • Pedestal filler • Post legs • Boundary screens Textured Paint 7207 Black 7243 Seagull Applies to: • Cable pole • Cantilever • End panel • Fixed pedestal • Laminate common shelf brackets • New York base-in power • Panel trim • Pedestal pillar • Post legs • Power pole • Pulls • Vertical trim Price Group 2 Smooth Metallic Paint 4799 Platinum Metallic	Applies to: • Boundary screens • Laminate common shelf • Worksurfaces Low-Pressure Laminate 24L0 Graphite Walnut 25L5 Virginia Walnut LPL 25L8 Clear Walnut LPL 26L1 Natural Cherry V2 LPL 2L09 Clear Maple LPL 2L30 Arctic White LPL 2L83 Seagull LPL 2L84 Milk LPL 2LAK Clear Oak 2LAT Acacia LPL 2LCN Clay Noce LPL 2LCW Clay Wenge LPL	6009 Arctic White 6034 Natural Cherry 6052 Milk 6053 Seagull 6213 Acacia 6219 Clear Oak 6231 Graphite 6237 Clear Maple 6242 Virginia Walnut 6245 Clear Walnut 6706 Clay Wenge 6709 Clay Noce <i>Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.</i> Applies to: • Laminate common shelf • Worksurfaces 6009 Arctic White 6034 Natural Cherry 6052 Milk 6053 Seagull 6213 Acacia 6219 Clear Oak 6231 Graphite Walnut 6237 Clear Maple 6242 Virginia Walnut 6245 Clear Walnut 6706 Clay Wenge 6709 Clay Noce	Applies to: • Bins 9201 Polished Chrome	Applies to: • Monolithic panels • Stacker panels Alloy P525 Polar P526 Skim P527 Bubbly P528 Tern P529 Shore P530 Asti P531 Silver P532 Oxide P533 Element P534 Construct P535 Currency P536 Iron Boccie P200 New Rice P201 New Almond P203 New Camel P204 New Opal P205 New Mist P206 New Plum P208 New Spearmint P209 New Sky

			
Statement of Line	288	Specifying	
			
Product Details			
Fixed and Mobile Pedestals	298	Fixed Pedestals	342
One-High, 1.5-High, and Two-High Lateral Files and Lower Storage	300	Mobile Pedestals	343
Three-High and Four-High Lateral Files	302	One-High, 1.5-High, and Two-High Lateral Files	344
Credenzas	304	Three-High and Four-High Lateral Files	345
Common Top	307	One-High, 1.5-High, and Two-High Lower Storage	346
Desks, Desk Shells, Returns, Return Shells, and Bridge	308	Cushions	347
D-Shape and P-Shape Worksurfaces	312	Credenzas	348
Towers and Wardrobes	314	Common Top	351
Bookcases	316	Desks and Desk Shells	352
Overheads and Organizer	318	Returns and Return Shells	354
Tackboard	320	Bridge	355
Social Tables	321	D-Shape and P-Shape Worksurfaces	356
Application Topics		Towers	357
Table Tops, Legs, and Base Combinations	328	Wardrobes	360
Rectangular Conference Table Power Unit	330	Bookcases	361
Directional Laminate and Edge Profile Detail	331	Overheads and Organizer	363
Storage Capacities and Dimensions	332	Tackboard	366
Finish Availability Matrix	341	Tables	367
		Leg and Table Base	373
		Modesty Panel	374
		Accessories	375
			
		Resources	377

Statement of Line

EMBANK



Understanding
► Page 298
Specifying
► Page 342






Understanding
► Page 298
Specifying
► Page 343

EMBANK Fixed Pedestal

	15 ³ / ₄ "W
27 ⁵ / ₁₆ "H	●

EMBANK Mobile Pedestals

	15 ³ / ₄ "W
23 ² / ₃ "H	●
27 ³ / ₃₂ "H	●







Understanding
► Page 300
Specifying
► Page 344

* The case on One-High, 1.5-High, and Two-High open units is 18⁷/₈"D and 24"D for lateral files

* The case on Two-High units can be 22³/₄"D for lateral files.

* The top matches the depth of units with drawers and doors.



Understanding
► Page 300
Specifying
► Page 346

*The case on One-High, 1.5-High, and Two-High open units is 18⁷/₈"D and 24"D for lower storage.

*The case on Two-High units can be 22³/₄"D for lower storage.

*The top matches the depth of units with drawers and doors.

EMBANK Lateral Files

		30"W	36"W
One-High	15 ³ / ₈ "H	●	●
1.5-High	21 ³ / ₈ "H	●	●
Two-High	27 ⁵ / ₁₆ "H	●	●

Tip: Height is without top. The One-High Embank lateral is available with top only. Tops can be optioned off for ganged applications.

EMBANK Lower Storage


		30"W	36"W
One-High	15 ³ / ₈ "H	●	●
1.5-High	21 ³ / ₈ "H	●	●
Two-High	27 ⁵ / ₁₆ "H	●	●

Tip: Height is without top. The One-High Embank lower storage is available with top only. Tops can be optioned off for ganged applications.

Three-High



Four-High




Understanding
▶ Page 302
Specifying
▶ Page 345

EMBANK Three-High and Four-High Lateral Files

		30"W	36"W
Three-High	40 ¹ / ₃ "H	●	●
Four-High	52 ¹ / ₃ "H	●	●

Tip: Three-High and Four-High laterals are available with top only.

Two-High




Understanding
▶ Page 304
Specifying
▶ Page 348

EMBANK Full Storage Credenzas

	60"W	66"W	72"W
27 ⁵ / ₁₆ "H	●	●	●


Tip: Height is shown without top. Top can be optioned on.



Understanding
 ▶ Page 304
 Specifying
 ▶ Page 350

EMBANK Credenzas with Kneespace

	66"W	72"W
24"D	•	•




Understanding
 ▶ Page 307
 Specifying
 ▶ Page 351


EMBANK Common Tops

	45 ¹¹ / ₁₆ "W	51 ¹¹ / ₁₆ "W	59 ³ / ₄ "W	65 ³ / ₄ "W	71 ³ / ₄ "W	89 ⁹ / ₁₆ "W	89 ¹³ / ₁₆ "W	95 ¹³ / ₁₆ "W
18 ⁷ / ₈ "D	•	•	•	•	•	•	•	•
24"D	•	•	•	•	•	•	•	•
30"D	•	•	•	•	•	•	•	•

Tip: Common Top thickness is equal to 1¹/₈".



Understanding
 ▶ Page 308
 Specifying
 ▶ Page 352




Understanding
 ▶ Page 308
 Specifying
 ▶ Page 352

EMBANK Desks with Pedestals

	60"W	66"W	72"W
30"D	•	•	•
36"D			•

EMBANK Desk Shells


	60"W	66"W	72"W
24"D	•	•	•
30"D	•	•	•
36"D			•



Understanding
 ▶ Page 308
 Specifying
 ▶ Page 354

EMBANK Returns with Pedestal


	42"W	48"W
24"D	●	●



Understanding
 ▶ Page 308
 Specifying
 ▶ Page 308

EMBANK Return Shells


	42"W	48"W
24"D	●	●



Understanding
 ▶ Page 308
 Specifying
 ▶ Page 355

EMBANK Bridges


	36"W	42"W	48"W
24"D	●	●	●



Understanding
 ▶ Page 312
 Specifying
 ▶ Page 356

EMBANK D-Shape Worksurfaces

	60"W	66"W	72"W
30"D	●	●	●
36"D	●	●	●




Right-hand unit

Left-hand unit

Understanding
 ▶ Page 312
 Specifying
 ▶ Page 356

EMBANK P-Shape Worksurfaces


		60"W	66"W	72"W
Depth B	30"D, 36"D, 42"D	●	●	●
Depth C	24"D, 30"D, 36"D	●	●	●



Understanding
▶ Page 314
Specifying
▶ Page 357

EMBANK Single-Door Towers


15 ²⁹ / ₃₂ "W	
41 ²⁵ / ₃₂ "H	●
47 ³¹ / ₃₂ "H	●
54 ¹ / ₈ "H	●
66 ¹ / ₂ "H	●



Understanding
▶ Page 314
Specifying
▶ Page 358

EMBANK Dual-Door Towers

24"W	
41 ²⁵ / ₃₂ "H	●
47 ³¹ / ₃₂ "H	●
54 ¹ / ₈ "H	●
66 ¹ / ₂ "H	●




Side access
towers with doors hinged
left, with drawers

Side access
towers with doors hinged
right, with drawers

Understanding
► Page 314
Specifying
► Page 359

EMBANK Side Access Towers

	24"W
41 ²⁵ / ₃₂ "H	●
47 ³¹ / ₃₂ "H	●
54 ¹ / ₈ "H	●
66 ¹ / ₂ "H	●



Cabinet
with door
hinged left


Cabinet
with door
hinged right

Understanding
► Page 314
Specifying
► Page 360


EMBANK Wardrobes

	12"W
41 ²⁵ / ₃₂ "H	●
47 ³¹ / ₃₂ "H	●
54 ¹ / ₈ "H	●

Statement of Line, EMBANK, continued



Understanding
 ▶ Page 316
 Specifying
 ▶ Page 361




Understanding
 ▶ Page 316
 Specifying
 ▶ Page 362

EMBANK Bookcases

	30"W	36"W
41 ²⁵ / ₃₂ "H	●	●
47 ³¹ / ₃₂ "H	●	●
54 ¹ / ₈ "H	●	●
66 ¹ / ₂ "H	●	●
72 ¹¹ / ₁₆ "H	●	●

EMBANK Stacking Bookcases

	30"W	36"W
25 ⁵ / ₈ "H	●	●
37 ³¹ / ₃₂ "H	●	●
44 ³ / ₁₆ "H	●	●




Understanding
 ▶ Page 318
 Specifying
 ▶ Page 363

EMBANK Overheads with Sliding Doors, Hinged Doors, or Open Fronts

	36"W	42"W	48"W	54"W	60"W	66"W	72"W
15"D without doors	●	●	●	●	●	●	●
16"D with doors	●	●	●	●	●	●	●


Tip: Height of overheads when specified with panel mount option is 15⁷/₁₆"H.



Understanding
 ▶ Page 318
 Specifying
 ▶ Page 364

EMBANK Stacking Overheads with Hinged Doors, Sliding Doors, or Open Fronts

	60"W	66"W	72"W
15"D without doors	●	●	●
16"D with doors	●	●	●




Understanding
 ▶ Page 318
 Specifying
 ▶ Page 365

EMBANK Organizers

	36"W	42"W	48"W	54"W	60"W	66"W	72"W
15"D Personal	●	●	●	●	●	●	●

Tip: Height of organizers when specified with no bracket option is 8²⁷/₃₂"H.
 Tip: 72"W organizers have three equal-spaced vertical supports.




Understanding
 ▶ Page 320
 Specifying
 ▶ Page 366

EMBANK Tackboards

	36"W	42"W	48"W	60"W	66"W	72"W
20 ¹ / ₄ "H	●	●	●	●	●	●
26 ¹ / ₄ "H	●	●	●	●	●	●


Tip: Tackboard thickness is equal to 1".
 Tip: Tackboard thickness includes a core tackboard, spacer, and attachment hardware.



Understanding
 ▶ Page 321
 Specifying
 ▶ Page 367

EMBANK Social Table—Round


	36" Dia.	48" Dia.
28"H	●	●



Understanding
 ▶ Page 321
 Specifying
 ▶ Page 367

EMBANK Social Table—Square


	36"W	48"W
28"H	●	●



Understanding
▶ Page 322
Specifying
▶ Page 368



EMBANK Conference Tables—Rectangle

	72"W	96"W	120"W	144"W
36 ¹ / ₄ "D	●	●	●	●
48"D	●	●	●	●



Understanding
▶ Page 324
Specifying
▶ Page 369

EMBANK Café Height Table—Square or Round



Understanding
▶ Page 324
Specifying
▶ Pages 370 and 371

EMBANK Collaborative Table—Square or Round



Understanding
▶ Page 330
Specifying
▶ Page 372

Power



Specifying
▶ Page 373


EMBANK Leg and Table Base—Square Leg

2"W

27 1/4"H ●

Tip: Square leg is 2" in depth.

Tip: Pair four legs with an Embank common top to create a table top desk or two legs to support an Embank return worksurface.



Specifying
▶ Page 374

EMBANK Modesty Panel

	36"W	48"W	60"W
13 3/4"H	●	●	●

EMBank Pedestals

Fixed and Mobile

Fixed pedestals are floor standing and can support worksurfaces at 27¹¹/₃₂"H.
► Specifying, page 359–343

Top is open on fixed pedestals and accommodates attachment to a worksurface. Attachment hardware is included.


Drawer fronts are available in Low-Pressure Laminate and are full to the bottom of the case (no toe kick).

Finished back and sides are standard on pedestals.

File drawers open their full depth for total access to the contents and have an integrated U-channel on the drawer bodies for hanging file folder frames.

Mobile pedestals can be moved wherever storage is needed. They provide an auxiliary worksurface when you need more space to spread out your work.
► Specifying, page 343

Top on mobile pedestal is 1¹/₈" thick and is available in Low-Pressure Laminate.




Pulls on pedestals are available in a ledge style only.

Lock is standard on pedestals. Lock is located in the bottom drawer, and locks the drawer it is located in and the one above. Locks are standard on lateral files and secure all drawers. Lock cylinders are field-installed.

Standard lock cylinders and keys are included with Embank pedestals. If a master key is optioned, **AMQLOCK9201XF** must be specified to be included. All lock cylinders are field-installed.

Leveling glides adjust to install pedestals on uneven floors and have a 1¹/₂" adjustable glide range.



Mobile pedestal cushion top provides a temporary seat ideal for informal gatherings. Cushion top is ordered separately and requires field installation.
► Specifying, page 343

Tip: Two-High mobile pedestals with a cushion top will not fit under a desk.

Mobile pedestals have a clearance of 2.6" from the ground to the underside of the pedestal.

Four casters are hard composition and non-locking, with a full-rotation swivel.

Actual Dimensions

Mobile Pedestals Box/File	
Depth	18 ⁷ / ₈ " and 22"
Width	15 ³ / ₄ "
Height	23 ² / ₃ "

Fixed Pedestals Box/Box/File and File/File	
Depth	24" and 30"
Width	15 ³ / ₄ "
Height	27 ⁵ / ₁₆ "


Mobile Pedestals Box/Box/File and File/File	
Depth	22"
Width	15 ³ / ₄ "
Height	27 ³ / ₃₂ "

Tip: 2-High mobile pedestals without a cushion fit under an Embank desk shell.

Tip: 2-High mobile pedestals with a cushion top do not fit under an Embank desk shell.

Product Details


Box drawers are black, bore and dowel construction.



File drawer body is standard with integrated U-channel to accommodate hanging folder files.


All pedestal file drawers accommodate front-to-back and side-to-side letter filing.

24"D and 30"D pedestal file drawers also accommodate side-to-side legal filing.




Pencil tray to hold small office supplies is standard with pedestals with box drawers.

27⁵/₁₆"H fixed pedestal can be used in combination with other Two-High lower storage to create a variety of storage options.




Ledge pull

Pulls are available in a ledge style only.



Lock cylinders are field-installed. Pedestals are shipped installed with plugs, with lock cylinders separate.




► Lock and Keying, page 378

Counterweight packages are included and required to ensure product stability.

Mobile pedestal cushion top is field installed with screws. See assembly instructions for details.

Connections



Fixed pedestals are intended to attach under a worksurface for security and support. Pedestals can be paired with EMBANK common top.

Fixed pedestals are not to be used alone as a free-standing unit, and must be used with other furniture.

Pedestals using common tops must be attached to other storage, a perpendicular worksurface, or a panel. A maximum 6" overhang of the worksurface is allowed on either side, or back.

Surface Materials

EMBANK storage can be specified with contrasting case, headset, top laminate finishes, and edgeband.

Pedestal case, headsets, and top

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

Ledge pull

- 4799 Platinum Metallic
- 7207 Black

Lock

- 9201 Polished Chrome

Drawer bodies, drawer suspensions, and glides

- Black

Cushion top

- Upholstery

Application Topics

Storage capacities and dimensions

► Page 332

EMBANK One-High, 1.5-High, and Two-High Lower Storage and Lateral Files

One-High, 1.5-High, and Two-High EMBANK lower storage and lateral files are floor standing and can support worksurfaces at 15³/₈"H, 21³/₈"H, or 27⁵/₁₆"H.


Top are 1¹/₈" thick and come standard on Embank One-High Storage. They can be optioned on to 1.5-High and Two-High low storage and laterals. If no top is selected, low storage and laterals accommodate attachment to a worksurface or common top. Attachment hardware is included.

Drawer and door fronts are available in Low-Pressure Laminate are full to the bottom of the case (no toe kick).

Finished back and sides are standard on low storage and lateral files.

File drawers open their full depth for total access to the contents and have an integrated U-channel on the drawer bodies for hanging file folder frames.

Adjustable shelf thickness is 3/4".



Pull on low storage with doors and laterals is available in a ledge style only.

Standard lock cylinders and keys are included with Embank low storage with doors and lateral files. Lock is located on the top left corner of the right handed door of lower storage with doors. Lock is located in the bottom drawer of lateral files, and locks the drawer it is located in and the one above. Locks secure all drawers. If a master key is optioned, **AMQLOCK9201XF** must be specified to be included. All lock cylinders are field-installed.


Leveling glides adjust to install low storage and laterals on uneven floors and have a 1¹/₄" adjustable glide range.

Actual Dimensions			
	One-High File	1.5-High Box/File and Open/File	Two-High Cabinet
Depth	24"	24"	24"
Width	30" and 36"	30" and 36"	30" and 36"
Height	15 ³ / ₈ "	21 ³ / ₈ "	27 ⁵ / ₁₆ "
	One-High Open Low Storage	1.5-High Open Low Storage	Two-High Open Low Storage
Depth	24"	24"	24"
Width	30" and 36"	30" and 36"	30" and 36"
Height	15 ³ / ₈ "	21 ³ / ₈ "	27 ⁵ / ₁₆ "


* The top (if specified) matches the depth of units with drawers and doors.
 Tip: All heights are without top. Add 1¹/₈" to achieve overall height with top.

Product Details


Drawers are black, bore and dowel construction.




File drawer body is standard with integrated U-channel to accommodate hanging folder files.




36"W file drawers accommodate front-to-back and side-to-side letter filing, as well as front-to-back legal filing. 24"D file drawers also accommodate side-to-side legal filing.




30"W file drawers accommodate front-to-back and side-to-side letter filing, as well as front-to-back legal filing. 24"D file drawers also accommodate side-to-side legal filing.




Two-High lower storage has three holes for adjustable shelf placement, spaced 1 1/4" apart. When the adjustable shelf is in the bottom position, the top shelf has 12 1/4" of usable space, and the bottom shelf has 10 1/16" of usable space.




1.5-High lower storage has three holes for adjustable shelf placement, spaced 1 1/4" apart. When the adjustable shelf is in the bottom position, the top shelf has 6 5/16" of usable space, and the bottom shelf has 10 1/16" of usable space.



Pulls are available in a ledge style only.





Locks are field-installed. Low storage with doors and lateral files are shipped installed with plugs with the lock cylinders separate.



► Lock and Keying, page 378

Counterweight packages are included and required to ensure product stability.

One fixed shelf is included in 1.5-High and Two-High open and hinged door configurations.



Ganging hardware is available to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Side-by-side units with individual tops will result in a nominal 3/32" gap.

Surface Materials

EMBANK storage can be specified with different case, headset, and top laminate finishes.

Low storage or lateral file case, headsets, and top

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

Ledge pull

- 4799 Platinum Metallic
- 7207 Black

Lock


- 9201 Polished Chrome

Drawer bodies, drawer suspensions, and glides

- Black

EMBANK Three-High and Four-High Lateral Files


Lateral files are ideal for high-density paper storage.



Actual Dimensions		
	Three-High	Four-High
Depth	18 7/8"	18 7/8"
Width	30" and 36"	30" and 36"
Height	40 1/3"	52 1/3"


Tip: Heights shown are with a top.

Product Details




File drawer body is standard with integral top rail to accommodate hanging folder files. Drawers are a black bore and dowel construction with a proud front.


Safety interlock system allows only one drawer or roll-out shelf to be opened at a time.




Pulls are available in a ledge style only.




Locks are field-installed. Lateral files are shipped installed with plugs, with lock cylinders separate.





36"W file drawers accommodate front-to-back and side-to-side letter filing, as well as front-to-back legal filing.



30"W file drawers accommodate front-to-back and side-to-side letter filing, as well as front-to-back legal filing.



► **Lock and Keying**, page 379



Ganging hardware is available to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Counterweight packages are included and required to ensure product stability.

Surface Materials

EMBANK lateral files can be specified with different case, headset, and top laminate finishes.

Lateral file case, headsets, and top

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

Ledge pull

- 4799 Platinum Metallic
- 7207 Black

Lock

- 9201 Polished Chrome

Drawer bodies, drawer suspensions, and glides

- Black

Application Topics

Storage Capacities and Dimensions

► Page 332

EMBANK Credenzas

Credenzas come in various depths, heights, and storage configurations.


Full storage credenzas are available in 24"D and a two-high height.

Top are available in a 1 1/8" thicknesses.

Finished back is included on all full storage credenzas.

Credenzas with kneespace are available in 24"D, and single or double pedestal configurations.


Modesty panels are available on credenzas with kneespace in either full height or 1/4-height.



Drawers are black bore and dowel construction.

Standard lock cylinders and keys are included with Embank credenzas with pedestals, laterals, or cabinets. Lock is located in either the bottom drawer, and locks the drawer it is located in and the one above, or the right-handed door. Lock cylinders are standard and are field-installed. If a master key is optioned, **AMQLOCK9201XF** must be specified to be included. All lock cylinders are field-installed.

► Lock and Keying, page 378



Actual Dimensions

Full Storage Credenzas


	Open/Open	Open/ Lateral File	Lateral File/ Lateral File	Lateral File/ Cabinet	Cabinet/ Cabinet
Depth	24"	24"	24"	24"	24"
Width	60", 66", and 72"	60", 66", and 72"	60", 66", and 72"	60", 66", and 72"	60", 66", and 72"
Height	27 ⁵ / ₁₆ "	27 ⁵ / ₁₆ "	27 ⁵ / ₁₆ "	27 ⁵ / ₁₆ "	27 ⁵ / ₁₆ "

Credenzas with Kneespace


	Single Pedestal	Double Pedestal
Depth	24"	24"
Width	66" and 72"	66" and 72"
Height	28 ⁷ / ₁₆ "	28 ⁷ / ₁₆ "

Tip: Credenzas with kneespace are standard with a 1¹/₈"-thick top, included in the overall height.


Product Details




Open/open credenzas are divided evenly with a single center support in all widths.



Open/lateral file credenzas in 60"W include 30"W file drawers. 66"W and 72"W open/lateral file credenzas include 36"W file drawers.




Lateral file/lateral file credenzas in 60"W include 30"W file drawers. 66"W lateral file/lateral file credenzas include 36"W (left) and 30"W (right) file drawers. 72"W lateral file/lateral file credenzas include 36"W file drawers.




Lateral file/cabinet credenzas in 60"W include 30"W file drawers. 66"W and 72"W lateral file/cabinet credenzas include 36"W file drawers.


Tip: "Handedness" option of lateral file/open or lateral file/cabinet credenzas determine the location of the lateral file.




Cabinet/cabinet credenzas are divided evenly with a double center support in 60"W, 66"W, and 72"W cases. All widths include four doors.



Credenzas with kneespace are available in 66"W and 72"W include either a left, right, or double pedestal configuration.




Pulls are available in a ledge style only.



File drawer body is standard with integrated U-channel to accommodate hanging folder files.

Modesty panels and back panels have horizontal grain direction.

End panels have vertical grain direction.



Locks cylinders are standard and are field-installed. ▶ Lock and Keying, page 378

Counterweight packages are required to ensure product stability and are included in credenzas.

Storage capacities and dimensions

▶ See page 332

Surface Materials

EMBANK credenzas can be specified with different case, headset, and top laminate finishes.

Credenza case, headsets, and top

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

Ledge pull

- 4799 Platinum Metallic
- 7207 Black

Lock

- 9201 Polished Chrome


Drawer bodies, drawer suspensions, and glides

- Black

EMBANK common top

is used to create storage applications with a seamless top, or as a table or desk with legs.

EMBANK worksurfaces and tops use a 1¹/₈" core.



Actual Dimensions

EMBANK Common Top


Depth	18 ⁷ / ₈ ", 24", and 30"
Width	45 ¹¹ / ₁₆ ", 51 ¹¹ / ₁₆ ", 59 ³ / ₄ ", 65 ³ / ₄ ", 71 ³ / ₄ ", 89 ⁹ / ₁₆ ", 89 ¹³ / ₁₆ ", and 95 ¹³ / ₁₆ "
Worksurface/ Top Thickness – 1 ¹ / ₈ " core	1 ¹ / ₈ "

Product Details


Common tops are available in Low-Pressure Laminate.

Common tops are standard 1¹/₈" thick.


Common tops have 3 mm plastic edge banding on the front (user's) side. Sides and back have matching 1 mm edge.



Reinforcing channels must be used with tops larger than 54"W for 54"W or more of unsupported kneespace. Any common top used as a table with legs equal to or larger than 30"D x 72"W requires two reinforcing channels.



Support plates are available to connect two worksurfaces and allow one to support the other.



Tie plates are available to provide added strength and alignment between two worksurfaces.

Surface Materials

- Top**
- 24L0 Graphite Walnut
 - 25L5 Virginia Walnut
 - 25L8 Clear Walnut
 - 26L1 Natural Cherry
 - 2L09 Clear Maple
 - 2L30 Arctic White
 - 2L83 Seagull
 - 2L84 Milk
 - 2LAK Clear Oak
 - 2LAT Acacia
 - 2LAW Ash Wenge
 - 2LCN Clay Noce
 - 2LCW Clay Wenge

- Edge**
- Plastic

EMBANK Desks, Desk Shells, Returns, Return Shells, and Bridges

Desks are freestanding and are available with and without pedestals, to create a desk shell, single pedestal desk, or double pedestal desk.


► Specifying, page 352

Returns are available with and without pedestals, to create a single pedestal return or return shell. Returns attach to desks or credenzas to form an L-shape configuration. Attachment brackets are included with returns.

► Specifying, page 354

Bridges must attach to a worksurface on each side to create a U-shape configuration. Attachment brackets are included with bridges.


► Specifying, page 355



Actual Dimensions					
	Desks (with pedestal)	Desk Shells	Returns	Return Shells	Bridges
Depth	30" and 36"	24", 30", and 36"	24"	24"	24"
Width	60"–72"	60"–72"	42" or 48"	42" or 48"	36", 42", and 48"
Height	28 ⁷ / ₁₆ "	28 ⁷ / ₁₆ "	28 ⁷ / ₁₆ "	28 ⁷ / ₁₆ "	28 ⁷ / ₁₆ "

Tip: Height shown is with a 1 1/8" top specification.
*Not all widths are available with all depths. See specification pages.

Product Details




36"D desks have a 6" overhang on the visitor side. End panels/pedestals will be 30"D.

Standard lock cylinders and keys are included with Embank desks and returns with pedestals. Lock is located in the bottom drawer, and locks the drawer it is located in, and the one above. If a master key is optioned, **AMQLOCK9201XF** must be specified to be included. All lock cylinders are field-installed.

Leveling glides adjust to install desks and returns on uneven floors and have a 1¼" adjustable glide range.


Modesty panels have horizontal grain direction.

End panels have vertical grain direction.



Ledge pull

Pulls are available in a ledge style only.



Locks are standard on desks and returns with storage. Lock cylinders are standard and are field-installed. ▶ Lock and Keying, page 378

Counterweight packages are included and required to ensure product stability.

Back and end panel configurations differ depending on the modesty panel and support options selected.

Surface Materials

EMBANK desks, returns, and bridges can be specified with different case, headset, and top laminate finishes.

Desk, return, and bridge case, headsets, and top

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

Ledge pull

- 4799 Platinum Metallic
- 7207 Black


Lock

- 9201 Polished Chrome


Drawer bodies, drawer suspensions, and glides

- Black

Application Topics



60"W or wider desk shells require a reinforcing channel, due to unsupported knee space 54" or greater. 72"W or greater desks receive a center support.



If a bridge is specified in a U-shaped configuration, a reinforcing channel must be used with 54"W or more of unsupported knee space.

When specifying a reinforcing channel, use the largest available size that fits within the open kneespace.

Storage capacities and dimensions

▶ Page 332


Attaching monitor arms to a return is not a valid application.

Back and end panel configurations vary depending on the modesty panel and storage options selected.

Desks



End Panel Over Back Panel

- Desks with 1/4-height modesty panel + two end panels.




Back Panel Over End Panel

- Desks with 1/4-height modesty panel + two pedestals
- Desks with full modesty panel



Mix

- Desks with 1/4-height modesty panel + one pedestal + end panel




Tip: When 1/4-height modesty is selected for desks, top and bottom rails are included.

Returns

End Panel Over Back Panel


- Returns with 1/4-height modesty panel + end panel




Tip: When 1/4-height modesty on a return with no pedestal is selected, top and bottom rails are included.

Back Panel Over End Panel

- Returns with 1/4-height modesty panel + pedestal
- Returns with full modesty panel




Tip: When 1/4-height modesty is selected for a return + pedestal configuration, only a top rail is included.




*Back of desk shown

Bridges

Full Modesty




Quarter Modesty




EMBANK D-Shape and P-Shape Worksurfaces

EMBANK D- and P-shape worksurfaces offer unique support for meetings.

D-Shape



P-Shape



Left-hand unit

Product Details

D- and P-shape work-surfaces must be attached to a bridge, return, or adjoining worksurface to form a flush-height, L- or U-shaped configuration and to provide stability. Right-hand P-shape worksurfaces pair with left-hand returns. Left-hand P-shape worksurfaces pair with right-hand returns.

D- and P-shape work-surfaces include an end panel, and are available with and without modesty panels.

Modesty panels are available in either full height or 1/4-height. Full-height modesty panels go to the floor. The 1/4-height modesty panels suspend from work-surface, and are 13 3/4" high.

Column leg diameter is 6".

Surface Materials

Case (end and modesty panel) and top

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge


Column leg

- 4799 Platinum Metallic
- 7207 Black

Actual Dimensions

EMBANK D-Shape and P-Shape Worksurface Modular Sizes

D-Shape Worksurfaces	
Depth	30", 36"
Width	60", 66", 72"
P-Shape Worksurfaces	
Depth B Range	30", 36", 42"
Depth C Range	24", 30", 36"
Width A Range	60", 66", 72"



Right-hand unit

EMBANK Towers and Wardrobes

Towers and wardrobes provide storage for a variety of work and personal items including: paper, binders, books, and coats.

Towers are available in a variety of box and file drawer configurations.

Locker space is 8" wide and standard with a coat hook on the hinge side of the door.


Locks are standard on door and drawers. Lock cylinders are standard and are field-installed.
▶ Lock and Keying, page 378

Finished back is standard.

Drawers open their full depth for total access to the contents.


Leveling glides adjust to install tower and wardrobe on uneven floors and have a 1¹/₄" adjustable range.

Shelf thickness is 3/4".




Left-hand unit



Right-hand unit



Product Details




Tower and wardrobe combines coat storage, box and file drawers, and shelves.



Door on wardrobe is full height and can be hinged on the left or right. Coat hook is always located on the same side as the door hinge.


Box drawers are a black, bore and dowel construction.



File drawer body is standard with integral top rail to accommodate hanging file folders.


Actual Dimensions

	Single Door with Drawers	Dual Door with Drawers	Side Access Tower with Drawers	Single Door Wardrobe
Depth	24"	24"	24"	24"
Width	15 ²⁹ / ₃₂ "	24"	24"	12"
Height	41 ²⁵ / ₃₂ ", 47 ³¹ / ₃₂ ", 54 ¹ / ₈ ", and 66 ¹ / ₂ "	41 ²⁵ / ₃₂ ", 47 ³¹ / ₃₂ ", 54 ¹ / ₈ ", and 66 ¹ / ₂ "	41 ²⁵ / ₃₂ ", 47 ³¹ / ₃₂ ", 54 ¹ / ₈ ", and 66 ¹ / ₂ "	41 ²⁵ / ₃₂ ", 47 ³¹ / ₃₂ ", and 54 ¹ / ₈ "




Ledge pull

Pulls are available in a ledge style only.



Standard lock cylinders and keys are included with Embank towers and wardrobes. If a master key is optioned, **AMQLOCK9201XF** must be specified to be included. All lock cylinders are field-installed.

► Lock and Keying, page 378



Adjustable shelves on 54¹/₈"H and 66¹/₂"H side access towers are recessed from the side of the tower.

AMQCRTWSABBFL, AMQCRTWSABBFR, AMQCRTWSAFFL, and AMQCRTWSAFFR:



- **41²⁵/₃₂"H and 47³¹/₃₂"H towers** have one bottom fixed shelf.
- **54¹/₈"H towers** have one bottom fixed shelf and one adjustable shelf.
- **66¹/₂"H towers** have one bottom fixed shelf and two adjustable shelves.

AMQCRTWBFL, AMQCRTWBFR, AMQCRTWFFL, AMQCRTWFFR, AMQCRTWDBFL, AMQCRTWDBFR, AMQCRTWDFFL, and AMQCRTWDFFR, Box/ File configuration:



- **41²⁵/₃₂"H towers** have one bottom fixed shelf.
- **47³¹/₃₂"H and 54¹/₈"H towers** have one bottom fixed shelf and one adjustable shelf.
- **66¹/₂"H towers** have one bottom fixed shelf and two adjustable shelves.

AMQCRTWBFL, AMQCRTWBFR, AMQCRTWFFL, AMQCRTWFFR, AMQCRTWDBFL, AMQCRTWDBFR, AMQCRTWDFFL, and AMQCRTWDFFR, File/ File configuration:

- **41²⁵/₃₂"H and 47³¹/₃₂"H towers** have one bottom fixed shelf.
- **54¹/₈"H towers** have one bottom fixed shelf and one adjustable shelf.
- **66¹/₂"H towers** have one bottom fixed shelf and two adjustable shelves.




Ganging hardware is available to provide alignment by joining adjacent storage components side-by-side, back-to-back, or both.



Wardrobes must be attached to two additional wardrobes, another storage unit, or a wall to ensure stability and prevent wardrobe from tipping over. Contact orders@amqsolutions.com to order service parts for special connections.

Counterweight packages are included and required to ensure product stability.



Side access tower construction is as follows:

- Front panel over top panel
- Top panel over back panel

Surface Materials

EMBANK storage can be specified with different case and headset laminate finishes.

Tower door fronts and front panels will not have matching grain direction with drawer fronts.

Low storage or lateral file case and headsets

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

Ledge pull

- 4799 Platinum Metallic
- 7207 Black




Lock

- 9201 Polished Chrome

Drawer bodies, drawer suspensions, and glides

- Black

Grain Direction



Tip: Tower door fronts will not have matching grain direction with drawer fronts.

EMBANK Bookcases


Bookcases offer convenient storage for binders, books, and other objects.

Top is standard 1"H laminate.

Finished back is standard.

Shelves adjust in 1 1/4" vertical increments using a reversible bracket.

Shelf thickness is 3/4".




Leveling glides adjust up to 1 1/4" to install bookcase on uneven floors.

Actual Dimensions		
	Bookcase	Stacking Bookcase
Depth	15"	15"
Width	30" and 36"	30" and 36"
Height	41 ²⁵ / ₃₂ ", 47 ³¹ / ₃₂ ", 54 ¹ / ₈ ", 66 ¹ / ₂ ", and 72 ¹¹ / ₁₆ "	25 ⁵ / ₈ ", 37 ³¹ / ₃₂ ", and 44 ³ / ₁₆ "

Product Details

Bookcases are available with adjustable shelves. Shelves can be repositioned without using tools.




The number of adjustable shelves per bookcase depends on case height:


- 41²⁵/₃₂"H—2 adjustable shelves
- 47³¹/₃₂"H—2 adjustable shelves
- 54¹/₈"H—3 adjustable shelves
- 66¹/₂"H—4 adjustable shelves
- 72¹¹/₁₆"H—4 adjustable shelves

25⁵/₈"H stacking bookcases include adjustable shelf. All other heights include two adjustable shelves.

Standard-size binders will fit in bookcases with adjustable shelves.



Ganging hardware is available to provide alignment by joining adjacent components side-by-side, back-to-back, or both. EMBANK bookcases 66¹/₂"H and larger must be placed against a wall, if not ganged back-to-back.



Stacking bookcases are designed to align with other EMBANK tall storage. 25⁵/₈"H stacking bookcases align with 54¹/₈"H tall storage. 37³/₁₆"H stacking bookcases align with 66¹/₂"H tall storage. 44⁹/₁₆" stacking bookcases align with 72¹¹/₁₆"H tall storage.

When specifying stacking bookcases, selecting the correct worksurface thickness of the application ensures that the stacking bookcase aligns with other tall storage.

Stacking bookcases must be used with One-High, 1.5-High, or Two-High laterals or lower storage. Stacking bookcases cannot be freestanding.

Surface Materials

Bookcase case

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

Adjustable shelf brackets

- Brushed nickel

Application Topics

Storage Capacities and Dimensions

► Page 332

66¹/₂"H and 72¹¹/₁₆"H freestanding bookcases need to be placed back-to-back or against the wall.

Stacking bookcases can be shorter than the supporting worksurface as long as a worksurface support or side panel of a storage unit is used under the worksurface within 6" of where the side of the stacking bookcase is loaded.

EMBANK Overheads and Organizers

EMBANK overheads and organizers provide storage above a worksurface and can be used in a variety of applications.

Sliding door overheads have a non-locking sliding door. Door is available in Low-Pressure Laminate, and optional markerboard surface.
Tip: Markerboard is slightly thicker than the standard laminate.

Hinged door overheads have two, three, or four locking doors depending on width. Doors are available in Low-Pressure Laminate.


Open overheads have two equal-spaced openings.

Stacking overheads have end panels that allow the storage to sit on top of a worksurface. Stacking overheads allow for easy installation, and do not require anchoring to a wall. Stacking overheads must be placed up against a wall or back to back with a similar height unit.

Stacking overheads include a 1 1/2" reveal for cable management.




Finished top, back, and sides are standard on overheads and organizers.

Tackboards for use with stacking overhead applications will automatically deduct 2 1/4" from the overall width of tackboard and 1 1/2" from the height of the tackboard to account for cable management clearance.



Personal overhead and organizer configurations provide access on one side of a unit. Cases have a fixed divider in the middle.

Standard lock cylinders and keys are included with Embank towers and wardrobes. If a master key is optioned, **AMQLOCK9201XF** must be specified to be included. All lock cylinders are field-installed.




Actual Dimensions

Standard Widths


	Overheads with Sliding or Hinged Doors	Overheads with Open Fronts	Organizer
Depth	16"	15"	15"
Width	36", 42", 48", 60", 66", and 72"	36", 42", 48", 60", 66", and 72"	36", 42", 48", 60", 66", and 72"
Height	15"	15"	8 27/32"

Product Details


Personal organizers are available. They provide storage on one side and have a center divider.




Stacking overheads attach to the top of a credenza, desk, desk shell, or Two-High freestanding laterals or low storage, using hardware included with the overhead unit. When placed on top of multiple lateral files or low storage, the storage units must be ganged together. Stacking overheads have a 1½" reveal for cable pass-through.




Stacking overheads cannot be used with lateral file/lateral file credenza configurations.



Stacking overheads cannot be used with P- or D-shape freestanding work surfaces.



Wall mount overheads have a 1" gap between the back panel and end panel.




Locks are standard on overheads with hinged doors. Lock cylinders are standard and are field-installed.

► Lock and Keying, page 378


Stacking overheads are designed to align with other EMBANK tall storage heights. 38"H stacking overheads align with 66"H tall storage. 44"H stacking overheads align with 72"H tall storage. Selecting the correct worksurface thickness of the application ensures that the stacking overhead aligns with other tall storage.

Overheads and organizers have varying counts of doors or openings based on door type and width.

- Overheads with no doors less than 72"W have two openings.
- Organizers less than 72"W have two openings.
- Overheads with hinged doors less than 42"W have two doors.
- Overheads with hinged doors 42"—65½"W have three doors.
- Overheads with hinged doors 66"W or wider have four doors.
- Overheads with sliding doors always have one door that slides between two openings, any width.




Hinged door—
1 vertical interior divider



No door,
greater than 72"W—
3 interior dividers

Overheads and organizers have varying counts of vertical interior dividers based on door-type and width. Overheads with hinged doors have one vertical interior divider. Overheads with no doors and less than 72"W have one vertical interior divider.

Application Topics




Hanging components cannot hang in front of a double-pane window.

Bracket options


► See below

Stacking overheads can be shorter than the supporting worksurface as long as a worksurface support or side panel of a storage unit is used under the worksurface within 6" of where the side of the stacking bookcase is loaded.




Side-by-side wall mounted overheads will have a slight gap in between units due to construction.

Connections



Horizontal wall attachment brackets are available to attach overhead storage to the wall of building.




Overheads and organizers have two attachment methods; a wall mount and suspension between towers.

► See below

Overhead cabinets can attach so they align with tower, vertical cabinet, and panel heights.

Wiring and Cabling



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage.

Surface Materials

Case and headsets

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge
- Markerboard—sliding door only

Locks

- 9201 Polished Chrome

Bracket Options

Wall Mount

Personal Overhead/ Organizer


Select wall mount option. Brackets included.

Suspended between EMBANK Towers

Select suspended between towers option. Order cabinet-to-cabinet attachment kit (**AMQAWAK**) separately.

EMBANK Tackboard

Tackboard finishes the space between an overhead unit and a worksurface. It is a fabric-covered tackable surface.



Actual Dimensions	
Width	36", 42", 48", 60", 66", and 72"
Height	20¼" and 26¼"
Thickness	1"

Tip: Thickness includes a core tackboard, spacer, and attachment hardware.

Product Details

Tackboards provide a fabric covered tackable surface above the worksurface.

The ends of wall-mounted tackboards are finished.

Tackboards for use with stacking overhead applications will automatically deduct 2¼" from the overall width of the tackboard. Specify the width of the overhead it is being used with.

Stacking overheads include a 1½" space at the bottom of the end panel for cable management. When specifying a tackboard with a stacking overhead, remove 1½" from the overall height to account for this clearance.

- 37.98725"H stacking overheads should use a 21.4375"H tackboard for cable management.
- 44.17475"H stacking overhead would use a 27.6875"H tackboard or cable management.

Connections

Tackboards attach with hook and loop fasteners. The attachment hardware is standard with the tackboard for field installation.

Surface Materials

Tackboards


Fabric Price Group 1

- 5F07 Blue
- 5F08 Navy
- 5F16 Grey
- 5F17 Black
- 5G64 Alpine
- 5G65 Tornado

Fabric Price Group 3

- 5H11 Poppy
- 5H12 Tangelo
- 5H13 Citrine (Citron)
- 5H14 Avocado
- 5H16 Indigo
- 5H17 Mallard
- 5H18 Teak
- 5H19 Cumulus
- 5H20 Pewter
- 5H21 Gunmetal
- 5H22 Ink
- 5H23 Rose Quartz
- 5H24 Sea Salt
- 5H25 Storm Cloud
- 5H26 Olivine

EMBANK social tables with X-style bases are ideal for quick meetings with a relaxed posture.



Product Details

Table tops have a wood core with a Low-Pressure Laminate surface.

Table tops are available in 1 1/8" core thickness.






Table tops features a 3 mm square edge profile.



EMBANK table tops are available in round or square shapes.



Steel X- bases are available in 26"W and 36"W.

Tip: When specifying a conference table, base size is predetermined by the selections made, and cannot be changed.

Surface Materials

Table top

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

X-base

- 4799 Platinum Metallic
- 7207 Black

Actual Dimensions

EMBANK Tables

	Round	Square
Diameter	36", 48"	N.A.
Depth	N.A.	N.A.
Width	N.A.	36", 48"
Height	28"	28"

EMBANK Rectangular Conference Tables

Product Details




Table tops have a wood core with a Low-Pressure Laminate surface.

Table tops are available in 1 1/8" core thickness.






Table tops features a 3 mm square edge profile.

Two-piece tops will occur when the top is in Low-Pressure Laminate and is greater than or equal to 96"W. Tops will be split into two equal sections and ship with connecting hardware.



Two-piece tops will not have matching grain patterns.



Rectangular table base is available in Low-Pressure Laminate, and accommodates routing of power and data cords. Access is provided by a hinged door.

Surface Materials

Table top and rectangular table base

- 24L0 Graphite Walnut
- 25L5 Virginia Walnut
- 25L8 Clear Walnut
- 26L1 Natural Cherry
- 2L09 Clear Maple
- 2L30 Arctic White
- 2L83 Seagull
- 2L84 Milk
- 2LAK Clear Oak
- 2LAT Acacia
- 2LAW Ash Wenge
- 2LCN Clay Noce
- 2LCW Clay Wenge

Edge profile

- 3 mm plastic

Hinged door power unit

- 8043 Clear Anodized Aluminum

Power outlet

- Black plastic

Power cord

- Black plastic

Power, Wiring & Cabling

Grommet option allows for either no grommet or hinged door power unit.

Hinged door power unit

has two power outlets and openings for two data ports. The bottom of the units is open to allow pass-through of power and data cables to the floor. Available as an option on conference table tops. The door has a 6' power cord.


Rectangular table base

accommodates routing of power and data cords. Access is provided by a hinged door.

EMBANK Collaborative Table & Cafe Height Table

Embank collaborative and café height tables come in two heights and two shapes.

► Specifying, pages 369–370





Square table tops come with all four edges crowned.

Café-height tables (42"H) are supported with column bases.

► Specifying, page 369

Power can be added to the collaborative and café height table, ordered as a separate style number.

► See page 372



Collaborative tables (28 1/2"H) come standard with post legs on glides and are 1 1/2" in diameter with 1" of leveling. Casters and column bases are available as an option on this table.

Actual Dimensions		
	Collaborative	Café-Height
Square	●	●
Round	●	●

Product Details


Embank tables come in two heights and two shapes:

- Collaborative, 28½"H. Shapes—Square, round,
- Café or standing height, 42"H. Shapes—Square and round.

Table tops are 1½" thick with edge band color default to match laminate.

Bases vary in size depending on the size of the table top.


► See page 326



Square tops come with all four edges crowned.

Power Specifications

Single power unit comes standard with plastic clips and two Velcro straps for cord management.



Single power unit

- Two power or one power/one dual USB-A
- 10 or 15 foot cord length


Determining power cord length depends on the size of the table top and distance to power source.

Column Matrix


Column and base sizes are determined by the size of the table top.

Table Width	Up to 30"W	31–54"W
Column Size	One 3" Column	One 5" Column

EMBANK Collaborative & Cafe Height Table— Column Style Base Dimensions




Round Worksurfaces				
Width	To Column Dim A	To Base Dim B	Collaborative Weight	Café Weight
30"	13½"	4"	62 lb	65 lb
36"	15¾"	7"	80 lb	86 lb
48"	21¾"	12"	113 lb	N.A.



Square Worksurfaces				
Width	To Column Dim A	To Base Dim B	Collaborative Weight	Café Weight
30"	13½"	4"	69 lb	71 lb
36"	15¾"	7"	90 lb	95 lb
48"	21¾"	12"	110 lb	N.A.

Embank Collaborative Tables




Round Worksurface Post Legs			
Diameter	Between Posts	To Post	
	Dim A	Dim B	Weight
30"	13 ⁵ / ₈ "	6 ⁵ / ₈ "	44 lb
36"	17 ¹ / ₄ "	7 ³ / ₄ "	55 lb
48"	24 ³ / ₈ "	10 ¹ / ₈ "	82 lb

Round Column Base (lamine top)	
Diameter	Weight
30"	62 lb
36"	80 lb
48"	113 lb

Round Post Legs	
Diameter	Weight
30"	44 lb
36"	55 lb
48"	82 lb

Round Café Height	
Depth	Weight
30"	65 lb
36"	86 lb



Square Worksurface Post Legs			
Width	To Posts	Between Post	Weight
	Dim A	Dim B	
36"	2 ³ / ₈ "	27 ¹⁵ / ₁₆ "	64 lb
48"	2 ³ / ₈ "	39 ¹⁵ / ₁₆ "	98 lb




Square Café Height	
Depth	Weight
30"	71 lb
36"	95 lb

Square Column Base	
Width	Weight
30"	69 lb
36"	90 lb
48"	130 lb

Square Post Legs	
Width	Weight
30"	50 lb
36"	64 lb
48"	98 lb

EMBANK Table Tops, Legs, and Base Combinations

Rectangular Conference Table

		Rectangular Base		Steel X-Base	
		 18"	 24"	 26"	 36"
	Rectangle Tops 36 ¹ / ₄ "D– 48"D x 72"W–96"W	N.A.	 ②	N.A.	N.A.
	Rectangle Tops 36 ¹ / ₄ "D– 48"D x 120"W–144"W	N.A.	 ③	N.A.	N.A.

① = Number of base units to order.

EMBANK Table Tops, Legs, and Base Combinations

Social Table


EMBANK Table Tops, Legs,
and Base Combinations

		Rectangular Base	Steel X-Base	
		 24"	 30"	 36"
	Round Tops 36"W	N.A.		N.A.
	Round Tops 48"W	N.A.	N.A.	
	Square Tops 36"W and 48"W	N.A.	N.A.	


EMBANK Rectangular Conference Table Power Unit

Hinged Door Power Unit and Rectangular Base Locations


Rectangular Tops



PW = 72" or 96"



PW = 120"




PW = 144"

PW = Planned Width
PD = Planned Depth

Rectangular Base Location =
Hinged Door Power Unit =

Hinged Door Power Unit



Product Details

Hinged door power unit provides two electrical outlets and two open ports for data adapters. Power unit features a hinged door that opens 90° for access to power and data and is flush with the worksurface when closed. It has a 6' cord with grounded plug. Available on conference table tops only.

Hinged door power unit is field installed in a factory cut hole.

Surface Materials

- Power Unit**
- 8043 Clear Anodized Aluminum
- Outlet**
- Black plastic only
- Power Cord**
- Black plastic only


Actual Dimensions

Depth	5 ³ / ₈ "
Width	8 ³ / ₈ "
Height	3 ¹ / ₂ "
Power cord length	6'

Directional Laminate and Edge Profile Detail

Directional Laminate and
Edge Profile Detail

The appearance of laminate may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90° angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.



* 36"W–61½"W overhead back panels have vertical grain direction. 63"W–75"W overhead back panels have horizontal grain direction.


* Towers, wardrobes, bookcases, returns, return shells, and bridges back/modesty panels have vertical grain direction.

* Desks, desk shells, and credenzas 60"W or greater have horizontal grain on back/modesty panels.

Product Details



3 mm radius front edge profile
(1⅛" thick)



3 mm Edge Profile Locations

User side only


Worksurfaces:
Desks
Desk shells
Credenzas
Returns
Bridges

Tops:

Lateral files
Lower storage
Credenzas
Storage cabinets
Overhead storage and wall-mounted overhead storage
Towers
Wardrobes
Bookcases

Storage Capacities and Dimensions


Filing Types




Pedestal Drawers

For pedestals, desks, returns, credenzas, and towers

6"H Box Drawers

	Size/Type	Inside Dimensions			Inside Height Clearance
		D	W	H	
	18"D Drawer	12 ¹ / ₆ "	12 ¹ / ₆ "	2 ³ / ₄ "	4 ² / ₅ "
	22 ³ / ₄ "D Drawer	15 ¹ / ₆ "	12 ¹ / ₆ "	2 ³ / ₄ "	4 ² / ₅ "
	24"D Drawer	15 ¹ / ₆ "	12 ¹ / ₆ "	2 ³ / ₄ "	4 ² / ₅ "
	30"D Drawer	15 ¹ / ₆ "	12 ¹ / ₆ "	2 ³ / ₄ "	4 ² / ₅ "

12"H File Drawers


	Size/Type	Inside Dimensions			Inside Height Clearance	Letter-Sized Storage	Legal-Sized Storage
		D	W	H			
	18"D Drawer	12 ¹ / ₆ "	12 ¹ / ₆ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "	12" front-to-back 12" side-to-side	N.A.
	22 ³ / ₄ "D Drawer	15 ¹ / ₆ "	15 ¹ / ₆ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "	12" front-to-back 12" side-to-side	N.A.
	24"D Drawer	15 ¹ / ₆ "	12 ¹ / ₆ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "	15" front-to-back 12" side-to-side	12" side-to-side
	30"D Drawer	15 ¹ / ₆ "	12 ¹ / ₆ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "	15" front-to-back 12" side-to-side	12" side-to-side

Bookcase Shelf Counts


Lateral File Drawers

For lateral files and credenzas


30"W Box Drawers

	Size/Type	Inside Dimensions			Inside Height Clearance
		D	W	H	
	18"D Drawer	12 ¹ / ₆ "	25 ² / ₃ "	2 ⁴ / ₅ "	4 ⁷ / ₈ "
	22 ³ / ₄ "D Drawer	12 ¹ / ₆ "	25 ² / ₃ "	2 ⁴ / ₅ "	4 ⁷ / ₈ "
	24"D Drawer	15 ¹ / ₆ "	25 ² / ₃ "	2 ⁴ / ₅ "	4 ⁷ / ₈ "


36"W Box Drawers

	Size/Type	Inside Dimensions			Inside Height Clearance
		D	W	H	
	18"D Drawer	12 ¹ / ₆ "	31 ² / ₃ "	2 ⁴ / ₅ "	4 ⁷ / ₈ "
	22 ³ / ₄ "D Drawer	12 ¹ / ₆ "	31 ² / ₃ "	2 ⁴ / ₅ "	4 ⁷ / ₈ "
	24"D Drawer	15 ¹ / ₆ "	31 ² / ₃ "	2 ⁴ / ₅ "	4 ⁷ / ₈ "

30"W File Drawers

	Size/Type	Inside Dimensions			Inside Height Clearance	Letter-Sized Storage	Legal-Sized Storage
		D	W	H			
	18"D Drawer	12 ¹ / ₆ "	25 ² / ₃ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "**	24" front-to-back* 25" side-to-side	12" front-to-back
	22 ³ / ₄ "D Drawer	12 ¹ / ₆ "	25 ² / ₃ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "**	24" front-to-back* 25" side-to-side	12" front-to-back
	24"D Drawer	15 ¹ / ₆ "	25 ² / ₃ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "**	30" front-to-back* 25" side-to-side	15" front-to-back + 10" 25" side-to-side
					*Three-High and Four-High lateral files have an inside clearance height of 10 ¹ / ₄ " on top drawer and third drawer down.		
					*Two rows		


36"W File Drawers

	Size/Type	Inside Dimensions			Inside Height Clearance	Letter-Sized Storage	Legal-Sized Storage
		D	W	H			
	18"D Drawer	12 ¹ / ₆ "	31 ² / ₃ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "**	24" front-to-back* 31" side-to-side	24" front-to-back*
	22 ³ / ₄ "D Drawer	12 ¹ / ₆ "	31 ² / ₃ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "**	24" front-to-back* 31" side-to-side	24" front-to-back*
	24"D Drawer	15 ¹ / ₆ "	31 ² / ₃ "	9 ¹ / ₆ "	10 ³¹ / ₃₂ "**	30" front-to-back* 31" side-to-side	30" front-to-back* 31" side-to-side
					*Three-High and Four-High lateral files have an inside clearance height of 10 ¹ / ₄ " on top drawer and third drawer down.		
					*Two rows		


Lateral File Drawers, continued

For lateral files and credenzas



One-High Low Storage Units

	Size/Type	Inside Dimensions		
		D	W	H
	30"W x 18"D	17"	28 ¹ / ₄ "	11 ¹ / ₅ "
	36"W x 18"D	17"	34 ¹ / ₄ "	11 ¹ / ₅ "
	42"W x 18"D	17"	40 ¹ / ₄ "	11 ¹ / ₅ "
	30"W x 24"D	22 ¹ / ₆ "	28 ¹ / ₄ "	11 ¹ / ₅ "
	36"W x 24"D	22 ¹ / ₆ "	34 ¹ / ₄ "	11 ¹ / ₅ "
	42"W x 24"D	22 ¹ / ₆ "	40 ¹ / ₄ "	11 ¹ / ₅ "


1.5-High Low Storage Units

	Size/Type	Inside Dimensions		
		D	W	H
	30"W x 18"D	17"	28 ¹ / ₄ "	17 ¹ / ₅ "
	36"W x 18"D	17"	34 ¹ / ₄ "	17 ¹ / ₅ "
	42"W x 18"D	17"	40 ¹ / ₄ "	17 ¹ / ₅ "
	30"W x 24"D	22 ¹ / ₆ "	28 ¹ / ₄ "	17 ¹ / ₅ "
	36"W x 24"D	22 ¹ / ₆ "	34 ¹ / ₄ "	17 ¹ / ₅ "
	42"W x 24"D	22 ¹ / ₆ "	40 ¹ / ₄ "	17 ¹ / ₅ "

Two-High Low Storage Units

 	Size/Type	Inside Dimensions		
		D	W	H
	30"W x 24"D	22 ¹ / ₆ "	28 ¹ / ₄ "	25 ¹ / ₅ "
	36"W x 24"D	22 ¹ / ₆ "	34 ¹ / ₄ "	25 ¹ / ₅ "


Cushions

	Size/Type	Inside Dimensions		
		D	W	H
	30"W x 24"D	23 ¹ / ₆ "	30"	1"
	36"W x 24"D	23 ¹ / ₆ "	36"	1"

Tip: Bracing option would allow cushion to work without a top.


Overheads and Organizers

Stacking Overhead




Size/Type	Inside Dimensions		
	D	W	H
60"W	13 ⁹ / ₁₀ "	57 ⁴ / ₅ "	12 ⁷ / ₈ "
66"W	13 ⁹ / ₁₀ "	63 ⁴ / ₅ "	12 ⁷ / ₈ "
72"W	13 ⁹ / ₁₀ "	69 ⁴ / ₅ "	12 ⁷ / ₈ "

Overhead



Size/Type	Inside Dimensions		H (for all other)
	D (for Wall Mount)	W	
36"W	13 ¹ / ₆ "	33 ⁴ / ₅ "	12 ⁷ / ₈ "
42"W	13 ¹ / ₆ "	39 ⁴ / ₅ "	12 ⁷ / ₈ "
48"W	13 ¹ / ₆ "	45 ⁴ / ₅ "	12 ⁷ / ₈ "
54"W	13 ¹ / ₆ "	51 ⁴ / ₅ "	12 ⁷ / ₈ "
60"W	13 ¹ / ₆ "	57 ⁴ / ₅ "	12 ⁷ / ₈ "
66"W	13 ¹ / ₆ "	63 ⁴ / ₅ "	12 ⁷ / ₈ "
72"W	13 ¹ / ₆ "	69 ⁴ / ₅ "	12 ⁷ / ₈ "


Organizer



Size/Type	Inside Dimensions		H (for all other)
	D (for Wall Mount)	W	
36"W	13 ¹ / ₆ "	33 ⁴ / ₅ "	6 ² / ₅ "
42"W	13 ¹ / ₆ "	39 ⁴ / ₅ "	7 ² / ₅ "
48"W	13 ¹ / ₆ "	45 ⁴ / ₅ "	8 ² / ₅ "
54"W	13 ¹ / ₆ "	51 ⁴ / ₅ "	9 ² / ₅ "
60"W	13 ¹ / ₆ "	57 ⁴ / ₅ "	10 ² / ₅ "
66"W	13 ¹ / ₆ "	63 ⁴ / ₅ "	11 ² / ₅ "
72"W	13 ¹ / ₆ "	69 ⁴ / ₅ "	12 ² / ₅ "


Towers

Single Door, Box/File




Size/Type	Inside Dimensions		
	D	W	H
42"H	22 ¹ / ₅ "	14 ¹ / ₅ "	19 ¹ / ₁₀ "
48"H	22 ¹ / ₅ "	14 ¹ / ₅ "	29 ³ / ₁₀ "
54"H	22 ¹ / ₅ "	14 ¹ / ₅ "	31 ¹⁵ / ₃₂ "
66"H	22 ¹ / ₅ "	14 ¹ / ₅ "	43 ¹³ / ₁₆ "

Single Door, File/File




Size/Type	Inside Dimensions		
	D	W	H
42"H	22 ¹ / ₅ "	14 ¹ / ₅ "	13 ¹ / ₂₀ "
48"H	22 ¹ / ₅ "	14 ¹ / ₅ "	19 ¹ / ₄ "
54"H	22 ¹ / ₅ "	14 ¹ / ₅ "	25 ² / ₅ "
66"H	22 ¹ / ₅ "	14 ¹ / ₅ "	37 ³ / ₄ "

Dual Door, Box/File




Size/Type	Inside Dimensions		
	D	W	H
42"H x 24"D	22 ¹ / ₅ "	14 ¹ / ₅ "	19 ¹ / ₁₀ "
48"H x 24"D	22 ¹ / ₅ "	14 ¹ / ₅ "	29 ³ / ₁₀ "
54"H x 24"D	22 ¹ / ₅ "	14 ¹ / ₅ "	31 ¹⁵ / ₃₂ "
66"H x 24"D	22 ¹ / ₅ "	14 ¹ / ₅ "	43 ¹³ / ₁₆ "

Dual Door, File/File



Size/Type	Inside Dimensions		
	D	W	H
42"H x 24"D	22 ¹ / ₅ "	14 ¹ / ₅ "	13 ¹ / ₂₀ "
48"H x 24"D	22 ¹ / ₅ "	14 ¹ / ₅ "	19 ¹ / ₄ "
54"H x 24"D	22 ¹ / ₅ "	14 ¹ / ₅ "	25 ² / ₅ "
66"H x 24"D	22 ¹ / ₅ "	14 ¹ / ₅ "	37 ³ / ₄ "


Side Access



Size/Type	Inside Dimensions		
	D	W	H
42"H	15 ¹ / ₂₀ "	22 ¹ / ₄ "	12 ⁷ / ₁₆ "
48"H	15 ¹ / ₂₀ "	22 ¹ / ₄ "	18 ³ / ₅ "
54"H	15 ¹ / ₂₀ "	22 ¹ / ₄ "	24 ²⁵ / ₃₂ "
66"H	15 ¹ / ₂₀ "	22 ¹ / ₄ "	37 ⁵ / ₃₂ "


Tip: For drawer inside dimensions, please see pedestals and lateral drawers.

Wardrobes




Size/Type	Inside Dimensions		
	D	W	H
42"H x 24"D	22 ¹ / ₅ "	10 ¹ / ₄ "	36 ¹³ / ₁₆ "
48"H x 24"D	22 ¹ / ₅ "	10 ¹ / ₄ "	43"
54"H x 24"D	22 ¹ / ₅ "	10 ¹ / ₄ "	49 ¹ / ₅ "

Bookcases



Size/Type	Inside Dimensions		Top Shelf Space	Bottom Shelf Space	Row of Binders Accommodated
	D	W			
42"H x 30"W	14 ⁵ / ₃₆ "	27 ⁴ / ₅ "	12 ¹⁹ / ₃₂ "	9 ¹⁷ / ₁₈ "	2
48"H x 30"W	14 ⁵ / ₃₆ "	27 ⁴ / ₅ "	13 ³¹ / ₃₂ "	12 ³ / ₁₆ "	2
54"H x 30"W	14 ⁵ / ₃₆ "	27 ⁴ / ₅ "	12 ¹ / ₈ "	9 ¹⁷ / ₁₈ "	3
66"H x 30"W	14 ⁵ / ₃₆ "	27 ⁴ / ₅ "	11 ¹¹ / ₃₂ "	9 ¹⁷ / ₁₈ "	4
72"H x 30"W	14 ⁵ / ₃₆ "	27 ⁴ / ₅ "	13 ¹ / ₅ "	9 ¹⁷ / ₁₈ "	4
42"H x 36"W	14 ⁵ / ₃₆ "	33 ⁴ / ₅ "	12 ¹⁹ / ₃₂ "	9 ¹⁷ / ₁₈ "	2
48"H x 36"W	14 ⁵ / ₃₆ "	33 ⁴ / ₅ "	13 ³¹ / ₃₂ "	12 ³ / ₁₆ "	2
54"H x 36"W	14 ⁵ / ₃₆ "	33 ⁴ / ₅ "	12 ¹ / ₈ "	9 ¹⁷ / ₁₈ "	3
66"H x 36"W	14 ⁵ / ₃₆ "	33 ⁴ / ₅ "	11 ¹¹ / ₃₂ "	9 ¹⁷ / ₁₈ "	4
72"H x 36"W	14 ⁵ / ₃₆ "	33 ⁴ / ₅ "	13 ¹ / ₅ "	9 ¹⁷ / ₁₈ "	4

Stacking Bookcases




Size/Type	Inside Dimensions		Top Shelf Space	Bottom Shelf Space	2nd from Bottom
	D	W			
25 ⁵ / ₈ "H x 30"W	14 ¹ / ₁₀ "	27 ³ / ₄ "	12 ¹ / ₈ "	11 ² / ₅ "	N.A.
37 ³ / ₃₂ "H x 30"W	14 ¹ / ₁₀ "	27 ³ / ₄ "	11 ³ / ₈ "	11 ² / ₅ "	12 ³ / ₁₆ "
44 ³ / ₁₆ "H x 30"W	14 ¹ / ₁₀ "	27 ³ / ₄ "	13 ¹ / ₄ "	13 ⁵ / ₈ "	14 ¹ / ₅ "
25 ⁵ / ₈ "H x 36"W	14 ¹ / ₁₀ "	33 ³ / ₄ "	12 ¹ / ₈ "	11 ² / ₅ "	N.A.
37 ³ / ₃₂ "H x 36"W	14 ¹ / ₁₀ "	33 ³ / ₄ "	11 ³ / ₈ "	11 ² / ₅ "	12 ³ / ₁₆ "
44 ³ / ₁₆ "H x 36"W	14 ¹ / ₁₀ "	33 ³ / ₄ "	13 ¹ / ₄ "	13 ⁵ / ₈ "	14 ¹ / ₅ "

Bookcase Shelf Counts by Height



See below for count of adjustable shelves by height for freestanding bookcase, **AMQCRBK**.

2 Adjustable Shelves



F= Fixed shelf

3 Adjustable Shelves



**Fixed shelf at worksurface height for bookcases 66 1/2\"H and taller.*

Modular Height	Number of Adjustable Shelves	Number of Fixed Shelves
41 ³ / ₄ "	2	1
47 ¹⁵ / ₁₆ "	2	1
54 ¹ / ₈ "	3	1
66 ¹ / ₂ "	3	2
72"	3	2

Tower and Wardrobe Interior Configurations

Towers

Single-Door Towers and Dual-Door Towers with Box/File (AMQCRTWBFL, AMQCRTWBFR, AMQCRTWDBFL, AMQCRTWDBFR)


- $H < 48"$ = 1 fixed bottom shelf
- $48" \leq H < 66"$ = 1 fixed bottom shelf and 1 adjustable shelf

Single-Door Towers and Dual-Door Towers with File/File (AMQCRTWFFL, AMQCRTWFFR, AMQCRTWDFFL, AMQCRTWDFFR)

- $H < 54"$ = 1 fixed bottom shelf
- $54" \leq H < 66"$ = 1 fixed bottom shelf and 1 adjustable shelf

Side Access Towers (AMQCRTWSABBFL, AMQCRTWSABBFR, AMQCRTWSAFL, AMQCRTWSAFFR)

- $H < 54"$ = 1 fixed bottom shelf and 0 adjustable shelves
- $54" \leq H < 66"$ = 1 fixed bottom shelf and 1 adjustable shelf



EMBANK Finish Availability Matrix

EMBANK Finish
Availability Matrix

	Cred- enzas	Desks	Com- mon Tops	D and P Shape Tops	Fixed Ped- estals	Mobile Ped- estals	Low Storage/ Lateral Files	3/4 High Laterals	Bridges	Towers/ Ward- robes	Book- cases	Overheads/ Organizers
Top	X	X	X	X	X	X	X	X	X			
Case	X	X		X	X	X	X	X	X	X	X	X
Head- set	X	X			X	X	X	X		X		X
Edge- band	X	X	X	X		X	X	X	X			

Tip: Social tables are available with contrasting top and edgeband finish, collaborative tables must have matching tops and edge bands.

Tip: Rectangular conference tables allow for a contrasting base in addition to the top and edgeband.

Edgeband Finish

6009 Arctic White
6034 Natural Cherry
6052 Milk
6053 Seagull
6213 Acacia
6219 Clear Oak
6231 Graphite Walnut
6237 Clear Maple
6242 Virginia Walnut
6245 Clear Walnut
6703 Ash Wenge
6706 Clay Wenge
6709 Clay Noce

Top, Case, and Headset Finish



2L30 Arctic White
26L1 Natural Cherry
2L84 Milk
2L83 Seagull
2LAT Acacia
2LAK Clear Oak
24L0 Graphite Walnut
2L09 Clear Maple
25L5 Virginia Walnut
25L8 Clear Walnut
2LAW Ash Wenge
2LCW Clay Wenge
2LCN Clay Noce

Two-High Fixed Pedestals

Tip: Specify fixed pedestals as structural support. It is recommended to use fixed pedestals under a common top.

Tip: Fixed pedestals cannot be specified for credenzas or desks. If storage is required for credenzas or desks, please specify these products with storage already attached.

*Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.*



Standard Includes	Required to Specify
- Fixed pedestal, 1.5-High and Two-High: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset - Finished back - Bore and dowel drawer construction: black - One fastened metal filing system per file drawer: black only - Full extension, heavy-duty ball bearing drawer suspensions - Ledge pull: paint - One pencil tray is included in units with a box drawer - Lock plug: polished chrome - Lock cylinder included in package, field-installed - Counterweight - Attachment hardware 1 1/4" adjustable leveling glides - Shipped fully assembled	1 Style number 2 Low-Pressure Laminate color number for pedestal and headset 3 Paint color number for pull 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Keys - Standard key plug - Master key plug	No cost +\$41	Specify with standard key plug. Specify with master key plug.

Specification Information

Style Number	Dimensions D W H			U.S. Base Price

Two Box Drawers and One File Drawer

AMQCRPD2HBBF	24"	15 3/4"	27 5/16"	\$1176
	30"	15 3/4"	27 5/16"	\$1310

Two File Drawers

AMQCRPD2HFF	24"	15 3/4"	27 5/16"	\$1176
	30"	15 3/4"	27 5/16"	\$1310



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Tip: Specify mobile pedestals as stand-alone unit.

Tip: Actual cushion thickness is 1½"H.

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.



Tip: Two-High mobile pedestals with a cushion top will not fit under a desk.



Tip: Two-High mobile pedestals with a cushion top will not fit under a desk.

Tip: Embank storage is slightly deeper than the depth of the cushion top.

Standard Includes	Required to Specify
- Mobile pedestal, 1.5-High and Two-High: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset - Top: Low-Pressure Laminate - Finished back - Bore and dowel drawer construction: black - Cushion, if selected: Billiard - Ledge pull: paint - One fastened metal filing system per file drawer: black only - Full extension, heavy-duty ball bearing drawer suspensions - Counterweight - Lock plug: polished chrome - Lock cylinder included in package, field-installed - Shipped fully assembled	1 Style number 2 Low-Pressure Laminate color number for pedestal and headset 3 Low-Pressure Laminate color number for top 4 Plastic color number for edge 5 Paint color number for pull 6 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Keys - Standard key plug - Master key plug	No cost +\$41	Specify with standard key plug. Specify with master key plug.

Specification Information				
Style Number	Dimensions D W H			U.S. Base Price

1.5-High Mobile Pedestals

One Box Drawer and One File Drawer

AMQCRMP15H	18⅞"	15¾"	23⅔"	\$ 945
	22"	15¾"	23⅔"	\$1017

Two-High Mobile Pedestals

Two Box Drawers and One File Drawer

AMQCRMP2HBBF	22"	15¾"	27"	\$1396
---------------------	-----	------	-----	--------

Two File Drawers

AMQCRMP2HFF	22"	15¾"	27"	\$1396




Pedestal Cushion Top

AMQCRC	22"	15¾"	1½"	\$ 480

Lateral Files

One-High, 1.5-High, and Two-High

Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.



Standard Includes	Required to Specify
- Lateral file: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset 1" thick top, if selected: Low-Pressure Laminate - Finished back - Ledge pull: paint - Bore and dowel laminate drawer construction: black only - One fastened metal filing system per file drawer: black only - Full extension, heavy-duty ball bearing drawer suspensions - Counterweight - Attachment hardware 1 1/4" adjustable leveling glides - Shipped fully assembled	1 Style number 2 Low-Pressure Laminate color number for lateral file and headset 3 Low-Pressure Laminate color number for top 4 Plastic color number for edge 5 Paint color number for pull 6 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Top - No top - With top	No cost Prices below	Specify <i>with no top</i> . Specify <i>with top</i> .
Keys - Standard key plug - Master key plug	No cost +\$41	Specify <i>with standard key plug</i> . Specify <i>with master key plug</i> .

Specification Information			
Style Number	Dimensions D W H	U.S. Base Price	Option (Add \$ to Base Price) Top

One-High Laterals

One File Drawer

AMQCRL1H	24"	30"	15 3/8"	\$1185	+\$178
	24"	36"	15 3/8"	\$1247	+\$185

1.5-High Laterals

One Box, One File Drawer

AMQCRL15HBF	24"	30"	21 3/8"	\$1541	+\$178
	24"	36"	21 3/8"	\$1621	+\$185

Two-High Laterals

Two File Drawers

AMQCRL2H	24"	30"	27 5/16"	\$1759	+\$178
	24"	36"	27 5/16"	\$1849	+\$185

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Lateral Files

Lateral Files

Three-High and Four-High Lateral Files

Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.



Standard Includes	Required to Specify
- Lateral file: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset 1 1/8" thick top, if selected: Low-Pressure Laminate - Finished back - Ledge pull: paint - Bore and dowel laminate drawer construction: black only - One fastened metal filing system per file drawer: black only - Full extension, heavy-duty ball bearing drawer suspensions - Counterweight - Attachment hardware 1 1/4" adjustable leveling glides - Shipped fully assembled	1 Style number 2 Low-Pressure Laminate color number for pedestal and headset 3 Low-Pressure Laminate color number for top 4 Plastic color number for edge 5 Paint color number for pull 6 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Keys - Standard key plug - Master key plug	No cost +\$41	Specify with <i>standard key plug</i> . Specify with <i>master key plug</i> .

Specification Information				
Style Number	Dimensions D W H			U.S. Base Price

Three-High Laterals

AMQCRL3H	18 7/8"	30"	39 1/5"	\$2923
	18 7/8"	36"	39 1/5"	\$3091


Four-High Laterals

AMQCRL4H	18 7/8"	30"	51 1/5"	\$3208
	18 7/8"	36"	51 1/5"	\$3314

EMBANK

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

One-High, 1.5-High, and Two-High Lower Storage



Tip: Cushion is constructed with a thin solid base.

Tip: Cushion is field-installed and supplies to attach are included.

Standard Includes

- Enhanced cushion top: Billiard fabric
- Attachment supplies: hook and loop fastener
- Storage brace

Required to Specify

- 1 Style number
- 2 Fabric color number for cushion
- ▶ See *Surface Materials*, page 504.

Specification Information

•Style •Number	•Dimensions			•U.S. •Price
	D	W	H	
AMQRCHE2430	23 1/8"	30"	1"	\$650
AMQRCHE2436	23 1/8"	36"	1"	\$669



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.



Two-High Credenzas

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Tip: Top is not standard.

Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.

Tip: Height is shown without top.



Left-hand unit

Standard Includes	Required to Specify
- Two-High credenza: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset 1 1/8" thick top: Low-Pressure Laminate - Adjustable shelf on open storage configuration and cabinet storage configuration - Finished back - Ledge pull: paint - Lock plug: polished chrome - Lock cylinder included in package, field-installed - Counterweight included on units with drawers 1 1/4" adjustable leveling glides - Shipped fully assembled	1 Style number 2 Low-Pressure Laminate color number for pedestal and headset 3 Low-Pressure Laminate color number for top 4 Plastic color number for edge 5 Paint color number for pull 6 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Top - No top - With top	No cost Prices below	Specify <i>with no top</i> . Specify <i>with top</i> .
Keys - Standard key plug - Master key plug	No cost +\$41	Specify <i>with standard key plug</i> . Specify <i>with master key plug</i> .

Specification Information				
Style Number	Dimensions D W H			Option (Add \$ to Base Price) Top

Open/Open File Configuration

AMQCRCD2HFSOO	24"	60"	27 5/16"	\$1696	+\$264
	24"	66"	27 5/16"	\$1785	+\$298
	24"	72"	27 5/16"	\$1877	+\$333

Left Lateral/Open File Configuration

AMQCRCD2HFSLFL	24"	60"	27 5/16"	\$2261	+\$264
	24"	66"	27 5/16"	\$2367	+\$298
	24"	72"	27 5/16"	\$2482	+\$333

Right Lateral/Open File Configuration

AMQCRCD2HFSLFR	24"	60"	27 5/16"	\$2262	+\$264
	24"	66"	27 5/16"	\$2368	+\$298
	24"	72"	27 5/16"	\$2482	+\$333

► Specification Information, continued on next page

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

► Specification Information, continued from previous page

Specification Information

Style Number	Dimensions D W H			U.S. Base Price	Option (Add \$ to Base Price)
					Top

Lateral/Lateral File Configuration

AMQCRCD2HFSLL	24"	60"	27 ⁵ / ₁₆ "	\$2933	+\$264
	24"	66"	27 ⁵ / ₁₆ "	\$3063	+\$298
	24"	72"	27 ⁵ / ₁₆ "	\$3200	+\$333

Right Lateral/Cabinet File Configuration

AMQCRCD2HFSLCLFL	24"	60"	27 ⁵ / ₁₆ "	\$2367	+\$264
	24"	66"	27 ⁵ / ₁₆ "	\$2482	+\$298
	24"	72"	27 ⁵ / ₁₆ "	\$2600	+\$333



Left Lateral/Cabinet File Configuration

AMQCRCD2HFSLCLFR	24"	60"	27 ⁵ / ₁₆ "	\$2367	+\$264
	24"	66"	27 ⁵ / ₁₆ "	\$2482	+\$298
	24"	72"	27 ⁵ / ₁₆ "	\$2600	+\$333


Cabinet/Cabinet File Configuration

AMQCRCD2HFSCC	24"	60"	27 ⁵ / ₁₆ "	\$1866	+\$264
	24"	66"	27 ⁵ / ₁₆ "	\$1961	+\$298
	24"	72"	27 ⁵ / ₁₆ "	\$2066	+\$333

Tip: Height is shown without top.



Left-hand unit



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.


Two-High Credenzas

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.


Tip: Grain direction of modesty panel runs horizontally. Grain direction of pedestals runs vertically.

Tip: Pedestals can be specified as a file/file or box/box/file configurations.

*Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.*



Left-hand unit




For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Standard Includes	Required to Specify
- Two-High credenza with kneespace Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset 1 1/8" thick top: Low-Pressure Laminate - Finished back - Modesty panel - Ledge pull: paint - Bore and dowel drawer construction: black - One fastened metal filing system per file drawer: black only - Full extension, heavy-duty ball bearing drawer suspensions - One pencil tray is included in units with a box drawer - Lock cylinder included in package, field-installed - Lock plug: polished chrome - Counterweight 1 1/4" adjustable leveling glides - Shipped fully assembled	- Style number - Low-Pressure Laminate color number for pedestal and headset - Low-Pressure Laminate color number for top - Plastic color number for edge - Paint color number for pull - Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

	Options	U.S. Price	Required to Specify
Modesty Panel	- Full - Quarter height	No cost No cost	Specify with <i>full modesty panel</i> . Specify with <i>quarter height modesty panel</i> .
Right Support	- Box/box/file pedestal - File/file pedestal	No cost No cost	Specify with <i>box/box/file pedestal</i> . Specify with <i>file/file pedestal</i> .
Left Support	- Box/box/file pedestal - File/file pedestal	No cost No cost	Specify with <i>box/box/file pedestal</i> . Specify with <i>file/file pedestal</i> .
Keys	- Standard key plug - Master key plug	No cost +\$41	Specify with <i>standard key plug</i> . Specify with <i>master key plug</i> .

Specification Information				
• Style • Number • •	• Dimensions • D W H • •			• U.S. • Base • Price •
Left Pedestal Configuration				
AMQCRCD2HKSSPL	24"	66"	287/16"	\$2131
	24"	72"	287/16"	\$2267
Right Pedestal Configuration				
AMQCRCD2HKSSPR	24"	66"	287/16"	\$2131
	24"	72"	287/16"	\$2267
Double Pedestal Configuration				
AMQCRCD2HKSDP	24"	66"	287/16"	\$2747
	24"	72"	287/16"	\$2912



Standard Includes

- 1 1/8" thick top: Low-Pressure Laminate
- 3 mm edgeband on user's side: plastic
- 1 mm edgeband on sides and back: plastic

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate color number for pedestal and headset
 - 3 Low-Pressure Laminate color number for top
- See *Surface Materials*, page 504.

Specification Information

•Style Number	•Dimensions Modular Depth	• U.S. Prices							
		Modular Width							
		45.6875"	51.6875"	59.75"	65.75"	71.75"	89.5625"	89.8125"	95.8125"
AMQCRCT	18 7/8"	\$221	\$266	\$283	\$305	\$358	\$534	\$534	\$569
	24"	\$239	\$282	\$302	\$319	\$361	\$598	\$598	\$617
	30"	\$319	\$366	\$391	\$414	\$451	\$666	\$666	\$694



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Desks and Desk Shells

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Tip: Pedestals can be specified as a file/file or box/box/file configuration.

*Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.*



Standard Includes	Required to Specify
• Desk and desk shells with pedestal, if specified: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset • 1 1/8" thick top: Low-Pressure Laminate • 3 mm radius profile edge on user's side: plastic • 1 mm edgeband on sides and back: plastic • Finished back • Modesty panel • Ledge pull: paint • Bore and dowel drawer construction: black • One fastened metal filing system per file drawer: black only • Full extension, heavy-duty ball bearing drawer suspensions • Lock plug • Lock cylinder included in package, field-installed • Counterweight • 1 1/4" adjustable leveling glides • Desk shells shipped ready to assemble • Desk with pedestal(s) shipped fully assembled • One pencil tray is included in units with a box drawer	1 Style number 2 Low-Pressure Laminate color number for case 3 Low-Pressure Laminate color number for top 4 Paint color number for pull 5 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Modesty Panel • Full • Quarter height	No cost No cost	Specify with <i>full modesty panel</i> . Specify with <i>quarter height modesty panel</i> .
Keys • Standard key plug • Master key plug	No cost +\$41	Specify with <i>standard key plug</i> . Specify with <i>master key plug</i> .

Specification Information				
• Style Number	• Dimensions D W H			• U.S. Base Price
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
Desk Shell with Two Full Depth End Panels				
AMQCRDSDL	24"	60"	28 ⁷ / ₁₆ "	\$ 892
	24"	66"	28 ⁷ / ₁₆ "	\$ 936
	24"	72"	28 ⁷ / ₁₆ "	\$ 968
	30"	60"	28 ⁷ / ₁₆ "	\$ 943
	30"	66"	28 ⁷ / ₁₆ "	\$ 985
	30"	72"	28 ⁷ / ₁₆ "	\$1023
	36"	72"	28 ⁷ / ₁₆ "	\$1272

► **Specification Information, continued on next page**

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

► Specification Information, continued from previous page

Specification Information

Style Number	Dimensions			U.S. Base Price
	D	W	H	

Desk with One Full Depth End Panel and Left-Hand Pedestal



AMQCRDSKSPL	30"	60"	28 ⁷ / ₁₆ "	\$2058
	30"	66"	28 ⁷ / ₁₆ "	\$2173
	30"	72"	28 ⁷ / ₁₆ "	\$2284
	36"	72"	28 ⁷ / ₁₆ "	\$2391

Desk with One Full Depth End Panel and Right-Hand Pedestal

AMQCRDSKSPR	30"	60"	28 ⁷ / ₁₆ "	\$2058
	30"	66"	28 ⁷ / ₁₆ "	\$2173
	30"	72"	28 ⁷ / ₁₆ "	\$2284
	36"	72"	28 ⁷ / ₁₆ "	\$2391

Desk with Two Pedestals

AMQCRDSKDP	30"	60"	28 ⁷ / ₁₆ "	\$2794
	30"	66"	28 ⁷ / ₁₆ "	\$2936
	30"	72"	28 ⁷ / ₁₆ "	\$3073
	36"	72"	28 ⁷ / ₁₆ "	\$3209

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See Page 4 for details.

Returns and Return Shells

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Standard Includes	Required to Specify
- Return and return shells: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset 1 1/8" thick top: Low-Pressure Laminate 3 mm radius profile edge on user's side: plastic 1 mm edgeband on sides and back: plastic - Finished back - Modesty panel - Ledge pull: paint - Bore and dowel drawer construction: black - One fastened metal filing system per file drawer: black only - Full extension, heavy-duty ball bearing drawer suspensions - Lock plug - Lock cylinder included in package, field-installed - Counterweight 1 1/4" adjustable leveling glides - Returns shipped fully assembled - Return shells shipped ready to assemble	1 Style number 2 Low-Pressure Laminate color number for returns 3 Low-Pressure Laminate color number for top 4 Paint color number for pull 5 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Modesty Panel - Full - Quarter height	No cost No cost	Specify with <i>full modesty panel</i> . Specify with <i>quarter height modesty panel</i> .
Keys - Standard key plug - Master key plug	No cost +\$41	Specify with <i>standard key plug</i> . Specify with <i>master key plug</i> .

Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.

Specification Information

Style Number	Dimensions D W H	U.S. Base Price

Return Shell with One Left-Hand Full Depth End Panel

AMQCRRTNL	24"	42"	287/16"	\$ 714
	24"	48"	287/16"	\$ 779

Return Shell with One Right-Hand Full Depth End Panel



AMQCRRTNR	24"	42"	287/16"	\$ 714
	24"	48"	287/16"	\$ 779

Return Shell with One Left-Hand Pedestal

AMQCRRTNSPL	24"	42"	287/16"	\$1480
	24"	48"	287/16"	\$1619

Return Shell with One Right-Hand Pedestal

AMQCRRTNSPR	24"	42"	287/16"	\$1480
	24"	48"	287/16"	\$1619




Left-hand unit

Tip: Pedestals can be specified as a file/file or box/box/file configurations.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.



Standard Includes	Required to Specify
• 24"D bridge: Low-Pressure Laminate • 1" thick top, if selected: Low-Pressure Laminate • Attachment bracket • 3 mm edgeband on user's side: plastic • 1 mm edgeband on sides and back: plastic • Modesty panel • Ships ready to assemble	1 Style number 2 Low-Pressure Laminate color number for bridge 3 Plastic color number for edge 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.


	Options	U.S. Price	Required to Specify
Modesty Panel	• Full • Quarter height	No cost No cost	Specify with full modesty panel. Specify with quarter height modesty panel.

Specification Information				
Style Number	Dimensions D W H			U.S. Price
AMQCRBRG	24"	36"	27 ⁵ / ₁₂ "	\$526
	24"	42"	27 ⁵ / ₁₂ "	\$560
	24"	48"	27 ⁵ / ₁₂ "	\$601
.	.	.	.	.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

D-Shape and P-Shape Worksurfaces




Right-hand unit

Tip: Width and depth is specified for the D-shape top.

Tip: D-shape and P-shape worksurfaces with column leg are not freestanding units. They must be attached to a bridge, return, or adjoining worksurface to form a flush-height, L-, or U-shaped configuration for proper stability.

Tip: Width A, depth B, and depth C is specified for the P-shape top.

Tip: Right-hand P-shape worksurfaces pair with left-hand returns. Left-hand P-shape worksurfaces pair with right-hand returns.



Right-hand unit

Standard Includes

- 1 1/8" thick worksurface: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate top
- Column leg: paint price group 1
- Adjusting leveling glides
- Ships ready to assemble

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate color number for worksurface and case
 - 3 Plastic color number for edge
 - 4 Paint color number for column
 - 5 Options, if selected (see below)
- See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Surface Materials	Base • Paint price group 1 • Paint price group 2	No cost +\$ 28	Specify paint color number. Specify paint color number.
Modesty Panel	• No modesty panel • Quarter height • Full	No cost +\$182 +\$321	Specify <i>with no modesty panel</i> . Specify <i>with quarter height modesty panel</i> . Specify <i>with full modesty panel</i> .
Width A	• 60" • 66" • 72"	Price below Price below Price below	Specify <i>with 60" width A</i> . Specify <i>with 66" width A</i> . Specify <i>with 72" width A</i> .
Depth B	• 30" • 36" • 42"	Price below Price below Price below	Specify <i>with 30" depth B</i> . Specify <i>with 36" depth B</i> . Specify <i>with 42" depth B</i> .
Depth C	• 24" • 30" • 36"	Price below Price below Price below	Specify <i>with 24" depth C</i> . Specify <i>with 30" depth C</i> . Specify <i>with 36" depth C</i> .
Handedness	• Left hand • Right hand	No cost No cost	Specify <i>with left hand</i> . Specify <i>with right hand</i> .

Specification Information

Style Number	Dimensions Modular Depth	U.S. Base Prices Modular Width		
		60"W	66"W	72"W

D-Shape, Low-Pressure Laminate Case and Top

AMQCRDWKSF	30"	\$1288	\$1368	\$1440
	36"	\$1415	\$1496	\$1613

P-Shape, Low-Pressure Laminate Case and Top

AMQCRPWKSF	24"	\$1477	\$1635	\$1872
	30"	\$1554	\$1720	\$1969
	36"	\$1633	\$1806	\$2069



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.



Towers

Single Door

Towers

Tip: Nominal dimensions shown in specifying. Please refer to understanding pages for actual dimensions.

*Tip: If the master key plug is optional, **AMQLOCK9201XF** must be specified separately to be included.*



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Standard Includes	Required to Specify
- Single-door tower: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset 3/4" thick top: laminate to match case - Ledge pull: paint - Lock plug - Lock cylinder included in package, field-installed - Counterweights 1 1/4" leveling glides - Shipped fully assembled - Bore and dowel drawer construction: black	1 Style number 2 Low-Pressure Laminate color number for tower 3 Paint color number for pull 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Keys - Standard key plug - Master key plug	No cost +\$41	Specify with <i>standard key plug</i> . Specify with <i>master key plug</i> .

Specification Information			
Style Number	Dimensions D W H	U.S. Base Price	

Single Left-Hinged Door Tower with One Box Drawer and One File Drawer

AMQCRTWBFL	24"	15 3/4"	41 25/32"	\$2219
	24"	15 3/4"	47 31/32"	\$2320
	24"	15 3/4"	54 1/8"	\$2432
	24"	15 3/4"	66 1/2"	\$2547

Single Right-Hinged Door Tower with One Box Drawer and One File Drawer

AMQCRTWBFR	24"	15 3/4"	41 25/32"	\$2219
	24"	15 3/4"	47 31/32"	\$2320
	24"	15 3/4"	54 1/8"	\$2432
	24"	15 3/4"	66 1/2"	\$2547

Single Left-Hinged Door Tower with Two File Drawers

AMQCRTWFFL	24"	15 3/4"	41 25/32"	\$2301
	24"	15 3/4"	47 31/32"	\$2409
	24"	15 3/4"	54 1/8"	\$2524
	24"	15 3/4"	66 1/2"	\$2644

Single Right-Hinged Door Tower with Two File Drawers

AMQCRTWFFR	24"	15 3/4"	41 25/32"	\$2301
	24"	15 3/4"	47 31/32"	\$2409
	24"	15 3/4"	54 1/8"	\$2524
	24"	15 3/4"	66 1/2"	\$2644

EMBANK


Towers

Dual Doors


Tip: Nominal dimensions shown in specifying. Please refer to understanding pages for actual dimensions.

Tip: Handedness determines the location of the wardrobe.


*Tip: If the master key plug is optional, **AMQLOCK9201XF** must be specified separately to be included.*




Left-hand unit



Right-hand unit



Left-hand unit



Right-hand unit

Standard Includes	Required to Specify
- Dual-door tower: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset 3/4" thick top: laminate to match case - Coat hook: brushed nickel only - Ledge pull: paint - Lock plug - Lock cylinder included in package, field-installed - Counterweights 1 1/4" leveling glides - Shipped fully assembled - Bore and dowel drawer construction: black	1 Style number 2 Low-Pressure Laminate color number for tower 3 Paint color number for pull 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Keys - Standard key plug - Master key plug	No cost +\$41	Specify with standard key plug. Specify with master key plug.

Specification Information			
Style Number	Dimensions D W H		
			U.S. Base Price

Dual Left-Hand Door Tower with One Box Drawer and One File Drawer, Wardrobe Left

AMQCRTWDBFL	24"	24"	41 ²⁵ / ₃₂ "	\$2360
	24"	24"	47 ³¹ / ₃₂ "	\$2472
	24"	24"	54 ¹ / ₈ "	\$2753
	24"	24"	66 ¹ / ₂ "	\$3005

Dual Right-Hand Door Tower with One Box Drawer and One File Drawer, Wardrobe Right

AMQCRTWDBFR	24"	24"	41 ²⁵ / ₃₂ "	\$2360
	24"	24"	47 ³¹ / ₃₂ "	\$2472
	24"	24"	54 ¹ / ₈ "	\$2753
	24"	24"	66 ¹ / ₂ "	\$3005

Dual Left-Hinged Door Tower with Two File Drawers, Wardrobe Left

AMQCRTWDFFL	24"	15 ³ / ₄ "	41 ²⁵ / ₃₂ "	\$2449
	24"	15 ³ / ₄ "	47 ³¹ / ₃₂ "	\$2567
	24"	15 ³ / ₄ "	54 ¹ / ₈ "	\$2859
	24"	15 ³ / ₄ "	66 ¹ / ₂ "	\$3119

Dual Right-Hinged Door Tower with Two File Drawers, Wardrobe Right

AMQCRTWDFFR	24"	15 ³ / ₄ "	41 ²⁵ / ₃₂ "	\$2449
	24"	15 ³ / ₄ "	47 ³¹ / ₃₂ "	\$2567
	24"	15 ³ / ₄ "	54 ¹ / ₈ "	\$2859
	24"	15 ³ / ₄ "	66 ¹ / ₂ "	\$3119

Towers

Side Access

Towers

Tip: Nominal dimensions shown in specifying. Please refer to understanding pages for actual dimensions.

*Tip: If the master key plug is optional, **AMQLOCK9201XF** must be specified separately to be included.*



Left-hand unit



Right-hand unit



Left-hand unit



Right-hand unit

Standard Includes

- Dual-door tower: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- 3/4" thick top: laminate to match case
- Ledge pull: paint
- Coat hook: brushed nickel only
- Lock plug
- Lock cylinder included in package, field-installed
- Counterweights
- 1 1/4" leveling glides
- Shipped fully assembled
- Bore and dowel drawer construction: black

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate color number for tower
 - 3 Paint color number for pull
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 504.

Options

Keys

- Standard key plug
- Master key plug

U.S. Price

No cost
+\$41

Required to Specify

Specify with *standard key plug*.
Specify with *master key plug*.

Specification Information

Style Number	Dimensions			U.S. Base Price
	D	W	H	

Side Access Left-Hand Tower with Two Box Drawers and One File Drawer

AMQCRTWSABBFL	24"	24"	41 ²⁵ / ₃₂ "	\$2550
	24"	24"	47 ³¹ / ₃₂ "	\$2670
	24"	24"	54 ¹ / ₈ "	\$2799
	24"	24"	66 ¹ / ₂ "	\$2934

Side Access Right-Hand Tower with Two Box Drawers/One File Drawer

AMQCRTWSABBFR	24"	24"	41 ²⁵ / ₃₂ "	\$2550
	24"	24"	47 ³¹ / ₃₂ "	\$2670
	24"	24"	54 ¹ / ₈ "	\$2799
	24"	24"	66 ¹ / ₂ "	\$2934

Side Access Left-Hand Tower with Two File Drawers

AMQCRTWSAFL	24"	24"	41 ²⁵ / ₃₂ "	\$2458
	24"	24"	47 ³¹ / ₃₂ "	\$2577
	24"	24"	54 ¹ / ₈ "	\$2700
	24"	24"	66 ¹ / ₂ "	\$2829

Side Access Right-Hand Tower with Two File Drawers



AMQCRTWSAFL	24"	24"	41 ²⁵ / ₃₂ "	\$2458
	24"	24"	47 ³¹ / ₃₂ "	\$2577
	24"	24"	54 ¹ / ₈ "	\$2700
	24"	24"	66 ¹ / ₂ "	\$2829

EMBANK

Wardrobes

Tip: Wardrobe must be attached to two additional wardrobes, another storage unit, or a wall to ensure stability and prevent wardrobe from tipping.

*Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.*



Standard Includes	Required to Specify
- Wardrobe: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset 3/4" thick top: laminate to match case - Ledge pull: paint - Coat hook: brushed nickel only - Lock plug 1 1/4" leveling glides - Lock cylinder included in package, field-installed - Shipped fully assembled	1 Style number 2 Low-Pressure Laminate color number for tower 3 Paint color number for pull 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Keys - Standard key plug - Master key plug	No cost +\$41	Specify <i>with standard key plug</i> . Specify <i>with master key plug</i> .

Specification Information			
Style Number	Dimensions D W H		
			U.S. Base Price

Wardrobes-Hinged Left

AMQCRWDL	24"	12"	41 ²⁵ / ₃₂ "	\$1424
	24"	12"	47 ³¹ / ₃₂ "	\$1462
	24"	12"	54 ¹ / ₈ "	\$1500

Wardrobes-Hinged Right

AMQCRWDR	24"	12"	41 ²⁵ / ₃₂ "	\$1424
	24"	12"	47 ³¹ / ₃₂ "	\$1462
	24"	12"	54 ¹ / ₈ "	\$1500



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Bookcases with Adjustable Shelves

Bookcases with Adjustable
Shelves

Standard Includes

- Bookcase: Low-Pressure Laminate
- 1" thick table top: laminate to match case
- Adjustable shelf: laminate to match case
- Brackets for shelves: brushed nickel only
- 1¼" leveling glides
- Shipped fully assembled

Required to Specify

- 1 Style number
- 2 Low-Pressure Laminate color number for bookcase
- ▶ See *Surface Materials*, page 504.

Specification Information

Style Number	Dimensions			U.S. Price
	D	W	H	

Two Adjustable Shelves




AMQCRBK	15"	30"	41 ²⁵ / ₃₂ "	\$1212
	15"	36"	41 ²⁵ / ₃₂ "	\$1234
	15"	30"	47 ³¹ / ₃₂ "	\$1260
	15"	36"	47 ³¹ / ₃₂ "	\$1284

Three Adjustable Shelves

AMQCRBK	15"	30"	54 ¹ / ₈ "	\$1314
	15"	36"	54 ¹ / ₈ "	\$1338


Four Adjustable Shelves

AMQCRBK	15"	30"	66 ¹ / ₂ "	\$1369
	15"	36"	66 ¹ / ₂ "	\$1395
	15"	30"	72 ¹¹ / ₁₆ "	\$1539
	15"	36"	72 ¹¹ / ₁₆ "	\$1570



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Stacking Bookcase with Adjustable Shelves



Standard Includes	Required to Specify
- Stacking bookcase: Low-Pressure Laminate 1" thick table top: laminate to match case - Adjustable shelf: laminate to match case - Attachment hardware - Shipped fully assembled	1 Style number 2 Low-Pressure Laminate color number for bookcase ► See <i>Surface Materials</i>, page 504.

Specification Information				
Style Number	Dimensions			U.S. Price
	D	W	H	
AMQCRBKS	15"	30"	25 ⁵ / ₈ "	\$ 952
	15"	30"	37 ³ / ₃₂ "	\$ 991
	15"	30"	44 ³ / ₁₆ "	\$1058
	15"	36"	25 ⁵ / ₈ "	\$ 971
	15"	36"	37 ³ / ₃₂ "	\$1009
	15"	36"	44 ³ / ₁₆ "	\$1081

 **For Canadian Pricing**
 Multiply U.S. Price by the
 Canadian price factor.
 ► See Page 4 for details.




Tip: Handedness is determined while in the seated position.

Tip: Overheads with sliding doors do not lock.

Tip: Overheads with three doors will have two doors hinged right. Overheads with four doors will have two doors hinged left, and two hinged right. Doors will always open from the center out.

Tip: White markerboard (2977) headset finish available with sliding doors only.

Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.



Pricing at right is for case only. Headsets are not available on open units.

Standard Includes

- Overhead: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Lock plug, polished chrome, on overheads with hinged doors only
- Lock cylinder included in package, field-installed
- Wood dowel and glue drawer construction: black
- Shipped fully assembled

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate color number for overhead and headset
 - 3 Options, if selected (see below)
- ▶ See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Attachments Brackets	• Suspended between towers • Wall mount brackets – 36"–66"W – 72"W	No cost No cost +\$162 +\$220	Specify with <i>suspended between towers</i> . Specify with <i>33"–66"W wall mount bracket</i> . Specify with <i>72"W wall mount bracket</i> .
Door Surface	• Laminate • Markerboard	No cost Prices below	Specify laminate color number. Specify with <i>markerboard</i> .
Keys	• Standard key plug • Master key plug	No cost +\$ 41	Specify with <i>standard key plug</i> . Specify with <i>master key plug</i> .

Specification Information

Style Number	Dimensions D W H	Number of Doors	U.S. Base Price	Option (Add \$ to Base Price) Markerboard

Overhead with Hinged Doors

AMQCROHHD	16"	36"	15"	2	\$ 842	N.A.
	16"	42"	15"	3	\$ 976	N.A.
	16"	48"	15"	3	\$1116	N.A.
	16"	60"	15"	3	\$1387	N.A.
	16"	66"	15"	4	\$1527	N.A.
	16"	72"	15"	4	\$1605	N.A.

Overhead with Sliding Doors

AMQCROHSDP	16"	36"	15"	1	\$ 733	+\$129
	16"	42"	15"	1	\$ 866	+\$157
	16"	48"	15"	1	\$1009	+\$174
	16"	60"	15"	1	\$1277	+\$245
	16"	66"	15"	1	\$1418	+\$292
	16"	72"	15"	1	\$1496	+\$314

Overhead with No Doors, Open

AMQCROHOP	15"	36"	15"	N.A.	\$ 529	N.A.
	15"	42"	15"	N.A.	\$ 664	N.A.
	15"	48"	15"	N.A.	\$ 803	N.A.
	15"	60"	15"	N.A.	\$1074	N.A.
	15"	66"	15"	N.A.	\$1214	N.A.
	15"	72"	15"	N.A.	\$1290	N.A.

Stacking Overheads

Tip: Stacking overheads with sliding doors do not lock.

Tip: Handedness is determined while in the seated position.

Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.




Tip: Overheads with three doors will have two doors hinged right. Overheads with four doors will have two doors hinged left, and two hinged right. Doors will always open from the center out.

Tip: White markerboard (2977) headset finish available with sliding doors only.

Tip: 37.98725"H overheads align with 66½"H storage. 44.17475"H overheads align with 72"H storage.

Tip: Stacking overheads cannot be used with lateral file/lateral file credenza configurations.

Tip: 15"H refers to the height of the storage case.



Standard Includes	Required to Specify
- Stacking overhead: Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset - Lock plug on overheads with hinged doors only - Lock cylinder included in package, field-installed - Attachment hardware	1 Style number 2 Low-Pressure Laminate color number for overhead 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.

	Options	U.S. Price	Required to Specify
Door Surface	- Laminate - Markerboard	No cost Prices below	Specify laminate color number. Specify <i>with markerboard</i> .
Keys	- Standard key plug - Master key plug	No cost +\$41	Specify <i>with standard key plug</i> . Specify <i>with master key plug</i> .

Specification Information					
Style Number	Dimensions D W H			Number of Doors	U.S. Base Price
					Option (Add \$ to Base Price) Markerboard

Overhead with Hinged Doors


AMQCROHSHD	16"	60"	15"	3	\$1799	N.A.
	16"	66"	15"	4	\$1940	N.A.
	16"	72"	15"	4	\$2076	N.A.

Overhead with Sliding Doors

AMQCROHSSD	16"	60"	15"	1	\$1689	+\$326
	16"	66"	15"	1	\$1829	+\$374
	16"	72"	15"	1	\$1967	+\$426

Overhead with No Doors, Open

AMQCROHS	15"	60"	15"	N.A.	\$1259	N.A.
	15"	66"	15"	N.A.	\$1402	N.A.
	15"	72"	15"	N.A.	\$1534	N.A.



Standard Includes	Required to Specify
Organizer: Low-Pressure Laminate	1 Style number 2 Low-Pressure Laminate color number for organizer 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.


	Options	U.S. Price	Required to Specify
Attachment Brackets	• Suspended between towers	No cost	Specify <i>with suspended between towers</i> .
	• Wall mount brackets	No cost	
	– 36"–66"W	+\$162	Specify <i>with 33"–66"W wall mount bracket</i> .
	– 72"W	+\$220	Specify <i>with 72"W wall mount bracket</i> .

Specification Information				
Style Number	Dimensions D W H			U.S. Base Price
AMQCRORP	15"	36"	8 ²⁷ / ₃₂ "	\$1019
	15"	42"	8 ²⁷ / ₃₂ "	\$1114
	15"	48"	8 ²⁷ / ₃₂ "	\$1126
	15"	60"	8 ²⁷ / ₃₂ "	\$1160
	15"	66"	8 ²⁷ / ₃₂ "	\$1214
	15"	72"	8 ²⁷ / ₃₂ "	\$1279



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.

Tackboard



Tip: Remove 1½" in height from the tackboard if paired with a stacking overhead to utilize cable passthrough.

Tip: Tackboard comes with a spacer for a shelf light cord to be routed to the cable passthrough at the bottom of the overhead storage cabinet.

Tip: Tackboards cannot be attached to walls covered by textured paint or wallpaper.

Tip: Width denotes the width of the overhead the tackboard is pairing with. The application option will account for any dimensional changes needed. By selecting stacking, 2¼" will be removed from the overall width of the tackboard. By selecting wall mount, tackboard will ship with the exact specified width.

Standard Includes	Required to Specify
- Tackboard: fabric - Attachment hardware	1 Style number 2 Fabric color number for tackboard 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 504.

	Options	U.S. Price	Required to Specify
Tackboard	- Fabric price group 1 - Fabric price group 3	No cost +\$51	Specify fabric color number. Specify fabric color number.
Application	- Stacking - Wall mount	No cost No cost	Specify <i>with stacking application</i> . Specify <i>with wall mount application</i> .
Fabric Direction	Horizontal	No cost	Specify <i>with horizontal fabric direction</i> .

Specification Information							
Style Number	Dimensions Modular Height	U.S. Base Prices					
		Modular Width					
		36"W	42"W	48"W	60"W	66"W	72"W
AMQCRTB	20¼"	\$464	\$490	\$510	\$582	\$630	\$700
	26¼"	\$508	\$537	\$562	\$638	\$692	\$771



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See Page 4 for details.

Tip: All round and square table configurations receive a 36" steel X-base with the exception of the 36" diameter round table which receives a 30" steel X-base.

Standard Includes	Required to Specify
- Top: Low-Pressure Laminate with 3mm plastic square edge - X-base column: paint - Ships ready to assemble	- Style number - Low-Pressure Laminate color number for table - Plastic color number for edge - Paint color number for column - Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Surface Materials X-base - Black paint - Platinum metallic paint	No cost +\$26	Specify 7207 Black. Specify 4799 Platinum Metallic.


Specification Information			
Style Number	Dimensions Modular Width/Dia.	Modular Height	U.S. Base Price

Social Table—Round

AMQCRRTBL	36"	28"	\$1137
	48"	28"	\$1435


Social Table—Square

AMQCRSQTB	36"	28"	\$1137
	48"	28"	\$1435



 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

Rectangular Conference Table



Tip: Hinged power doors have a 5⁵/₁₆"D, 8⁵/₁₆"W, and 2"H.

Tip: 72"W and 96"W tables receive two rectangular bases and 120"W and 144"W tables receive three rectangular bases.

Tip: Widths 96"–144" have two-piece tops and will not have matching grain direction.

Tip: One hinged power door comes with 72"W tables, two hinged power doors with 96"W and 120"W tables, and four hinged power doors with 144"W tables.

Standard Includes	Required to Specify
- Top: Low-Pressure Laminate with 3 mm plastic square edge - Rectangular table base - Reinforcing channels, if selected - Ships ready to assemble	1 Style number 2 Low-Pressure Laminate color number for table 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Power - No power - Hinged door	No cost +\$612 per door	Specify <i>with no power</i> . Specify <i>with hinged door</i> .

Specification Information						
Style Number	Dimensions Modular Depth	Base Modular Height	U.S. Base Prices Modular Width			
			72"W	96"W	120"W	144"W
AMQCRRECTBL	36 ¹ / ₄ "	28"	\$2940	\$3332	\$4468	\$5062
	48"	28"	\$3130	\$3610	\$4810	\$5476




For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

Cafe-Height Table—Round



Standard Includes		Required to Specify	
• 1½" thick table top: Low-Pressure Laminate • Edge band: default color to match laminate • Column base: paint		1 Style number 2 Low-Pressure Laminate color number for table 3 Paint color number for base ▶ See <i>Surface Materials</i>, page 504.	
Specification Information			
• Style • Number • •	• Diameter • •	• U.S. • Price •	
EMCAFERDTBL	30"	\$1194	
	36"	\$1428	
•	•	•	

Cafe-Height Table—Square



Standard Includes			Required to Specify		
• 1 1/8" thick table top: Low-Pressure Laminate • Edge band: default color to match laminate • Column base: paint			1 Style number 2 Low-Pressure Laminate color number for table 3 Paint color number for base ▶ See <i>Surface Materials</i>, page 504.		
Specification Information					
• Style Number	• Depth	• U.S. Price			
EMCAFESQTBL	30"	\$1194			
	36"	\$1428			

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Collaborative Table

Collaborative Table—Round



Tip: Glides on post legs are 1½" long and provide 1" of leveling.

Standard Includes	Required to Specify
1½" thick table top: Low-Pressure Laminate - Edge band: default color to match laminate - Post legs: paint - Glides, if post legs are selected	1 Style number 2 Low-Pressure Laminate color number for table 3 Paint color number for legs 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.


	Options	U.S. Price	Required to Specify
Base	- Post legs - Column	No cost Prices below	Specify <i>with post legs</i> . Specify <i>with column</i> .
Casters or Glides	- Glides - Two locking and two non locking casters	No cost +\$76	Specify <i>with glides</i> . Specify <i>with two locking and two non locking casters</i> .

Specification Information			
Style Number	Diameter	U.S. Base Price	Option (Add \$ to Base Price)
			Column
EMWRDTBL	30"	\$ 889	+\$218
	36"	\$ 951	+\$463
	48"	\$1023	+\$627



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Collaborative Table—Square



Tip: Glides on post legs are 1½" long and provide 1" of leveling.

Standard Includes	Required to Specify
1½" thick table top: Low-Pressure Laminate - Edge band: default color to match laminate - Post legs: paint - Glides, if post legs are selected	1 Style number 2 Low-Pressure Laminate color number for table 3 Paint color number for legs 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.


Options	U.S. Price	Required to Specify
Base - Post legs - Column	No cost Prices below	Specify <i>with post legs</i> . Specify <i>with column</i> .
Casters or Glides - Glides - Two locking and two non locking casters	No cost +\$76	Specify <i>with glides</i> . Specify <i>with two locking and two non locking casters</i> .

Specification Information			
Style Number	Diameter	U.S. Base Price	Option (Add \$ to Base Price)
			Column
EMWRSQTBL	30"	\$ 889	+\$218
	36"	\$ 951	+\$463
	48"	\$1023	+\$627



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Single Unit Power Module



Tip: When USB-A+C is specified, there is one USB A+C port.

Standard Includes	Required to Specify
• 10' power cord with wall plug • Two simplex receptacles • Two velcro cord management straps • Hardware and plastic cord management clips	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Power Configuration • Two power • One power + one USB A+C	No cost +\$151	Specify <i>with two power</i> . Specify <i>with one power + one USB A+C</i> .

Specification Information	
Style Number	U.S. Base Price
EMUWPOWER	\$229



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Table Legs

Table Legs



Tip: Glides on post legs are 1½" long and provide 1" of leveling.

Standard Includes

- Square legs: paint price group 1
- Adjusting leveling glides: black plastic
- Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Paint color number for legs
- 3 Options, if selected (see below)
- ▶ See *Surface Materials*, page 504.

Options

Surface Materials

Base

- Black paint
- Platinum metallic paint

No cost
+\$38

Required to Specify

Specify 7207 Black.
Specify 4799 Platinum Metallic.

Specification Information

Style Number	Dimensions D W H			U.S. Base Price
AMQCRSQB	2"	2"	27¼"	\$225



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Modesty Panel



Standard Includes	Required to Specify
- Modesty panel: Low-Pressure Laminate - Bracket: merle paint - Ships ready to assemble	1 Style number 2 Low-Pressure Laminate color number for modesty panel ► See <i>Surface Materials</i>, page 504.

Specification Information				
Style Number	Dimensions Modular Height	U.S. Prices		
		Modular Width		
		36"W	48"W	60"W
AMQCRMP	13¾"	\$464	\$526	\$587



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Attachment Kit, Cabinet to Cabinet Application

Tip: Ganging hardware is used to provide rigidity between cabinets mounted side by side in a panel or wall-mounted application.

Standard Includes		Required to Specify
• Attachment kit, four bolts and nuts per kit: bronze only		Style number




Specification Information		
• Style Number	• Quantity	• U.S. Price
AMQAWAK	1	\$53

TEKTIS and EMBANK Shared Accessories

Tip: Reinforcing channels are needed for 54"W of unsupported kneespace.

Tip: Support plates are available to connect two worksurfaces and allow one to support the other.

Tip: Tie plates are available to provide added strength and alignment between two worksurfaces.



Standard Includes		Required to Specify
• Worksurface supports and channels: black paint • Attachment hardware		Style number

Specification Information		
• Style Number	• Dimension	• U.S. Price

In-Line Support Plates		
AMQTSATPL	14"D	\$ 96
	20"D	\$ 96

Package of Six Tie Plates for Side-by-Side Worksurfaces		
AMQTSATTIE	7"L	\$134

Reinforcing Channels		
AMQTSATRC	39"W	\$ 67
	48"W	\$ 70
	57"W	\$ 73
	72"W	\$159

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Resources

Lock and Keying


378

Lock and Keying

For TEKtis, UPTAKE, and EMBANK Products

All locking products are standard with field-installed, keyed-random locks. Locks will ship with lock plug installed. Lock cylinder will be packaged separately and field-installed.

*Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.*



Locks consist of a field-installed lock cylinder and a field-installed lock face ring.

Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

Field-Installed Keying

Field-installed locks are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR999 (Master keying numbers: XF1001 to XF3000). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number.

Key Random

- FR305
- FR421
- FR305
- or
- XF1011
- XF1042
- XF1011

XF


Master Key

Required to Specify

Master key random	No cost	Specify with master key random.
--------------------------	---------	---------------------------------

*Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.*

Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

*Tip: If the master key plug is optioned, **AMQLOCK9201XF** must be specified separately to be included.*

Standard Includes		Required to Specify
• 9201 Polished Chrome lock cylinder, standard key random • Two keys		1 Style number 2 Options, if selected (see below)
Options	U.S. Price	Required to Specify
Master key random	No cost	Specify master key random.
Specification Information		
Style Number	U.S. Price	
FR Series (Standard Keying System)—Lock Cylinder		
AMQLOCK9201FR	No cost	
.	.	
XF Series (Master Keying System)—Lock Cylinder		
AMQLOCK9201XF	No cost	
.	.	



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Understanding UPTAKE Lockers


	
Statement of Line	382

	
UPTAKE Lockers	384
Interior Configuration Rules	386
Stability Guidelines	389
Electronic Lock Option	390
UPTAKE Digilock Keys	391

Statement of Line

UPTAKE Lockers


Single-Wide Lockers



Understanding
 ► Page 384
 Specifying
 ► Page 394

	1-Door	2-Door	3-Door	4-Door
41.75"H	●	●	N.A.	N.A.
47.9375"H	●	●	●	N.A.
54.125"H	●	●	●	N.A.
66.5"H	●	●	●	●
72"H	●	●	●	●

Double-Wide Lockers



Understanding
 ► Page 384
 Specifying
 ► Page 398

	2-Door	4-Door	6-Door	8-Door
41.75"H	●	●	N.A.	N.A.
47.9375"H	●	●	●	N.A.
54.125"H	●	●	●	N.A.
66.5"H	●	●	●	●
72"H	●	●	●	●

Shelves



Understanding
▶ Page 384
Specifying
▶ Page 401

Adjustable Shelf—Single-Wide Locker

	12"W	15"W	18"W
18.875"D	●	●	●
24"D	●	●	●



Understanding
▶ Page 384
Specifying
▶ Page 401

Adjustable Shelf—Double-Wide Locker

	24"W	30"W	36"W
18.875"D	●	●	●
24"D	●	●	●

Tip: Width of shelf is sized to fit one shelf into one side of double-wide locker. If a shelf is required for each side of double-wide locker order a quantity of two shelves.


UPTAKE Lockers

UPTAKE lockers provide a space to store a variety of objects including coats, bags, and personal belongings.


► Specifying, page 394

Coat hooks or coat rod can be specified.

Leveling glides adjust to install on uneven floors and have a 1" adjustable range.



Single-Wide Locker



Double-Wide Locker


Finished back is standard.

Ledge pulls come standard when keyed locks are specified.


Adjustable shelf is available as an option to aid in the division of storage space when needed.

Digilock VERSA electronic keypad locks are available as an option.


Product Details




Four different door configurations are available.



Single- or double-wide lockers are available.




Door on locker can be hinged on the left or right. Pull and lock are located on the opposite side of the hinge.




Headset available in full front only.

Actual Dimensions


Depth		18 ⁷ / ₈ " or 24"
Width	Single wide	12", 15", or 18"
	Double wide	24", 30", or 36"
Height		41.75", 47.9375", 54.125", 66.5", or 72"



The inset top construction provides consistent door gaps and a tighter fit of adjacent units when ganged together.



A pair of coat hooks are standard in each opening for 1-door and 2-door units. Coat hooks are available as an option in 3-door and 4-door units.




Coat rod is available as an option on 1-door and 2-door units that are 24"D only.



Ledge pull

Ledge pulls on lockers are defaulted when standard or master key plug is specified. No pull is available when electronic locks are specified.



If the ledge pull is specified, locks are available factory-installed and are keyed random only. Master-keyed locks are also available.
► *Lock and Keying*, page 378




Digilock Versa

Digilock Versa electronic keypad locks, mounted in a vertical orientation, are available as an option.

Digilock Versa electronic keypad locks are powered by two lithium 2450 batteries.

Programming and manager keys must be ordered separately.


Application Topics



Adjustable shelves can be added to lockers for additional storage or piling space. Shelves are recessed from the side of the locker. A maximum of two adjustable shelves can be added. See interior configuration rules for restrictions. Mounting holes are located 1¼" apart starting 12" from bottom going to 12" from top.
► *See Interior Configuration Rules* for restrictions, page 386.

Shelf pin holes are always included even if adjustable shelves are not specified as an option on the locker. This allows for long term flexibility and the addition of adjustable shelves after the initial order (adjustable shelf style numbers **EMLKSHFS** and **EMLKSHFD**).

1-door lockers 54"H and above have a fixed shelf located at the top.
Tip: See interior configuration rules for size restrictions for coat hooks, coat rods, and adjustable shelves.
► Page 386.



Individual single- or double-wide lockers cannot stand alone. They must be ganged to other lockers or secured to the building structure. Minimum locker numbers depend on depth and width.
► *See Stability Guidelines* on page 389.

Ganging hardware, provided, joins adjacent storage units side-by-side, back-to-back, or both.

Storage Capacities and Dimensions

► Page 332

Surface Materials

Case

- Low-Pressure Laminate

Headsets

- Low-Pressure Laminate

Ledge pull

- 4799 Platinum Metallic
- 7207 Black

Keyed lock

- 9201 Polished Chrome

Electronic lock

- 9221 Brushed Nickel

Interior Configuration Rules

1-Door Single Wide and 2-Door Double Wide

	No Coat Hooks and 1 Adjustable Shelf	No Coat Hooks and 2 Adjustable Shelves	Coat Hooks and No Adjustable Shelf	Coat Hooks and 1 Adjustable Shelf	Coat Hooks and 2 Adjustable Shelves	Coat Rod* and No Adjustable Shelf
Height of Unit						
41.75"	●	N.A.	●	●	N.A.	N.A.
47.9375"	●	●	●	●	●	●
54.125"	●	N.A.	●	●	N.A.	N.A.
66.5"	●	●	●	●	●	●
72"	●	●	●	●	●	●

* Tip: In order to specify coat rod, depth must equal 24"D for all heights.

2-Door Single Wide and 4-Door Double Wide

	No Coat Hooks and 1 Adjustable Shelf	No Coat Hooks and 2 Adjustable Shelves	Coat Hooks and No Adjustable Shelf	Coat Hooks and 1 Adjustable Shelf	Coat Hooks and 2 Adjustable Shelves	Coat Rod* and No Adjustable Shelf
Height of Unit						
41.75"	N.A.	N.A.	●	N.A.	N.A.	N.A.
47.9375"	●	N.A.	●	●	N.A.	N.A.
54.125"	●	N.A.	●	●	N.A.	N.A.
66.5"	●	N.A.	●	●	N.A.	N.A.
72"	●	●	●	●	●	N.A.

* Tip: In order to specify coat rod, depth must equal 24"D for all heights.

3-Door Single Wide and 6-Door Double Wide

	No Coat Hooks and 1 Adjustable Shelf	No Coat Hooks and 2 Adjustable Shelves	Coat Hooks and No Adjustable Shelf	Coat Hooks and 1 Adjustable Shelf	Coat Hooks and 2 Adjustable Shelves	Coat Rod* and No Adjustable Shelf
Height of Unit						
47.9375"	N.A.	N.A.	●	N.A.	N.A.	N.A.
54.125"	N.A.	N.A.	●	N.A.	N.A.	N.A.
66.5"	N.A.	N.A.	●	N.A.	N.A.	N.A.
72"	●	N.A.	●	●	N.A.	N.A.


* Tip: In order to specify coat rod, depth must equal 24"D for all heights.

4-Door Single Wide and 8-Door Double Wide

	No Coat Hooks and 1 Adjustable Shelf	No Coat Hooks and 2 Adjustable Shelves	Coat Hooks and No Adjustable Shelf	Coat Hooks and 1 Adjustable Shelf	Coat Hooks and 2 Adjustable Shelves	Coat Rod* and No Adjustable Shelf
Height of Unit						
66.5"	N.A.	N.A.	●	N.A.	N.A.	N.A.
72"	N.A.	N.A.	●	N.A.	N.A.	N.A.

* Tip: In order to specify coat rod, depth must equal 24"D for all heights.

Uptake Lockers




Top Opening


All openings below top opening

		Height—Full Fronts					
		41.75"	47.9375"	54.125"	66.5"	72"	
1 Door	Opening	36.78"	42.96"	49.15"	61.53"	67.03"	
2 Door	Top Opening	17.84"	20.93"	24.03"	30.22"	32.97"	
2 Door	Bottom Opening	18.13"	21.23"	24.32"	30.51"	33.26"	
3 Door	Top Opening	N.A.	13.58"	15.64"	19.77"	21.60"	
3 Door	Openings below Top Opening	N.A.	13.91"	15.97"	20.10"	21.93"	
4 Door	Top Opening	N.A.	N.A.	N.A.	14.54"	15.92"	
4 Door	Openings below Top Opening	N.A.	N.A.	N.A.	14.87"	16.25"	
		Width					
		12"	15"	18"	24"	30"	36"
	Single Wide	10.39"	13.39"	16.39"	N.A.	N.A.	N.A.
	Double Wide	N.A.	N.A.	N.A.	10.80"	13.80"	16.80"
		Depth					
		18.875"	24"				
		17.10"	22.23"				

4-Door Single Wide and 8-Door Double Wide, continued




Recommended Sizes for Personal Items	
<19.7"	Book, purse, lunch box
19.7"–29.4"	Backpack
29.5"–47.1"	Suitcase
42"+	Coat




Available Space Below the Fixed Shelf			
	54.125"H	66.5"H	72"H
Uptake Locker Headset	36.35"	48.72"	51.46"

Grain Direction

Uptake Lockers



Single Column




Double Column

Single Run of Lockers

Individual single- or double-wide lockers cannot stand alone. If not secured to the building structure, the minimum locker numbers that need to be ganged depend on depth, height, and width, and are shown in the table below.

If locker widths vary in the application, rules for the narrowest width applies. A double-wide locker counts as two lockers.

Locker Depth (inches)	Locker Height (inches)	Locker Width (inches)	Minimum Locker Number
18 ≤ D ≤ 24	≤ 70	any	3
	> 70	≥ 15	4
		< 15	6




Back-to-Back Lockers

Individual lockers cannot stand alone. If not secured to the building structure, the minimum locker numbers that need to be ganged depend on width and are shown in the table below.


If locker depths are different on both sides, then the rules for the shallower depth applies. A double-wide locker counts as two lockers. These guidelines apply to all locker heights (41.75"–72").

Depth	Locker Width	Minimum Locker Number side-to-side
Any	≥ 12"	2
	> 12"	3




Electronic Lock Option

Keypad has visual and audible indicators.




Product Details



Digilock Versa electronic keypad locks are surface mounted on the door.

Digilock Versa electronic keypad locks come set to a shared use mode. The user locks with their credential and unlocks with the same credential. Once unlocked, the lock is reset for another user.

Digilock Versa electronic keypad locks are powered by two lithium 2450 batteries.




The programming key and manager key, ordered separately, are required if the electronic lock option is selected.
► Specifying, page 402

Surface Materials

Lock body
• 9211 Nickel

Digilock Versa electronic keypad locks enable facility managers to modify lock programming with an unique programming key and override locks using manager keys. Programming and manager keys are required if keyless lock option is selected.


► Specifying, page 432



The programming key is used during installation to pair the manager key to the lock.

The manager key is used to override the lock when a credential is lost or forgotten or the battery loses power. Additional manager keys can be paired at any time. One manager keys may be paired to infinite locks; however, each lock may only pair with up to six manager keys.

How to Program




1. Insert the programming key. A two-toned beep will be heard and the LED light will start to flash.
 2. While the LED light is flashing, insert one manager key at a time. A beep will be heard for each manager key that is programmed.
 3. Insert the programming key. A two-toned beep will be heard and the LED light will stop flashing.
 4. Repeat previous steps for each lock.
- Tip: The locks will arrive in the factory setting. During the process of pairing the manager key(s), the locks will be programmed into the shared setting.*

Specifying UPTAKE Lockers

UPTAKE Lockers	394
UPTAKE Adjustable Shelf	401
UPTAKE Digilock Keys	402

Uptake Lockers



Tip: Lockers have an inset top construction which provides consistent door gaps and a tighter fit of adjacent units when ganged together.

Tip: Heights do not apply to all configurations.

Tip: Pricing is per shelf. Adjustable shelf option applies per opening.

Tip: If Digilock Versa is selected, the Digilock programming key and manager key must be specified separately for proper setup. Additional keys are available.

Tip: Shelf option is per opening. For example, if one adjustable shelf is optioned on a 3-door unit, three adjustable shelves will be included.

Tip: Coat rod available on 24"D lockers only regardless of height and without adjustable shelf.

Standard Includes

- Locker: Low-Pressure Laminate
- Headset: Low-Pressure Laminate
- Ledge pull, if keyed lock selected: 9201 Polished Chrome
- Lock face ring with plastic plug to accommodate lock cylinder, if keyed lock selected: 9201 Polished Chrome
- Fixed shelf on one-door units 54"H and taller
- Two coat hooks on 18"D locker, if selected
- One coat rod on 24"D locker, if selected
- 1 1/4" adjustable leveling glides
- Ganging hardware

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate color number for case and headset
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 504.

	Options	U.S. Price	Required to Specify
Door	• Door hinged left • Door hinged right	No cost No cost	Specify with door hinged left. Specify with door hinged right.
Lock	• Standard key plug • Master key plug • Digilock Versa Keypad	No cost +\$ 41 +\$259	Specify with standard key plug. Specify with master key plug. Specify with digilock versa keypad.
Adjustable Shelf	• No adjustable shelf • One adjustable shelf • Two adjustable shelves	No cost Prices below Prices below	Specify with no adjustable shelf. Specify with one adjustable shelf. Specify with two adjustable shelves.
Interior Configuration	• Coat hooks • No hooks • Coat rod	No cost No cost +\$ 25	Specify with coat hooks. Specify with no hooks. Specify with coat rod.

• Dimensions D W

• Add to U.S. Base Price

Adjustable Shelf for Use with Single-Wide Lockers

18 7/8"	12"	+\$ 76
24"	12"	+\$ 81
18 7/8"	15"	+\$ 86
24"	15"	+\$ 93
18 7/8"	18"	+\$ 98
24"	18"	+\$103
:	:	:

Adjustable Shelf for Use with Double-Wide Lockers


18 7/8"	24"	+\$ 76
24"	24"	+\$ 81
18 7/8"	30"	+\$ 86
24"	30"	+\$ 93
18 7/8"	36"	+\$ 98
24"	36"	+\$103
:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.



Specification Information

Style Number	Dimensions			U.S. Base Price
	W	D	H	

Single-Wide Lockers—One Door

EMLKS1	12"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$1423
	12"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1462
	12"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1501
	12"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1540
	12"	18 ⁷ / ₈ "	72"	\$1579
	12"	24"	41 ³ / ₄ "	\$1462
	12"	24"	47 ¹⁵ / ₁₆ "	\$1501
	12"	24"	54 ¹ / ₈ "	\$1540
	12"	24"	66 ¹ / ₂ "	\$1579
	12"	24"	72"	\$1618
	15"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$1462
	15"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1501
	15"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1540
	15"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1579
	15"	18 ⁷ / ₈ "	72"	\$1618
	15"	24"	41 ³ / ₄ "	\$1501
	15"	24"	47 ¹⁵ / ₁₆ "	\$1540
	15"	24"	54 ¹ / ₈ "	\$1579
	15"	24"	66 ¹ / ₂ "	\$1618
	15"	24"	72"	\$1658
	18"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$1501
	18"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1540
	18"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1579
	18"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1618
	18"	18 ⁷ / ₈ "	72"	\$1658
	18"	24"	41 ³ / ₄ "	\$1540
	18"	24"	47 ¹⁵ / ₁₆ "	\$1579
	18"	24"	54 ¹ / ₈ "	\$1618
	18"	24"	66 ¹ / ₂ "	\$1658
	18"	24"	72"	\$1697

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

► Specification Information, continued from previous page


Specification Information

Style Number	Dimensions			U.S. Base Price
	W	D	H	

Single-Wide Lockers—Two Door

EMLKS2	12"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$1530
	12"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1569
	12"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1609
	12"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1648
	12"	18 ⁷ / ₈ "	72"	\$1688
	12"	24"	41 ³ / ₄ "	\$1569
	12"	24"	47 ¹⁵ / ₁₆ "	\$1609
	12"	24"	54 ¹ / ₈ "	\$1648
	12"	24"	66 ¹ / ₂ "	\$1688
	12"	24"	72"	\$1726
	15"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$1569
	15"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1609
	15"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1648
	15"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1688
	15"	18 ⁷ / ₈ "	72"	\$1726
	15"	24"	41 ³ / ₄ "	\$1609
	15"	24"	47 ¹⁵ / ₁₆ "	\$1648
	15"	24"	54 ¹ / ₈ "	\$1688
	15"	24"	66 ¹ / ₂ "	\$1726
	15"	24"	72"	\$1765
	18"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$1609
	18"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1648
	18"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1688
	18"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1726
	18"	18 ⁷ / ₈ "	72"	\$1765
	18"	24"	41 ³ / ₄ "	\$1648
	18"	24"	47 ¹⁵ / ₁₆ "	\$1688
	18"	24"	54 ¹ / ₈ "	\$1726
	18"	24"	66 ¹ / ₂ "	\$1765
	18"	24"	72"	\$1804

► Specification Information, continued on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

► Specification Information, continued from previous page

Specification Information



Style Number	Dimensions			U.S. Base Price
	W	D	H	

Single-Wide Lockers—Three Door

EMLKS3	12"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1678
	12"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1717
	12"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1757
	12"	18 ⁷ / ₈ "	72"	\$1795
	12"	24"	47 ¹⁵ / ₁₆ "	\$1717
	12"	24"	54 ¹ / ₈ "	\$1757
	12"	24"	66 ¹ / ₂ "	\$1795
	12"	24"	72"	\$1835
	15"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1717
	15"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1757
	15"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1795
	15"	18 ⁷ / ₈ "	72"	\$1835
	15"	24"	47 ¹⁵ / ₁₆ "	\$1757
	15"	24"	54 ¹ / ₈ "	\$1795
	15"	24"	66 ¹ / ₂ "	\$1835
	15"	24"	72"	\$1874
	18"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$1757
	18"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$1795
	18"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1835
	18"	18 ⁷ / ₈ "	72"	\$1874
	18"	24"	47 ¹⁵ / ₁₆ "	\$1795
	18"	24"	54 ¹ / ₈ "	\$1835
	18"	24"	66 ¹ / ₂ "	\$1874
	18"	24"	72"	\$1914

Single-Wide Lockers—Four Door

EMLKS4	12"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1863
	12"	18 ⁷ / ₈ "	72"	\$1902
	12"	24"	66 ¹ / ₂ "	\$1902
	12"	24"	72"	\$1942
	15"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1902
	15"	18 ⁷ / ₈ "	72"	\$1942
	15"	24"	66 ¹ / ₂ "	\$1942
	15"	24"	72"	\$1981
	18"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$1942
	18"	18 ⁷ / ₈ "	72"	\$1981
	18"	24"	66 ¹ / ₂ "	\$1981
	18"	24"	72"	\$2021



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

► See Page 4 for details.

► Specification Information, continued on next page

► Specification Information, continued from previous page

Specification Information

Style Number	Dimensions			U.S. Base Price
	W	D	H	

Double-Wide Lockers—Two Door

EMLKD2	24"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$2559
	24"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$2630
	24"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$2700
	24"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$2773
	24"	18 ⁷ / ₈ "	72"	\$2843
	24"	24"	41 ³ / ₄ "	\$2630
	24"	24"	47 ¹⁵ / ₁₆ "	\$2700
	24"	24"	54 ¹ / ₈ "	\$2773
	24"	24"	66 ¹ / ₂ "	\$2843
	24"	24"	72"	\$2913
	30"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$2630
	30"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$2700
	30"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$2773
	30"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$2843
	30"	18 ⁷ / ₈ "	72"	\$2913
	30"	24"	41 ³ / ₄ "	\$2700
	30"	24"	47 ¹⁵ / ₁₆ "	\$2773
	30"	24"	54 ¹ / ₈ "	\$2843
	30"	24"	66 ¹ / ₂ "	\$2913
	30"	24"	72"	\$2984
	36"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$2700
	36"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$2773
	36"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$2843
	36"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$2913
	36"	18 ⁷ / ₈ "	72"	\$2984
	36"	24"	41 ³ / ₄ "	\$2773
	36"	24"	47 ¹⁵ / ₁₆ "	\$2843
	36"	24"	54 ¹ / ₈ "	\$2913
	36"	24"	66 ¹ / ₂ "	\$2984
	36"	24"	72"	\$3054

► Specification Information, continued on next page

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See Page 4 for details.

► Specification Information, continued from previous page

Specification Information

Style Number	Dimensions			U.S. Base Price
	W	D	H	

Double-Wide Lockers—Four Door

EMLKD4	24"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$2754
	24"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$2825
	24"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$2895
	24"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$2967
	24"	18 ⁷ / ₈ "	72"	\$3037
	24"	24"	41 ³ / ₄ "	\$2825
	24"	24"	47 ¹⁵ / ₁₆ "	\$2895
	24"	24"	54 ¹ / ₈ "	\$2967
	24"	24"	66 ¹ / ₂ "	\$3037
	24"	24"	72"	\$3108
	30"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$2825
	30"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$2895
	30"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$2967
	30"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$3037
	30"	18 ⁷ / ₈ "	72"	\$3108
	30"	24"	41 ³ / ₄ "	\$2895
	30"	24"	47 ¹⁵ / ₁₆ "	\$2967
	30"	24"	54 ¹ / ₈ "	\$3037
	30"	24"	66 ¹ / ₂ "	\$3108
	30"	24"	72"	\$3177
	36"	18 ⁷ / ₈ "	41 ³ / ₄ "	\$2895
	36"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$2967
	36"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$3037
	36"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$3108
	36"	18 ⁷ / ₈ "	72"	\$3177
	36"	24"	41 ³ / ₄ "	\$2967
	36"	24"	47 ¹⁵ / ₁₆ "	\$3037
	36"	24"	54 ¹ / ₈ "	\$3108
	36"	24"	66 ¹ / ₂ "	\$3177
	36"	24"	72"	\$3249

► Specification Information, continued on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

► Specification Information, continued from previous page

Specification Information


Style Number	Dimensions			U.S. Base Price
	W	D	H	

Double-Wide Lockers—Six Door

EMLKD6	24"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$3019
	24"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$3090
	24"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$3160
	24"	18 ⁷ / ₈ "	72"	\$3231
	24"	24"	47 ¹⁵ / ₁₆ "	\$3090
	24"	24"	54 ¹ / ₈ "	\$3160
	24"	24"	66 ¹ / ₂ "	\$3231
	24"	24"	72"	\$3301
	30"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$3090
	30"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$3160
	30"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$3231
	30"	18 ⁷ / ₈ "	72"	\$3301
	30"	24"	47 ¹⁵ / ₁₆ "	\$3160
	30"	24"	54 ¹ / ₈ "	\$3231
	30"	24"	66 ¹ / ₂ "	\$3301
	30"	24"	72"	\$3373
	36"	18 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	\$3160
	36"	18 ⁷ / ₈ "	54 ¹ / ₈ "	\$3231
	36"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$3301
	36"	18 ⁷ / ₈ "	72"	\$3373
	36"	24"	47 ¹⁵ / ₁₆ "	\$3231
	36"	24"	54 ¹ / ₈ "	\$3301
	36"	24"	66 ¹ / ₂ "	\$3373
	36"	24"	72"	\$3444

Double-Wide Lockers—Eight Door

EMLKD8	24"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$3354
	24"	18 ⁷ / ₈ "	72"	\$3426
	24"	24"	66 ¹ / ₂ "	\$3426
	24"	24"	72"	\$3496
	30"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$3426
	30"	18 ⁷ / ₈ "	72"	\$3496
	30"	24"	66 ¹ / ₂ "	\$3496
	30"	24"	72"	\$3566
	36"	18 ⁷ / ₈ "	66 ¹ / ₂ "	\$3496
	36"	18 ⁷ / ₈ "	72"	\$3566
	36"	24"	66 ¹ / ₂ "	\$3566
	36"	24"	72"	\$3637

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

Tip: Widths do not apply to all configurations.

Tip: Adjustable shelf for double-wide locker includes one shelf for use in one side of the double-wide locker.

Tip: Width listed for double-wide locker is locker width, shelf width will be sized to fit in one side of double-wide locker.

Tip: **EMLKSHFS** and **EMLKSHFD** should only be specified as separate line items if extra adjustable shelves are needed beyond what can be optioned on. Otherwise, specify adjustable shelves as options within the locker style numbers.



Standard Includes

- Shelf: Low-Pressure Laminate case
- Mounting hardware

Required to Specify

- 1 Style number
- 2 Low-Pressure Laminate color number for shelf
- See *Surface Materials*, page 504.

Specification Information

Style Number	Dimensions		U.S. Price
	W	D	

Adjustable Shelf—Single-Wide Locker

EMLKSHFS	12"	18 ⁷ / ₈ "	\$ 76
	12"	24"	\$ 81
	15"	18 ⁷ / ₈ "	\$ 86
	15"	24"	\$ 93
	18"	18 ⁷ / ₈ "	\$ 98
	18"	24"	\$103

Adjustable Shelf—Double-Wide Locker

EMLKSHFD	12"	18 ⁷ / ₈ "	\$ 76
	12"	24"	\$ 81
	15"	18 ⁷ / ₈ "	\$ 86
	15"	24"	\$ 93
	18"	18 ⁷ / ₈ "	\$ 98
	18"	24"	\$103



For Canadian Pricing



Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

Keys

Tip: The manager key is available as an accommodation to the locking unit.

Tip: The manager and programming keys must be specified if the Digilock versa keypad option is optioned.



Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|--------------|
| <ul style="list-style-type: none">• Digilock key: 9211 Nickel• Instructions | Style number |
|--|--------------|

Specification Information	
---------------------------	--

•Style Number	•U.S. Price

Manager Key	
--------------------	--

EMLKMKEY	\$110

Programming Key	
------------------------	--

EMLKPKEY	\$139



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

West Elm Furniture


	
Statement of Line	404
	
Greenpoint	
Understanding	406
Specifying	408
Linear Personal Table	
Specifying	411

Statement of Line


Furniture

Greenpoint Private Office

Desks and Returns




Private Desk
Understanding
▶ Page 406
Specifying
▶ Page 408




Desk Return with Leg
Understanding
▶ Page 406
Specifying
▶ Page 409

Modesty Panel



Understanding
▶ Page 406
Specifying
▶ Page 409

Wire Managers




1 3/4" D Wire Manager
Specifying
▶ Page 410



Wire Clip
Specifying
▶ Page 410

Greenpoint Private Office



Specifying
▶ Page 411

Greenpoint Private Office


Greenpoint private office offers a contemporary take on the private office with it's distinct visual language and fresh material options.




Private desk worksur-
faces are 1 1/8" thick. They are specified with High-Pressure Laminate. Height of the private desk is 29 1/2".

Desk returns are available for private desks and can be specified with a leg support.


A modesty panel is available and ordered separately. They can be specified in High-Pressure Laminate. Modesty panel can be mounted flush or inset.

Leveling glides provide 1 1/2" adjustment.




Product Details


Private desks are available in a range of sizes and come standard with two legs. Desk returns and modesty panels are also available.



Legs are welded metal.




Glides are adjustable and provide 1 1/2" adjustment.



Desk returns are used with private desks to form L-shape configurations, where everything is in reach.

Modesty panels cannot be used on the return side of this configuration.



Modesty panel can be mounted flush or inset. Height can be adjusted to provide cord pass-through.

Surface Materials**Worksurface and modesty panel**

- 2409 Clear Maple
- 2410 Graphite Walnut
- 2412 Natural Cherry
- 2535 Virginia Walnut
- 2538 Clear Walnut
- 2730 Arctic White
- 2759 Warm White
- 2883 Seagull
- 2884 Milk
- 2HAK Clear Oak
- 2HAT Acacia
- 2LAW Ash Wenge
- 2HCN Clay Noce
- 2HCW Clay Wenge


Frame and base

- 4799 Platinum Metallic
- 7207 Black

West Elm Furniture

Greenpoint

Greenpoint Private Desk



Standard Includes

- ▶ Need help? Product details, page 406
- Desk worksurface: High-Pressure Laminate
- Square tube legs (frame): paint price group 1
- 1½" leveling glides

Required to Specify

- 1 Style number
 - 2 Laminate color number for worksurface
 - 3 Paint color number for frame
 - 4 Options, if selected (see below)
- ▶ See *Surface Materials*, page 504.

Options

Surface Materials	Frame	U.S. Price	Required to Specify
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$46	Specify paint color number.

Specification Information

Style Number	Depth	U.S. Base Prices		
		60"	66"	72"
AMQWESINDPD	30"	\$2419	\$2488	\$2558




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See Page 4 for details.

Greenpoint Desk Return with Leg




Standard Includes	Required to Specify
- Need help? Product details, page 406 - Desk worksurface: High-Pressure Laminate - Square tube legs (frame): paint price group 1 1½" leveling glides	1 Style number 2 Laminate color number for worksurface 3 Paint color number for frame/legs 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 504.

Options	U.S. Price	Required to Specify
Surface Materials Frame - Paint price group 1 - Paint price group 2	No cost +\$21	Specify paint color number. Specify paint color number.

Specification Information

Style Number	Depth	U.S. Base Prices	
		42"	48"
AMQWESINDRL	24"	\$1336	\$1403

Greenpoint Modesty Panel



Standard Includes	Required to Specify
- Need help? Product details, page 406 - Modesty panel: High-Pressure Laminate - Mounting bracket: black paint	1 Style number 2 Laminate color number for modesty panel ▶ See <i>Surface Materials</i>, page 504.

Specification Information

Style Number	Depth	U.S. Prices		
		60"	66"	72"
AMQWESINDMP	12½"	\$570	\$602	\$629



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Greenpoint Private Office


Accessories

Wire Clips



Standard Includes		Required to Specify
▶ Need help? Product details, page 406	• Carton of six wire clips: black plastic only • Foam tape • Mounting screws	Style number
Specification Information		
• Style Number	• U.S. Price	
AMQ999CHT	\$120	

Wire Manager



Standard Includes		Required to Specify	
▶ Need help? Product details, page 406	• Wire manager: 6000 Black • Attachment hardware	Style number	


Specification Information					
• Dimensions			• Weight	• Style Number	• U.S. Price
D	W	H			
1¾"	30"	1¾"	0.56 lb	AMQAWM30	\$79



For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

▶ See [Page 4](#) for details.



Standard Includes	Required to Specify
• Table: natural oak	Style number

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
13½"	24"	26½"	AMQWEM8	\$757

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

AMQ Seating

JAKU	415
ZILO	423
PERSONALITY PLUS	435
BODI	441
FL-X	445
TIZU	449
BRIN	455
WEST ELM SEATING	459

JAKU

Jaku Features

Frame available in White and Black

Base available in Polished Aluminum, White and Black

Removable Seat Covers

Smart Sync Mechanism with Variable Back Stop with Tension Adjustment

Step Sync Mech with Multi-Position Back Lock and Tension Knob

3-Way Adjustable or Fixed Arms

Adjustable Lumbar Support

Seat Depth Adjustment (seat slider)

Waterfall Seat Design

Fully Assembled option



Jaku Specifications

Weight Capacity	275 lbs
Net Weight	38 lbs
Back Dimensions	18.25"w x 22"h
Seat Dimensions	19.25"w x 19.75"d
Seat Height	17" - 20.25"
Back Height	39.25" - 42.5"
Arms Span (outside edges)	24.25" - 26.75"
Adjustable Seat Depth	16.5" - 17.75"
Base Width	27"
Body Frame Material	Nylon
Base Materials	Polished Aluminum and Nylon
Cushion Seats	Polyurethane fill
Seat Covers	Removable with velcro closure
Mesh Back Material	Polyester
Castors	Soft* (Black or White/Grey)
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: Illustration above shows chair with arms, which is not included in the base price.

Tip: The step sync mechanism and step sync cylinder options will be culled October 18, 2026.

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Standard Includes		Required to Specify	
3¼" pneumatic seat-height adjustment (17.0"–20.25") - Plastic frame - Plastic base - Seat depth adjustment (seat slider) - Fabric price group 1 on seat - Removable seat covers with velcro closure - Armless - Adjustable lumbar support - Mesh back - Step Sync mechanism with multi-position back lock and tension knob: black 2½" diameter, soft-composition, dual-wheel black casters		- Style number - Fabric color number for seat - Color number for frame - Color number for base - Options, if selected (see below) ► See <i>Surface Materials</i>, page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials			
Back frame			
• Black frame	No cost	Specify with black frame.	
• White frame	+\$ 13	Specify with white frame.	
Back			
• Fabric price group 1	No cost	Specify fabric color number.	
Seat cover			
• Fabric price group 1	No cost	Specify fabric color number.	
• Fabric price group 2	+\$ 22	Specify fabric color number.	
• Vinyl price group 2	+\$ 22	Specify vinyl color number.	
• Fabric price group 3	+\$ 43	Specify fabric color number.	
• Polyurethane	+\$ 77	Specify polyurethane color number.	
Seat shell			
• Black plastic seat shell	No cost	Specify with black plastic seat shell.	
• Grey plastic seat shell	+\$ 8	Specify with grey plastic seat shell.	
Base			
• Black base	No cost	Specify with black base.	
• White base	+\$ 14	Specify with white base.	
• Polished aluminum base	+\$ 34	Specify with polished aluminum base.	
Arms			
• Armless	No cost	Specify with no arms.	
• Fixed, black	+\$ 94	Specify with fixed black arms.	
• Fixed, white	+\$ 99	Specify with fixed white arms.	
• 3-way adjustable, black	+\$142	Specify with 3-way adjustable black arms.	
• 3-way adjustable, white	+\$148	Specify with 3-way adjustable white arms.	
Mechanism			
• Step sync mechanism, black ~~FX10/26~~	No cost	Specify with black step sync mechanism.	
• Smart sync mechanism, black	+\$ 71	Specify with black smart sync mechanism.	
• Smart sync mechanism, grey	+\$ 72	Specify with grey smart sync mechanism.	
Cylinder			
• Smart sync cylinder, chrome	No cost	Specify with chrome smart sync cylinder.	
• Smart sync cylinder, black	No cost	Specify with black smart sync cylinder.	
• Smart sync cylinder, white	No cost	Specify with white smart sync cylinder.	
• Step sync cylinder, black ~~FX10/26~~	No cost	Specify with black step sync cylinder.	
• Step sync cylinder, chrome ~~FX10/26~~	No cost	Specify with chrome step sync cylinder.	
• Step sync cylinder, white ~~FX10/26~~	No cost	Specify with white step sync cylinder.	
Casters or Glides			
• Soft, black	No cost	Specify with black soft casters/glides.	
• Soft, 2-tone grey	+\$ 5	Specify with 2-tone grey soft casters/glides.	
Packaging			
• Knocked down	No cost	Specify knocked down.	
• Fully assembled	+\$102	Specify fully assembled.	

Specification Information

Style Number	U.S. Base Price
JAKUCHAIR	\$780

~~FX10/26~~ = Last order entry
October 18, 2026

JAKU Pre-Configured Chairs

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: Smart Sync mechanism, 3-way adjustable arms, polished aluminum base, and white/grey casters.

Standard Includes		Required to Specify	
• Seat cover: fabric price group 1 • 3¼" pneumatic seat-height adjustment (17.0"–20.25") • Adjustable lumbar support • Backrest: white with grey mesh • Smart Sync mechanism with tension dial and variable back stop • 3-way adjustable arms • 2½" diameter, soft-composition, dual-wheel white/grey casters • Polished aluminum base		1 Style number 2 Fabric color number for seat 3 Paint number for frame 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.	
Surface Materials	Options	U.S. Price	Required to Specify
	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl price group 2	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 44	Specify fabric color number.
	• Polyurethane	+\$ 78	Specify polyurethane color number.
Packaging	• Knocked down	No cost	Specify knocked down.
	• Fully assembled	+\$102	Specify fully assembled.
Specification Information			
Style Number	U.S. Base Price		
JAKU001	\$1060		

Pre-Configured Chair **✕10/26**



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: Step Sync mechanism, 3-way adjustable arms, polished aluminum base, and white/grey casters.

Standard Includes		Required to Specify	
• Seat cover: fabric price group 1 • 3¼" pneumatic seat-height adjustment (17.0"–20.25") • Adjustable lumbar support • Backrest: white with grey mesh • Step Sync mechanism with multi-position back lock and tension knob • 3-way adjustable arms • 2½" diameter, soft-composition, dual-wheel white/grey casters • Polished aluminum base		1 Style number 2 Fabric color number for seat 3 Paint number for frame 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.	
Surface Materials	Options	U.S. Price	Required to Specify
	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl price group 2	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 44	Specify fabric color number.
	• Polyurethane	+\$ 78	Specify polyurethane color number.
Packaging	• Knocked down	No cost	Specify knocked down.
	• Fully assembled	+\$102	Specify fully assembled.
Specification Information			
Style Number	U.S. Base Price		
JAKU002 ✕10/26	\$988		



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

✕10/26 = Last order entry
October 18, 2026

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: Smart Sync mechanism, 3-way adjustable arms, white base, and white/grey casters.

Standard Includes		Required to Specify	
• Seat cover: fabric price group 1 • 3¼" pneumatic seat-height adjustment (17.0"–20.25") • Adjustable lumbar support • Backrest: white with grey mesh • Smart Sync mechanism with tension dial and variable back stop • 3-way adjustable arms • 2½" diameter, soft-composition, dual-wheel white/grey casters • White base		1 Style number 2 Fabric color number for seat 3 Paint number for frame 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl price group 2	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 44	Specify fabric color number.
	• Polyurethane	+\$ 78	Specify polyurethane color number.
Packaging	• Knocked down	No cost	Specify knocked down.
	• Fully assembled	+\$102	Specify fully assembled.
Specification Information			
Style Number	U.S. Base Price		
JAKU003	\$1039		

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: Smart Sync mechanism, 3-way adjustable arms, polished aluminum base, and black casters.

Standard Includes		Required to Specify	
• Seat cover: fabric price group 1 • 3¼" pneumatic seat-height adjustment (17.0"–20.25") • Adjustable lumbar support • Backrest: black with black mesh • Smart Sync mechanism with tension dial and variable back stop • 3-way adjustable arms • 2½" diameter, soft-composition, dual-wheel black casters • Polished aluminum base		1 Style number 2 Fabric color number for seat 3 Paint number for frame 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl price group 2	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 44	Specify fabric color number.
	• Polyurethane	+\$ 78	Specify polyurethane color number.
Packaging	• Knocked down	No cost	Specify knocked down.
	• Fully assembled	+\$102	Specify fully assembled.
Specification Information			
Style Number	U.S. Base Price		
JAKU004	\$1029		



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Pre-Configured Chair **10/26**



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: Step Sync mechanism, 3-way adjustable arms, polished aluminum base, and black casters.

Standard Includes		Required to Specify	
- Seat cover: fabric price group 1 3¼" pneumatic seat-height adjustment (17.0"–20.25") - Adjustable lumbar support - Backrest: black with black mesh - Step Sync mechanism with multi-position back lock and tension knob 3-way adjustable arms 2½" diameter, soft-composition, dual-wheel black casters - Polished aluminum base		- Style number - Fabric color number for seat - Paint number for frame - Options, if selected (see below) ► See <i>Surface Materials</i>, page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials	Seat cover - Fabric price group 1 - Fabric price group 2 - Vinyl price group 2 - Fabric price group 3 - Polyurethane	No cost +\$ 22 +\$ 22 +\$ 44 +\$ 78	Specify fabric color number. Specify fabric color number. Specify vinyl color number. Specify fabric color number. Specify polyurethane color number.
Packaging	- Knocked down - Fully assembled	No cost +\$102	Specify knocked down. Specify fully assembled.
Specification Information			
Style Number	U.S. Base Price		
JAKU005 10/26	\$956		

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: Smart Sync mechanism, 3-way adjustable arms, black base, and black casters.

Standard Includes		Required to Specify	
- Seat cover: fabric price group 1 3¼" pneumatic seat-height adjustment (17.0"–20.25") - Adjustable lumbar support - Backrest: black with black mesh - Smart Sync mechanism with tension dial and variable back stop 3-way adjustable arms 2½" diameter, soft-composition, dual-wheel black casters - Black base		- Style number - Fabric color number for seat - Paint number for frame - Options, if selected (see below) ► See <i>Surface Materials</i>, page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials	Seat cover - Fabric price group 1 - Fabric price group 2 - Vinyl price group 2 - Fabric price group 3 - Polyurethane	No cost +\$ 22 +\$ 22 +\$ 44 +\$ 78	Specify fabric color number. Specify fabric color number. Specify vinyl color number. Specify fabric color number. Specify polyurethane color number.
Packaging	- Knocked down - Fully assembled	No cost +\$102	Specify knocked down. Specify fully assembled.
Specification Information			
Style Number	U.S. Base Price		
JAKU006	\$992		



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

10/26 = Last order entry
 October 18, 2026

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: Smart Sync mechanism, fixed arms, polished aluminum base, and white/grey casters.

Standard Includes		Required to Specify	
• Seat cover: fabric price group 1 • 3¼" pneumatic seat-height adjustment (17.0"–20.25") • Adjustable lumbar support • Backrest: white with grey mesh • Smart Sync mechanism with tension dial and variable back stop • Fixed arms • 2½" diameter, soft-composition, dual-wheel white/grey casters • Polished aluminum base		1 Style number 2 Fabric color number for seat 3 Paint number for frame 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl price group 2	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 44	Specify fabric color number.
	• Polyurethane	+\$ 78	Specify polyurethane color number.
Packaging	• Knocked down	No cost	Specify knocked down.
	• Fully assembled	+\$102	Specify fully assembled.
Specification Information			
Style Number	U.S. Base Price		
JAKU007	\$1011		

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: Smart Sync mechanism, fixed arms, polished aluminum base, and black casters.

Standard Includes		Required to Specify	
• Seat cover: fabric price group 1 • 3¼" pneumatic seat-height adjustment (17.0"–20.25") • Adjustable lumbar support • Backrest: black with black mesh • Smart Sync mechanism with tension dial and variable back stop • Fixed arms • 2½" diameter, soft-composition, dual-wheel black casters • Polished aluminum base		1 Style number 2 Fabric color number for seat 3 Paint number for frame 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl price group 2	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 44	Specify fabric color number.
	• Polyurethane	+\$ 78	Specify polyurethane color number.
Packaging	• Knocked down	No cost	Specify knocked down.
	• Fully assembled	+\$102	Specify fully assembled.
Specification Information			
Style Number	U.S. Base Price		
JAKU008	\$978		



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See Page 4 for details.

JAKU Seat Cover



Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|--|
| <ul style="list-style-type: none"> • Seat cover, fabric price group 1 | 1 Style number
2 Fabric color number for seat cover
3 Options, if selected (see below)
▶ See <i>Surface Materials</i> , page 506. |
|--|--|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Surface Materials	Seat cover		
	• Fabric price group 2	+\$22	Specify fabric color number.
	• Vinyl price group 2	+\$22	Specify vinyl color number.
	• Fabric price group 3	+\$43	Specify fabric color number.
	• Polyurethane	+\$77	Specify polyurethane color number.

Specification Information

• Style Number	• U.S. Base Price
JAKUSEATCOVER	\$71



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See Page 4 for details.

ZILLO

Zilo Features

Choose from standard configurations or customize your own

Available in Black, White or All Mesh

Choose from Mid or High Back

Full Syncro Mechanism with Tension Adjuster

2 Position Lock with Sliding Seat Mechanism

3-way Adjustable or Fixed Loop Arm styles

Adjustable Lumbar Support

Removable Seat Covers in 2 material options (fabric and polyurethane)



Zilo Specifications

Weight Capacity	275 lbs
Net Weight	38 lbs
Height Range	39.5" - 43.5"
High Back Dimensions	18"w x 21.5"h
Mid-Back Dimensions	18"w x 18.5"h
Seat Dimensions	19.25"w x 20"d
Seat Height Range	18.5" - 22.75"
Arms Span (outside edges)	25.25" - 26.5"
Body Frame Material	Nylon
Base Materials	Polished Aluminum and Nylon
Base Width	Nylon: 27" / Polished Aluminum: 27.5"
Cushion Seats	Polyurethane fill
Seat Covers	Removable with velcro closure
Mesh Back Material	Polyester/Polyelastomer/Nylon
Castors	Soft* PU (Black or White/Grey)
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: Illustration above shows chair with arms, which is not included in the base price.

Tip: When the all mesh option is selected, a seat cover is not specified. Please refer to the electronic catalog or SmartTools for pricing.

Tip: The black all mesh options will be culled October 18, 2026.

Standard Includes

- Seat: fabric price group 1
- Seat shell: black plastic
- 4 1/4" pneumatic seat-height adjustment (18 1/2"-22 3/4")
- Frame: black plastic
- Base: black plastic
- Seat depth adjustment (seat slider)
- Removable seat covers with velcro closure
- Armless
- Adjustable lumbar support
- Mesh back: fabric
- Synchronized mechanism with tension adjustment
- 2 1/2" diameter, soft-composition, dual-wheel black casters

Required to Specify

- 1 Style number
 - 2 Fabric color number for seat
 - 3 Fabric color number for back
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 506.

	Options	U.S. Price	Required to Specify
Surface Materials	Back frame		
	• Mid back-black, 22 1/2" high	No cost	Specify with mid back-black, 22 1/2" high.
	• Mid back-white, 22 1/2" high	+\$ 13	Specify with mid back-white, 22 1/2" high.
	• High back-black, 26" high	+\$ 59	Specify with high back-black, 26" high.
	• High back-black mesh for mesh seat £10/26	+\$ 58	Specify with high back-black mesh for mesh seat.
	• High back-white, 26" high	+\$ 71	Specify with high back-white, 26" high.
	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl price group 2	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 43	Specify fabric color number.
	• Polyurethane	+\$ 77	Specify polyurethane color number.
	Seat shell		
	• Black plastic seat shell	No cost	Specify with black plastic seat shell.
	• White plastic seat shell	+\$ 7	Specify with white plastic seat shell.
	• Black shell, for all mesh chair £10/26	+\$ 72	Specify with black shell, for all mesh chair.
	Base		
	• Black base	No cost	Specify with black base.
	• White base	+\$ 16	Specify with white base.
	• Polished aluminum base	+\$ 36	Specify with polished aluminum base.
Arm	• Armless	No cost	Specify with armless.
	• Fixed loop, black	+\$ 79	Specify with fixed loop, black.
	• Fixed loop, white	+\$ 85	Specify with fixed loop, white.
	• 3-way adjustable, black	+\$120	Specify with 3-way adjustable, black.
	• 3-way adjustable, white	+\$128	Specify with 3-way adjustable, white.
Mechanism	• Synchro with tension adjust	No cost	Specify with synchro with tension adjust.
	• Swivel, draft ring with extension cylinder	+\$195	Specify with swivel, draft ring with extension cylinder.
Caster	• Soft, black	No cost	Specify with soft, black.
	• Soft, 2-tone grey	+\$ 5	Specify with soft, 2-tone grey.
Packaging	• Knocked down	No cost	Specify with knocked down.
	• Fully assembled	+\$102	Specify with fully assembled.

Specification Information

Style Number	U.S. Base Price
ZILOCHAIR	\$711

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

£10/26 = Last order entry
October 18, 2026

ZILO Pre-Configured Chair

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, 3-way adjustable arms, polished aluminum base, and white casters.

Standard Includes	Required to Specify
• Seat: fabric price group 1 • 4 1/4" pneumatic seat-height adjustment (18 1/2"–22 3/4") • Adjustable lumbar support • Synchronized mechanism with tension adjustment • High backrest: white with grey mesh • 3-way adjustable arms • 2 1/2" diameter, soft-composition, dual-wheel white casters • Polished aluminum base	1 Style number 2 Fabric color number for seat 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.

Options	U.S. Price	Required to Specify
Surface Materials • Seat cover • Fabric price group 1 • Fabric price group 2 • Vinyl price group 2 • Fabric price group 3 • Polyurethane	- No cost +\$ 22 +\$ 22 +\$ 44 +\$ 78	- Specify fabric color number. - Specify fabric color number. - Specify vinyl color number. - Specify fabric color number. - Specify polyurethane color number.
Packaging • Knocked down • Fully assembled	- No cost +\$102	- Specify <i>with knocked down</i>. - Specify <i>with fully assembled</i>.

Specification Information	
Style Number	U.S. Base Price
ZILO001	\$959



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, 3-way adjustable arms, white base, and white casters.

Standard Includes	Required to Specify
• Seat: fabric price group 1 • 4 1/4" pneumatic seat-height adjustment (18 1/2"–22 3/4") • Adjustable lumbar support • Synchronized mechanism with tension adjustment • High backrest: white with grey mesh • 3-way adjustable arms • 2 1/2" diameter, soft-composition, dual-wheel white casters • White base	1 Style number 2 Fabric color number for seat 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.

Options	U.S. Price	Required to Specify
Surface Materials • Seat cover • Fabric price group 1 • Fabric price group 2 • Vinyl price group 2 • Fabric price group 3 • Polyurethane	- No cost +\$ 22 +\$ 22 +\$ 44 +\$ 78	- Specify fabric color number. - Specify fabric color number. - Specify vinyl color number. - Specify fabric color number. - Specify polyurethane color number.
Packaging • Knocked down • Fully assembled	- No cost +\$102	- Specify <i>with knocked down</i>. - Specify <i>with fully assembled</i>.

Specification Information	
Style Number	U.S. Base Price
ZILO002	\$938

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, 3-way adjustable arms, polished aluminum base, and black casters.

Standard Includes	Required to Specify
• Seat: fabric price group 1 • 4 1/4" pneumatic seat-height adjustment (18 1/2"–22 3/4") • Adjustable lumbar support • Synchronized mechanism with tension adjustment • High backrest: black with black mesh • 3-way adjustable arms • 2 1/2" diameter, soft-composition, dual-wheel black casters • Polished aluminum base	1 Style number 2 Fabric color number for seat 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.

Options	U.S. Price	Required to Specify
Surface Materials • Seat cover • Fabric price group 1 • Fabric price group 2 • Vinyl price group 2 • Fabric price group 3 • Polyurethane	- No cost +\$ 22 +\$ 22 +\$ 44 +\$ 78	- Specify fabric color number. - Specify fabric color number. - Specify vinyl color number. - Specify fabric color number. - Specify polyurethane color number.
Packaging • Knocked down • Fully assembled	- No cost +\$102	- Specify <i>with knocked down</i>. - Specify <i>with fully assembled</i>.

Specification Information	
Style Number	U.S. Base Price
ZILO003	\$924



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See Page 4 for details.

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, 3-way adjustable arms, black base, and black casters.

Standard Includes	Required to Specify
• Seat: fabric price group 1 • 4 1/4" pneumatic seat-height adjustment (18 1/2"–22 3/4") • Adjustable lumbar support • Synchronized mechanism with tension adjustment • High backrest: black with black mesh • 3-way adjustable arms • 2 1/2" diameter, soft-composition, dual-wheel black casters • Black base	1 Style number 2 Fabric color number for seat 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.

	Options	U.S. Price	Required to Specify
Surface Materials	Seat cover • Fabric price group 1 • Fabric price group 2 • Vinyl price group 2 • Fabric price group 3 • Polyurethane	No cost +\$ 22 +\$ 22 +\$ 44 +\$ 78	Specify fabric color number. Specify fabric color number. Specify vinyl color number. Specify fabric color number. Specify polyurethane color number.
Packaging	• Knocked down • Fully assembled	No cost +\$102	Specify <i>with knocked down</i> . Specify <i>with fully assembled</i> .

Specification Information	
Style Number	U.S. Base Price
ZILO004	\$887



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Pre-Configured Chair **10/26**



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back and seat, 3-way adjustable arms, polished aluminum base, and black casters.

Standard Includes	Required to Specify
• Seat: fabric price group 1 • 4 1/4" pneumatic seat-height adjustment (18 1/2"–22 3/4") • Adjustable lumbar support • Synchronized mechanism with tension adjustment • Mesh back and seat • High backrest: black with black mesh • 3-way adjustable arms • 2 1/2" diameter, soft-composition, dual-wheel black casters • Polished aluminum base	1 Style number 2 Fabric color number for seat 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.

	Options	U.S. Price	Required to Specify
Packaging	• Knocked down • Fully assembled	- No cost +\$102	- Specify <i>with knocked down</i>. - Specify <i>with fully assembled</i>.

Specification Information	
Style Number	U.S. Base Price
ZILO005 10/26	\$996



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See Page 4 for details.

10/26 = Last order entry
October 18, 2026

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, fixed loop arms, polished aluminum base, and white casters.

Standard Includes	Required to Specify
• Seat: fabric price group 1 • 4 1/4" pneumatic seat-height adjustment (18 1/2"–22 3/4") • Adjustable lumbar support • Synchronized mechanism with tension adjustment • High backrest: white with grey mesh • Fixed loop arms • 2 1/2" diameter, soft-composition, dual-wheel white casters • Polished aluminum base	1 Style number 2 Fabric color number for seat 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.

Options	U.S. Price	Required to Specify
Surface Materials • Seat cover • Fabric price group 1 • Fabric price group 2 • Vinyl price group 2 • Fabric price group 3 • Polyurethane	- No cost +\$ 22 +\$ 22 +\$ 44 +\$ 78	- Specify fabric color number. - Specify fabric color number. - Specify vinyl color number. - Specify fabric color number. - Specify polyurethane color number.
Packaging • Knocked down • Fully assembled	- No cost +\$102	- Specify <i>with knocked down</i>. - Specify <i>with fully assembled</i>.

Specification Information	
Style Number	U.S. Base Price
ZILO006	\$916



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.

Pre-Configured Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: synchronized mechanism, mesh back, fixed loop arms, polished aluminum base, and black casters.

Standard Includes	Required to Specify
• Seat: fabric price group 1 • 4 1/4" pneumatic seat-height adjustment (18 1/2"–22 3/4") • Adjustable lumbar support • Synchronized mechanism with tension adjustment • High backrest: black with black mesh • Fixed loop arms • 2 1/2" diameter, soft-composition, dual-wheel black casters • Polished aluminum base	1 Style number 2 Fabric color number for seat 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 506.

	Options	U.S. Price	Required to Specify
Surface Materials	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl price group 2	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 44	Specify fabric color number.
	• Polyurethane	+\$ 78	Specify polyurethane color number.
Packaging	• Knocked down	No cost	Specify <i>with knocked down</i> .
	• Fully assembled	+\$102	Specify <i>with fully assembled</i> .

Specification Information

Style Number	U.S. Base Price
ZILO007	\$883

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

Pre-Configured Stool



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: This pre-configured chair includes: swivel mechanism, mesh back, swivel, fixed loop arms, polished aluminum base, and white casters.

Standard Includes	Required to Specify
• Seat: fabric price group 1 • 4¹/₄" pneumatic seat-height adjustment (18¹/₂"–22³/₄") • Adjustable lumbar support • Mid-backrest: white with grey mesh • Fixed loop arms • Swivel, drafting ring with extended cylinder • 2¹/₂" diameter, soft-composition, dual-wheel white casters • Polished aluminum base	1 Style number 2 Fabric color number for seat 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 506.

Options	U.S. Price	Required to Specify
Surface Materials • Seat cover • Fabric price group 1 • Fabric price group 2 • Vinyl price group 2 • Fabric price group 3 • Polyurethane	No cost +\$ 22 +\$ 22 +\$ 44 +\$ 78	Specify fabric color number. Specify fabric color number. Specify vinyl color number. Specify fabric color number. Specify polyurethane color number.
Packaging • Knocked down • Fully assembled	No cost +\$102	Specify <i>with knocked down</i> . Specify <i>with fully assembled</i> .

Specification Information	
Style Number	U.S. Base Price
ZILO008	\$1054



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See Page 4 for details.

ZILO Seat Cover



Standard Includes		Required to Specify	
• Seat cover: fabric price group 1		1 Style number 2 Fabric color number for seat cover 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 506.	
Surface Materials	Options	U.S. Price	Required to Specify
	Seat cover		
	• Vinyl price group 2	+\$22	Specify vinyl color number.
	• Fabric price group 2	+\$22	Specify fabric color number.
	• Fabric price group 3	+\$43	Specify fabric color number.
	• Polyurethane	+\$77	Specify polyurethane color number.
Specification Information			
• Style Number	• U.S. Base Price		
ZILOSEATCOVER	\$72		

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

© 2011 Blackwell Publishing Ltd *Journal of Internal Medicine* 270: 105–114

Personality Plus Features

Chair or Stool
Frame available in Seagull or Black
Base available in Polished Aluminum, Seagull, and Black*
Weight Activated Mechanism with 40% Boost Setting
4-Way, 1-Way Adjustable Arms or Armless
Adjustable Lumbar Support
Seat Depth Adjustment (seat slider)
Optional Headrest
Fully Assembled option

*Tip: Stool base is only available in polished aluminum.



Personality Plus Specifications

Weight Capacity	300 lbs
Net Weight	37 lbs
Height Range	37.75" - 42.375"
Back Dimensions	16.38"W x 22.83"H
Seat Dimensions	17.72"D x 18.03"W
Seat Height Range	16.30" - 20.87"
Arms Span (outside edges)	18.74"
Body Frame Material	Nylon
Base Materials	Polished Aluminum and Nylon
Base Width	Nylon: 27" / Polished Aluminum: 27.5"
Cushion Seats	Polyurethane fill
Seat Covers	Drawstring upholstery
Mesh Back Material	34% Polyamide, 66% Polyester
Castors	Hard or Soft with roll control (Black)
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™

PERSONALITY PLUS Task Chair

PERSONALITY PLUS
Task Chair



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: Illustration above shows chair with arms, which is not included in the base price.

Tip: Casters available in black only.

Tip: Soft caster is roll-control.

Tip: Headrest finish matches frame finish.

Tip: Arm available in black only.

Tip: Plastic base finish matches frame finish. Polished aluminum base available on black or seagull frame.

Standard Includes

- Seat: fabric
- 4½" pneumatic seat-height adjustment (16¾"-20¼")
- Plastic frame: black
- Base: black plastic
- 2¾" seat depth adjustment (seat slider)
- Mesh back: fabric
- Fabric price group 1 on seat
- Armless
- Adjustable lumbar support
- Weight activated mechanism
- 2½" diameter, hard-composition, dual-wheel black casters

Required to Specify

- 1 Style number
 - 2 Fabric color number for seat
 - 3 Fabric color number for back
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 506.

	Options	U.S. Price	Required to Specify
Surface Materials	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 21	Specify fabric color number.
	• Vinyl price group 2	+\$ 21	Specify vinyl color number.
	• Fabric price group 3	+\$ 43	Specify fabric color number.
	• Polyurethane	+\$ 77	Specify polyurethane color number.
	Back frame		
	• Black frame	No cost	Specify with black frame.
	• Seagull frame	+\$ 26	Specify with seagull frame.
	Base		
	• Black base	No cost	Specify with black base.
	• Seagull base	No cost	Specify with seagull base.
	• Polished aluminum base	+\$ 34	Specify with polished aluminum base.
Casters	• Hard casters	No cost	Specify with hard casters.
	• Soft casters	+\$ 40	Specify with soft casters.
Headrest	• No headrest	No cost	Specify with no headrest.
	• With headrest	+\$ 82	Specify with headrest.
Arm	• Armless	No cost	Specify with no arms.
	• Height-adjustable arm (1-D)	+\$ 55	Specify with height-adjustable arms.
	• 4-D arm	+\$110	Specify with white 4-D arms.
Packaging	• Knocked down	No cost	Specify knocked down.
	• Fully assembled	+\$102	Specify fully assembled.

Specification Information

Style Number	U.S. Base Price
PPCHAIR	\$713

PERSONALITY PLUS



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

PERSONALITY PLUS Stool



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: Personality Plus stool available with a polished aluminum base only.

Tip: Illustration above shows chair with arms, which is not included in the base price.

Tip: Casters available in black only.

Tip: Soft caster is roll-control.

Tip: Headrest finish matches frame finish.

Tip: Arms available in black only.

Standard Includes

- 10 $\frac{1}{4}$ " pneumatic seat-height adjustment (22 $\frac{3}{5}$ "–32 $\frac{9}{10}$ ")
- Plastic frame: black
- Base: polished aluminum
- 2 $\frac{3}{4}$ " seat depth adjustment (seat slider)
- Mesh back: fabric
- Fabric price group 1 on seat
- Armless
- Adjustable lumbar support
- Weight activated mechanism
- Column and adjustable footring: black
- 2 $\frac{1}{2}$ " diameter, hard-composition, dual-wheel black casters

Required to Specify

- 1 Style number
 - 2 Fabric color number for seat
 - 3 Fabric color number for back
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 506.

	Options	U.S. Price	Required to Specify
Surface Materials	Seat cover		
	• Fabric price group 1 • Fabric price group 2 • Vinyl price group 2 • Fabric price group 3 • Polyurethane	No cost +\$ 21 +\$ 21 +\$ 43 +\$ 77	Specify fabric color number. Specify fabric color number. Specify vinyl color number. Specify fabric color number. Specify polyurethane color number.
	Back frame		
	• Black frame • Seagull frame	No cost +\$ 26	Specify <i>with black frame</i> . Specify <i>with seagull frame</i> .
Casters	• Hard casters • Soft casters	No cost +\$ 40	Specify <i>with hard casters</i> . Specify <i>with soft casters</i> .
Headrest	• No headrest • With headrest	No cost +\$ 82	Specify <i>with no headrest</i> . Specify <i>with headrest</i> .
Arm	• Armless • Height-adjustable arm (1-D) • 4-D arm	No cost +\$ 55 +\$110	Specify <i>with no arms</i> . Specify <i>with height-adjustable arms</i> . Specify <i>with white 4-D arms</i> .
Packaging	• Knocked down • Fully Assembled	No cost +\$102	Specify knocked down. Specify fully assembled.

Specification Information

Style Number	U.S. Base Price
PPSTOOL	\$1022



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.



Standard Includes		Required to Specify
• Headrest: black or seagull		1 Style number
• 1½" adjustment range		2 Plastic color number for headrest
Specification Information		
• Style • Number •	• U.S. • Price •	
PPHEADREST	\$82	
•	•	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

© 2010 Blackwell Publishing Ltd, *Journal of Internal Medicine* 267: 251–260

Bodi Features

Available in Black and White frames
Syncro with Tension Adjuster and Locking Mechanism
Adjustable Armrest with PU Pad
Adjustable Lumbar Support
Seat Depth Adjustment (seat slider)
Removable/Washable Seat Covers



Bodi Specifications

Weight Capacity	275 lbs
Net Weight	33 lbs
Height Range	37.25" - 42.75"h
Back Dimensions	19"w x 23.75"h
Seat Dimensions	19"w x 20"d
Seat Height Range	17.5" - 23"
Arms Span (outside edges)	24.25"
Base Width	27"
Base / Body Frame Material	Nylon
Cushion Seats	Polyurethane fill
Seat Covers	Removable, with zip closure
Castors	Soft* PU (Black or White/Grey)
Mesh Back Material	Polyester/Polyelastomer/Nylon
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: Illustration above shows chair with arms, which is not included in the base price.

Standard Includes		Required to Specify	
• 5 1/2" pneumatic seat-height adjustment (17 1/2"—23") • Frame: black plastic • Base: plastic • Seat depth adjustment (seat slider) • Fabric price group 1 on seat • Removable seat covers with zip closure • Armless • Mesh back: fabric • Multi-position back lock • Adjustable lumbar support • Synchronized mechanism with tension adjustment and locking mechanism • 2 1/2" diameter, soft-composition, dual-wheel black casters		1 Style number 2 Fabric color number for seat 3 Fabric color number for back 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials	Seat cover		
• Fabric price group 1	No cost	Specify fabric color number.	
• Fabric price group 2	+\$ 22	Specify fabric color number.	
• Vinyl price group 2	+\$ 22	Specify vinyl color number.	
• Fabric price group 3	+\$ 44	Specify fabric color number.	
• Polyurethane	+\$ 78	Specify polyurethane color number.	
	Back frame		
• Black frame	No cost	Specify <i>with black frame</i> .	
• White frame	+\$ 72	Specify <i>with white frame</i> .	
Arm	• Armless	No cost	Specify <i>with armless</i> .
	• Height adjustable arm (1-D)	+\$ 94	Specify <i>with height adjustable arm (1-D)</i> .
Packaging	• Knocked down	No cost	Specify <i>with knocked down</i> .
	• Fully assembled	+\$102	Specify <i>with fully assembled</i> .

Specification Information	
Style Number	U.S. Base Price
BODICHAIR	\$619



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

BODI Seat Cover



Standard Includes		Required to Specify	
• Seat cover: fabric price group 1		1 Style number 2 Fabric color number for seat cover 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 506.	
Options	U.S. Price	Required to Specify	
Surface Materials	Seat cover		
• Vinyl price group 2	+\$23	Specify vinyl color number.	
• Fabric price group 2	+\$23	Specify fabric color number.	
• Fabric price group 3	+\$44	Specify fabric color number.	
• Polyurethane	+\$78	Specify polyurethane color number.	
Specification Information			
• Style Number	• U.S. Base Price		
•	•		
•	•		
•	•		
•	•		
BODISEATCOVER	\$69		
•	•		
•	•		

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

FL-X



Understanding **446**



Specifying **447**

FL-X Features

Weight activated back tilt mechanism

Height adjustable

Shell or Mesh back

Smooth coated armrest pads

Seat colors in 11 fabrics and 3 vinyl

Available in Black, White and Light Grey/White

Mesh back includes additional lumbar support piece

Optional fabric back cover for Shell back



FL-X Specifications

Weight Capacity	275 lbs
-----------------	---------

Net Weight	36 lbs
------------	--------

Chair Total Height	37"—41.5"
--------------------	-----------

Height Adjustable Range	4.7"
-------------------------	------

Base Width	27"
------------	-----

Back Dimensions	16.5"w x 22"h
-----------------	---------------

Seat Dimensions	18"w x 19.5"d
-----------------	---------------

Seat Height Range	16"—21"
-------------------	---------

Arms Span (outside edges)	24.5"
---------------------------	-------

Body Frame Material	Nylon
---------------------	-------

Base Material	Nylon
---------------	-------

Cushion Seat	Polyurethane foam and fabric
--------------	------------------------------

Castors	Nylon, soft* (Black & White/Grey)
---------	-----------------------------------



Tip: Illustration above shows a fully assembled chair which is not included in the base price.

Tip: Base finish matches frame finish.

Tip: White frame, white back not available with mesh back.

Tip: Back finish applicable to fabric back cover only.

Standard Includes

- 4" pneumatic seat-height adjustment (16"-21")
- Frame: black plastic
- Plastic perforated back shell
- Seat depth adjustment (seat slider)
- Fabric price group 1 on seat
- Fixed arms
- Adjustable lumbar support
- 2½" diameter, soft-composition, dual-wheel black casters

Required to Specify

- 1 Style number
 - 2 Fabric color number for seat
 - 3 Fabric color number for back
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 506.

	Options	U.S. Price	Required to Specify
Surface Materials	Frame		
	• Black frame, black back	No cost	Specify with <i>black frame, black back</i> .
	• White frame, light grey back	+\$ 35	Specify with <i>white frame, light grey back</i> .
	• White frame, white back	+\$ 71	Specify with <i>white frame, white back</i> .
	Back type		
	• Shell back	No cost	Specify with <i>shell back</i> .
	• Mesh back	+\$ 35	Specify with <i>mesh back</i> .
	• Fabric back cover	+\$ 81	Specify with <i>fabric back cover</i> .
	Back		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 34	Specify fabric color number.
	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 35	Specify fabric color number.
	• Vinyl price group 4	+\$ 90	Specify vinyl color number.
Cylinder	• Standard	No cost	Specify with <i>standard cylinder</i> .
	• Drafting ring with extended height	+\$224	Specify with <i>drafting ring with extended height</i> .
Packaging	• Knocked down	No cost	Specify with <i>knocked down</i> .
	• Fully assembled	+\$102	Specify with <i>fully assembled</i> .

Specification Information

Style Number	U.S. Base Price
FLXXCHAIR	\$950



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

Seat Covers

FL-X Seat Cover and Assembly



Tip: Contains the entire seat assembly: cushion, fabric, and inner seat pan.

Standard Includes		Required to Specify
• Seat cover		1 Style number 2 Fabric color number for seat cover ▶ See <i>Surface Materials</i> , page 506.
Specification Information		
• Style Number	• Price Group	• U.S. Price
FLXXSEATCOVER	Fabric Price Group 1	\$149
	Fabric Price Group 2	\$183
	Vinyl Price Group 4	\$238
:	:	:

FL-X Back Cover



Standard Includes		Required to Specify
• Back cover		1 Style number 2 Fabric color number for seat cover ▶ See <i>Surface Materials</i> , page 506.
Specification Information		
• Style Number	• Price Group	• U.S. Price
FLXXBACKCOVER	Fabric Price Group 1	\$ 81
	Fabric Price Group 2	\$115
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.

Understanding	450
Specifying	452

Tizu Work Features

Height adjustable

Mesh back with lumbar support or plastic back

Fixed Loop Arms or Armless with torsion tilt

Removable seat covers in Buzz, Era, Connect and Brisa Collections

Available in Black with Black base and White with Chrome base



Tizu Work Specifications

Weight Capacity	275 lbs
Net Weight	27 lbs.
Chair Total Height	37" - 41"
Height Adjustable Range	4"
Base Width	26.5"
Back Width (top)	17"
Seat Dimensions	17.75"w x 18.5"d
Seat Height Range	18" - 22"
Arms Span (outside edges)	23.5"
Body Frame Material	Nylon
Base Material	Nylon (Black) / Aluminum (Grey)
Mesh Back Material	Polyester/Polyelastomer/Nylon
Cushion Seat	Polyurethane foam / fabric
Castors	Soft* PU (Black or White/Grey)
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™

Tizu Features

Nesting

Available in Black and White

Mesh back with lumbar support or plastic back

Torsion Tension with Fixed Loop Arms or Armless

Removable seat covers in Buzz, Era, Connect and Brisa Collections

Glides Available



Tizu Specifications

Weight Capacity	275 lbs
Net Weight	22 lbs
Seat Dimension	17.75"w x 18.5"d
Back Dimensions	19"w x 20"h
Arms Span (outside edges)	23.5"
Legs Dimension	19.25"w x 20.5"d
Seat Height from Floor	19"
Back Height from Floor	37.5"
Nesting Depth Increase	11" (per chair – average of 10 nested chairs)
Body Frame Material	Plastic
Leg Frame Materials	Steel
Cushion Seats	Polyurethane fill
Castors	Soft* PU (Black or White/Grey)
Seat Covers	Removable with zip closure
Mesh Back Material	Polyester/Polyelastomer/Nylon
Certifications	ANSI/BIFMA X5.1-2017 TB117-2013 Indoor Advantage Gold™

TIZU Task Chair



Tip: Black frame only available with black base and soft, black casters.

Tip: White frame only available with polished aluminum base and soft, 2-tone grey casters.

Tip: Arm upcharge only applicable to mesh back type.

Tip: Armless option not available with plastic back.

Tip: Base price does not include the required back upcharges. Please refer to SmartTools or the Electronic Catalog for accurate pricing.

Standard Includes	Required to Specify
4" pneumatic seat-height adjustment (18"–22") - Frame: black plastic - Base: black plastic - Fabric price group 1 on seat - Removable seat covers with zip closure - Adjustable lumbar support - Armless 2½" diameter, soft-composition, dual-wheel black casters	1 Style number 2 Fabric color number for seat 3 Fabric color number for back 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.

Options	U.S. Price	Required to Specify
Surface Materials		
Back frame		
• Black frame	No cost	Specify with black frame.
• White frame	+\$ 52	Specify with white frame.
Back		
• Mesh back		
– Black frame	+\$201	Specify with mesh back with black frame.
– White frame	+\$215	Specify with mesh back with white frame.
• Plastic back		
– Black frame	+\$223	Specify with plastic back with black frame.
– White frame	+\$244	Specify with plastic back with white frame.
Seat cover		
• Fabric price group 1	No cost	Specify fabric color number.
• Fabric price group 2	+\$ 22	Specify fabric color number.
• Vinyl	+\$ 22	Specify vinyl color number.
• Fabric price group 3	+\$ 44	Specify fabric color number.
• Polyurethane	+\$ 78	Specify polyurethane color number.
Arm		
• Armless		
– Black	No cost	Specify with armless black.
– White	+\$ 5	Specify with armless white.
• Fixed loop		
– Black	+\$ 49	Specify with fixed loop black.
– White	+\$ 58	Specify with fixed loop white.
Base		
• Black base	No cost	Specify with black base.
• Polished aluminum base	No cost	Specify with polished aluminum base.
Casters		
• Soft, 2-tone grey	No cost	Specify with soft, 2-tone grey.
• Soft, black	No cost	Specify with soft, black.
Packaging		
• Knocked down	No cost	Specify with knocked down.
• Fully assembled	+\$102	Specify with fully assembled.

Specification Information	
Style Number	U.S. Base Price
TIZUWORK	\$641



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See Page 4 for details.



Tip: Black frame only available with chrome base and soft, black casters or glides.

Tip: White frame only available with white or platinum base and soft, 2-tone grey casters or glides.

Tip: Arm upcharge only applicable to mesh back type.

Tip: Armless option not available with plastic back.

Tip: Base price does not include the required back upcharges. Please refer to SmartTools or the Electronic Catalog for accurate pricing.

Standard Includes

- 4-prong nesting base
- Frame: black plastic
- Base: chrome or platinum
- Fabric price group 1 on seat
- Removable seat covers with zip closure
- Fixed lumbar support
- Armless
- 2 1/2" diameter, soft-composition, dual-wheel black casters

Required to Specify

- 1 Style number
 - 2 Fabric color number for seat
 - 3 Fabric color number for back
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 506.

	Options	U.S. Price	Required to Specify
Surface Materials	Back frame		
	• Black frame	No cost	Specify with black frame.
	• White frame	No cost	Specify with white frame.
	Back		
	• Mesh back		
	– Black frame	+\$201	Specify with mesh back with black frame.
	– White frame	+\$215	Specify with mesh back with white frame.
	• Plastic back		
	– Black frame	+\$223	Specify with plastic back with black frame.
	– White frame	+\$244	Specify with plastic back with white frame.
	Seat cover		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 22	Specify fabric color number.
	• Vinyl	+\$ 22	Specify vinyl color number.
	• Fabric price group 3	+\$ 44	Specify fabric color number.
	• Polyurethane	+\$ 78	Specify polyurethane color number.
	Arm		
	• Armless		
	– Black	No cost	Specify with armless black.
	– White	+\$ 5	Specify with armless white.
	• Fixed loop		
	– Black	+\$ 49	Specify with fixed loop black.
	– White	+\$ 58	Specify with fixed loop white.
	Base		
	• Chrome base	No cost	Specify with chrome base.
	• Platinum base	No cost	Specify with platinum base.
	• White base	+\$ 17	Specify with white base.
Casters or Glides	• Soft, 2-tone grey	No cost	Specify with soft, 2-tone grey.
	• Soft, black	No cost	Specify with soft, black.
	• Glides, black	+\$ 67	Specify with glides, black.
Packaging	• Knocked down	No cost	Specify with knocked down.
	• Fully assembled	+\$102	Specify with fully assembled.

Specification Information

Style Number	U.S. Base Price
TIZUNEST	\$472



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.


Accessories

TIZU Seat Cover



Standard Includes		Required to Specify	
Seat cover: fabric price group 1		1 Style number 2 Fabric color number for seat cover 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 506.	
Surface Materials	Options	U.S. Price	Required to Specify
	Fabric price group 2	+\$22	Specify fabric color number.
	Vinyl	+\$22	Specify vinyl color number.
	Fabric price group 3	+\$43	Specify fabric color number.
	Polyurethane	+\$78	Specify polyurethane color number.
Specification Information			
• Style Number	• U.S. Base Price		
•	•		
•	•		
•	•		
•	•		
TIZUSEATCOVER	\$71		
•	•		
•	•		

TIZU Glides



Standard Includes		Required to Specify	
• Set of four glides: black		Style number	
Specification Information			
• Style Number	• U.S. Price		
TIZU-GLD	\$67		



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.

BRIN

Brin Features

- 4-Leg and Wire Sled base options
- Black frame with Pearl Grey or Black shell
- Stacks 4-high on floor
- One-piece molded shell with subtle perforations
- Sold in sets of 4
- Ships fully assembled



Brin Specifications

Weight Capacity	300 lbs
Net Weight	4-Leg: 13.4 lbs / Sled: 15 lbs
Seat Dimension	18.4" w x 20" d
Back Dimensions	18.4" w x 14" h
Legs Dimensions	4-Leg: 21.25" w x 20.83" d / Sled: 21.5" w x 20.25" d
Seat Height from Floor	18"
Back Height from Floor	32.5"
Stacking Density	4 high on floor
Body Material	Fiberglass reinforced polypropylene
Leg Frame Materials	Tubular steel
Glides	Durable black polyethylene
Certifications	ANSI/BIFMA X5.1 Indoor Advantage Gold™

Brin Stacking 4-Leg Chairs



Tip: Brin chairs can stack four high on floor.

Tip: Frame and underseat available in black only.

Standard Includes		Required to Specify
• Four fully assembled chairs • Frame: 7207 Black paint • Seat shell: plastic • Glides: black plastic		1 Style number 2 Plastic color number for shell: 6205 Black 6139 Pearl Grey
Specification Information		
Style Number	U.S. Price	
BRNL4PK	\$1435	

Brin Stacking Wire Base Chairs



Tip: Brin chairs can stack four high on floor.

Tip: Frame and underseat available in black only.

Standard Includes		Required to Specify
• Four fully assembled chairs • Frame: 7207 Black paint • Seat shell: plastic • Glides: black plastic		1 Style number 2 Plastic color number for shell: 6205 Black 6139 Pearl Grey
Specification Information		
Style Number	U.S. Price	
BRNW4PK	\$1435	

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

West Elm

Seating

	
Statement of Line	460

	
Brighton Lounge Seating	
Understanding	464
Specifying	481
Mesa Lounge Seating	
Understanding	468
Specifying	490
Nimbus	
Specifying	493
Sterling	
Understanding	472
Specifying	494
Lucas	
Understanding	476
Specifying	497
Slope	
Understanding	478
Specifying	498

Statement of Line

Seating


Brighton

Lounge Seating



Brighton One-Seat Lounge

Understanding
▶ Page 464
Specifying
▶ Page 481



Brighton Two-Seat Lounge


Understanding
▶ Page 464
Specifying
▶ Page 482



Brighton Ottoman


Understanding
▶ Page 464
Specifying
▶ Page 483

Occasional Tables



Brighton 90° Ganging Table

Understanding
▶ Page 465
Specifying
▶ Page 484



Brighton Straight Ganging Table

Understanding
▶ Page 465
Specifying
▶ Page 523



Brighton End Table

Understanding
▶ Page 465
Specifying
▶ Page 486



Brighton Square Table


Understanding
▶ Page 465
Specifying
▶ Page 487



Brighton Rectangle Table

Understanding
▶ Page 465
Specifying
▶ Page 488


Accessories



Brighton Module Power


Specifying
▶ Page 489

Mesa




Mesa Left-Hand Chaise Lounge

Understanding
▶ Page 468
Specifying
▶ Page 490




Mesa Right-Hand Chaise Lounge

Understanding
▶ Page 468
Specifying
▶ Page 490




Mesa Two-Seat Lounge

Understanding
▶ Page 468
Specifying
▶ Page 491



Mesa Corner Lounge

Understanding
▶ Page 468
Specifying
▶ Page 491




Ottoman

Understanding
▶ Page 468
Specifying
▶ Page 492

Seating, continued


Nimbus



Nimbus Conference Chair


Specifying
 ▶ Page 493

Sterling



Sterling 4-Leg Armless Guest Chair

Understanding
 ▶ Page 472
 Specifying
 ▶ Page 530



Sterling 4-Leg with Arms Guest Chair

Understanding
 ▶ Page 472
 Specifying
 ▶ Page 494



Sterling Bar Height Armless Stool

Understanding
 ▶ Page 472
 Specifying
 ▶ Page 495



Sterling 5-Star Armless Conference Chair


Understanding
 ▶ Page 472
 Specifying
 ▶ Page 495



Sterling 5-Star with Arms Conference Chair


Understanding
 ▶ Page 472
 Specifying
 ▶ Page 496

Lucas



Lucas Wire Chair

Understanding
 ▶ Page 476
 Specifying
 ▶ Page 497



Lucas Swivel Chair

Understanding
 ▶ Page 476
 Specifying
 ▶ Page 497

Seating, continued


Slope



Slope Guest Chair
Understanding
▶ Page 478
Specifying
▶ Page 498



Slope Lounge Chair
Understanding
▶ Page 478
Specifying
▶ Page 498



Slope Bar Height Stool
Understanding
▶ Page 478
Specifying
▶ Page 499



Slope Height-Adjustable Conference Chair
Understanding
▶ Page 478
Specifying
▶ Page 499



Slope Stacking Chair
Understanding
▶ Page 478
Specifying
▶ Page 500

Slope—Stocked



Slope Guest Chair—Stocked
Understanding
▶ Page 478
Specifying
▶ Page 500



Slope Lounge Chair—Stocked
Understanding
▶ Page 478
Specifying
▶ Page 501



Slope Bar Stool—Stocked
Understanding
▶ Page 478
Specifying
▶ Page 501



Slope Conference Chair—Stocked
Understanding
▶ Page 478
Specifying
▶ Page 502

Brighton Lounge Seating

Inspired by the traditional wood frame joinery of mid-century design, Brighton lounge seating offers an updated take with sleek metal construction. It's configurability allows Brighton to arrange into infinite formations, while freestanding lounge and table options create even more choice.

Ganging tables are available in laminate. Tables come with ganging brackets to attach between or on the end of lounge units.

Frame caps are offered in black paint.

Arms are available on lounge units. Arm caps are black oak.


Frame feet are black paint.

Lounge seat and backs are fully upholstered.


Frames are offered in black paint.

Freestanding tables are available in laminate. Frames are offered in black paint.


Product Details




Frame feet are offered in black paint.





Frame caps are offered in black paint.




Armcaps are solid oak wood and are available on both one- and two-seat lounges in black oak.



Button tufting is standard on all lounges that are upholstered in fabric. One-seat lounges come standard with one button, two-seat lounges come with three buttons.



Arm Right




Arm Left

One- and two-seat lounges are available with and without arms and can be specified with ganging hardware or as freestanding.

Lounges must be specified with ganging hardware when used with end or ganging tables. Ganging hardware and arms cannot be specified on the same side of a lounge unit.




Ottoman is upholstered with a metal frame that is available in black paint.




Ganging tables are available in two options: 90° and straight. Tables can be attached facing either direction and must be attached between lounge units.



End table is available in one size 28" square and can be added to either side of a lounge unit.



Freestanding tables are available in 28" square and 28"D x 42"W rectangle.



Power module has a 9' cord, two AC outlets, and one USB A+C 20W.

Surface Materials

Upholstery

- Billiard

Table tops

- High-Pressure Laminate

Frames

- 7207 Black

Feet and caps

- 7207 Black

Arms

- VP03 Black Oak

Power

- 6000 Black

Dimensions


► Page 466

Brighton Lounge Seating






Brighton

Mesa Lounge Seating



Mesa lounge seating adds style to any work-space with its modern form and tapered legs. Modular pieces can easily create common areas of any size.




Product Details



Lounge seating features five fully upholstered, complementary models: two-seater lounge, right-hand chaise lounge, left-hand chaise lounge, left-hand chaise lounge, corner lounge, and ottoman. All models feature a four-leg, cast aluminum base with a powder coat painted finish.



Chaise lounge can be specified in a right- or left-hand configuration.
Tip: Handedness is determined while in the seated position.



Integrated ganging device is included and keeps units aligned.

Surface Materials

Upholstery

- Billiard

Legs

- WE01 Antique Bronze

Tip: Contrasting fabric is not available on Mesa.

Dimensions

► Page 470

Mesa Lounge Seating

Mesa

Two-Seat	32 ¹ / ₄ "	64 ¹ / ₄ "	28 ³ / ₄ "	22 ³ / ₄ "	64 ¹ / ₄ "	17 ³ / ₄ "
----------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

Sterling Seating

Sterling is a family of seating inspired by classic mid-century design. The style and generous sit brings retro-inspired comfort to the office. Hardwood legs or a classic aluminum base and arm options make the Sterling collection relevant across the floor plan.

Arms are optional on guest chair and conference chair. Arms are always upholstered.

Seat height adjusts 5", from 16¹/₂"H to 21¹/₂"H, with a pneumatic adjustment mechanism.

Five-star base is aluminum and available polished or in black paint.

Wood leg is beech hardwood and available in VP03 Black Oak.

Glides are polyethylene for superior durability on carpeted and hard floors.

Optional tilt mechanism enhances user comfort. Available on the five-star base.

Casters have hard, dual-wheels that roll smoothly on carpets.

Pneumatic cylinder is always black.

Sterling stools have a 360° swivel feature that comes standard and does not have auto-return feature.

Sterling stools include footrest for added comfort.
Tip: The footrest is 8¹/₂" from the ground on the counter-height stool and 14¹/₄" on the bar-height stool.

Product Details




Five-star, and four-leg chairs are available with and without arms.

Optional tilt mechanism is available on five-star chairs and has 10° rearward and 2° forward tilt range. The seat and back always remain in a fixed position relative to each other (i.e. no recline).

360° adjustable height swivel mechanism is standard on five-star base.

Adjustment Features

Seat Adjustments



Seat height adjusts pneumatically. To lower, pull lever up while seated. To raise, pull lever up and keep your weight off the chair.

Surface Materials

Upholstery

- Billiard

Four-leg and stool base

- VP03 Black Oak

Five-star base

- 7207 Black
- 8046 Polished Aluminum

Casters and glides

- 6205 Black

All seating with standard upholstery fabrics complies with requirements of the State of California Technical Bulletin 117-2013. All standard seating is labeled to be in compliance with California 117-2013.

Dimensions

► Page 474

Dimensions

Sterling Seating


• Features	• Overall Depth	Width	Height	• Functional Seat Depth	• Seat Width	• Seat Height from Floor	• Back Width	• Back Height from Seat	• Arm Height from Floor
West Elm Work Sterling									
Guest Chairs									
	25 ¹ / ₈ "	26 ³ / ₄ "	32 ⁵ / ₈ "	18 ⁵ / ₈ "	22"	18 ¹ / ₂ "	21"	15 ¹ / ₂ "	26 ¹ / ₂ "
Guest Chairs—Armless									
	24 ¹ / ₂ "	23 ¹ / ₂ "	32 ⁵ / ₈ "	18 ⁵ / ₈ "	22"	18 ¹ / ₂ "	21"	15 ¹ / ₂ "	N.A.
Conference Chairs—Five-Star with Arms									
	25 ¹ / ₈ "	26 ³ / ₄ "	31 ³ / ₄ "–36 ³ / ₄ "	18 ⁵ / ₈ "	22"	16 ¹ / ₂ "–21 ¹ / ₂ "	21"	15 ¹ / ₂ "	25 ¹ / ₄ "
Conference Chairs—Five-Star Armless									
	24 ¹ / ₂ "	23 ¹ / ₂ "	31 ³ / ₄ "–36 ³ / ₄ "	18 ⁵ / ₈ "	22"	16 ¹ / ₂ "–21 ¹ / ₂ "	21"	15 ¹ / ₂ "	N.A.
Bar Height Stool									
	26 ¹ / ₄ "	26 ¹ / ₄ "	44"	17"	17 ¹ / ₂ "	32"	19 ¹ / ₄ "	12 ³ / ₈ "	N.A.

*Overall width does not include the base.
The diameter of the chair with the five-star base is 26".

Lucas Seating


Modern lines give Lucas a streamlined look, while a wide seat and reclined pitch make it a comfortable spot to sit during long meetings and busy days.

Lucas comes standard with arms at a height of 20½".




The wire base comes standard in West Elm WE05 Burnished Bronze with black glides.

Seat height on wire base chair is fixed at 18½".



Swivel base comes standard in 8046 Polished Aluminum. Swivel is a full 360° without an automatic return.

Product Details



Cushion is detachable.

All product in the Lucas product line ships fully assembled.

Surface Materials

Swivel base is 8046 Polished Aluminum.

Wire base is WE05 West Elm Burnished Bronze.

Upholstery
• Billiard

Contrasting fabric is not available.

Dimensions


Lucas Seating

Dimensions


• Features •	• Overall Depth •	• Width •	• Height •	• Seat Depth •	• Seat Width •	• Seat Height •	• Arm Height •
Lucas Seating							
Wire Base Chair							
	32"	30½"	31"	21"	22"	18½"	20½"
Swivel Base Chair							
	32"	30½"	31"	21"	22"	20¾"	20½"

Slope Seating


Simple yet timeless design allows the Slope family of seating to blend seamlessly into the modern office. A wide range of paint colors and upholstery options ranging from muted to playful add personality.




Seat and back are always fully upholstered.




Stackable base configuration allows for easier storage and cleaning. Stacking chairs can be stacked up to five high.



Wire frame base is painted.



Glides are polyethylene for superior durability on carpeted and hard floors. Glides are available in black.



Seat height adjusts 4", from 17½"H to 20½"H, with a pneumatic adjustment mechanism.

Five-star base is available in hot rolled steel finish or black paint.

Product Details



Guest chair



Stacking chair



Lounge chair



Bar-height stool



Conference chair

Five-star and wire-frame bases are available for guest chair and stool.

360° adjustable height swivel mechanism is standard on five-star base models.

Slope ships knocked down and the seat must be assembled to the frame on site, with the exception of the stacker with arms and the guest chair with arms which ship fully assembled. All slope styles come in a single carton.


Arms are available as an option for guest, stacking, and conference chair.

Slope stacking chairs can be stacked up to five chairs high.

	Made-to-order	Stocked
Guest Chair	AMQWESSLPCG	AMQWEM1
Stacking Chair	AMQWESSLPCS	N.A.
Lounge Chair	AMQWESSLPCL	AMQWEM2
Conference Chair	AMQWESSLPCC	AMQWEM3
Bar Stool	AMQWESSLPSB	AMQWEM66

Adjustment Features

Seat Adjustments



Conference Chair

Seat height adjusts

pneumatically. To lower, pull lever up while seated. To raise, pull lever up and keep your weight off the chair.

Surface Materials

Stocked Slope chairs

are only available in pre-configured base color and leather combinations. When Saddle or Fog leather are specified, the base will be Hot Rolled Steel. When Aegean leather is specified, the base will be Antique Brass.

Seat and back upholstery

- Billiard

Wire frame base

- Paint

Five-star base

- 7207 Black
- Hot-rolled steel

Casters

- 6205 Black

Glides

- 6205 Black

All seating with standard upholstery fabrics

complies with requirements of the State of California Technical Bulletin 117-2013. All standard seating is labeled to be in compliance with California 117-2013.

Dimensions

► Page 480

Dimensions

Slope Seating

• Features	• Overall Depth	Width	Height	• Functional Seat Depth	• Seat Width	• Seat Height from Floor	• Back Width	• Back Height from Seat
Slope Seating								
Guest Chair								
	21½"	19¼"	33¼"	17¾"	17¾"	18¾"	16¾"	18¾"
Stacking Chair								
	21½"	19¼"	33¼"	17¾"	17¾"	18¾"	16¾"	18¾"
Lounge Chair								
	26½"	26½"	28"	21¾"	26½"	15¾"	25¾"	19¼"
Bar Stool								
	21½"	19¼"	40"	17¾"	17¾"	29½"	14¼"	13"
Conference Chair								
	21½"	19¼"	32"–36"	17¾"	17¾"	17½"–20½"	16¾"	18¾"

* Overall width does not include the base.

Tip: The diameter of the chair with the five-arm base is 25".

Brighton One Seat Lounge Chair

Brighton One Seat
Lounge Chair



Tip: Handedness is determined while in the seated position.

Standard Includes	Required to Specify
- Fully upholstered lounge chair: Billiard fabric - Frame: paint - Frame caps: paint - Frame feet: paint - Arms, if selected: veneer	- Style number - Fabric color number for chair - Paint color number for frame - Paint color number for frame caps - Paint color number for frame feet - Wood color number for arms, if selected - Options, if selected (see below) ► See <i>Surface Materials</i>, page 506.

	Options	U.S. Price	Required to Specify
Arm Position	- No arm - Arm left - Arm right - Arms – left and right	No cost +\$270 +\$270 +\$540	Specify <i>with no arm</i>. Specify <i>with arm left</i>. Specify <i>with arm right</i>. Specify <i>with arms – left and right</i>.
Ganging	- Not ganging - Left - Right - Left and right	No cost +\$ 63 +\$ 63 +\$126	Specify <i>with no arm</i>. Specify <i>with arm left</i>. Specify <i>with arm right</i>. Specify <i>with arms – left and right</i>.


Specification Information	
Style Number	U.S. Base Price
AMQWESARYLNG1	\$2578

West Elm Seating



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See Page 4 for details.

Brighton Two Seat Lounge Chair



Tip: Handedness is determined while in the seated position.

Standard Includes	Required to Specify
- Fully upholstered lounge chair: Billiard fabric - Frame: paint - Frame caps: paint - Frame feet: paint - Arms, if selected: veneer	- Style number - Fabric color number for chair - Paint color number for frame - Paint color number for frame caps - Paint color number for frame feet - Wood color number for arms, if selected - Options, if selected (see below) ► See <i>Surface Materials</i>, page 506.

	Options	U.S. Price	Required to Specify
Arm Position	• No arm	No cost	Specify <i>with no arm</i> .
	• Arm left	+\$270	Specify <i>with arm left</i> .
	• Arm right	+\$270	Specify <i>with arm right</i> .
	• Arms – left and right	+\$540	Specify <i>with arms – left and right</i> .
Ganging	• Not ganging	No cost	Specify <i>with no arm</i> .
	• Left	+\$ 63	Specify <i>with arm left</i> .
	• Right	+\$ 63	Specify <i>with arm right</i> .
	• Left and right	+\$126	Specify <i>with arms – left and right</i> .

Specification Information	
Style Number	U.S. Base Price
AMQWESARYLNG2	\$3878



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See **Page 4** for details.



Tip: Handedness is determined while in the seated position.

Standard Includes		Required to Specify
- Fully upholstered ottoman chair: Billiard fabric - Frame: paint - Frame caps: paint		1 Style number 2 Fabric color number for ottoman 3 Paint color number for frame 4 Paint color number for frame caps ► See <i>Surface Materials</i>, page 506.
Specification Information		
Style Number	U.S. Price	
AMQWESARYO	\$794	



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Brighton 90° Ganging Table



Tip: Ganging tables or end table must be used when specifying ganging hardware on lounge units. Ganging hardware and arms cannot be specified on the same side of a lounge unit.

Standard Includes		Required to Specify
• Table: High-Pressure Laminate with 3 mm plastic edge • Frame: paint • Frame feet: paint • Plastic ganging brackets		1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge 4 Paint color number for frame 5 Paint color number for feet ▶ See <i>Surface Materials</i>, page 504.
Specification Information		
• Style Number	• U.S. Price	
AMQWESARYTBL90	\$1390	



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See **Page 4** for details.

Brighton Straight Ganging Table

Brighton Straight
Ganging Table



Tip: Ganging tables or end table must be used when specifying ganging hardware on lounge units. Ganging hardware and arms cannot be specified on the same side of a lounge unit.

Standard Includes		Required to Specify
- Table: High-Pressure Laminate with 3 mm plastic edge - Frame: paint - Ganging brackets: plastic		1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge ► See <i>Surface Materials</i>, page 504.
Specification Information		
Style Number	U.S. Price	
AMQWESARYTBLSG	\$1314	


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Brighton End Table



Tip: Ganging tables or end table must be used when specifying ganging hardware on lounge units. Ganging hardware and arms cannot be specified on the same side of a lounge unit.

Standard Includes	Required to Specify
- Table: High-Pressure Laminate with 3 mm plastic edge - Frame: paint - Frame feet: paint - Frame caps: paint - Ganging brackets: plastic	1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge 4 Paint color number for frame 5 Paint color number for frame feet 6 Paint color number for frame caps 7 Options, if selected (see below) ► See <i>Surface Materials</i>, page 504.

	Options	U.S. Price	Required to Specify
Ganging	- Left - Right	No cost No cost	Specify <i>with ganging left</i> . Specify <i>with ganging right</i> .

Specification Information	
Style Number	U.S. Price
AMQWESARYTBLED	\$1459



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See **Page 4** for details.

Brighton Square Table

Brighton Square Table



Tip: Ganging tables or end table must be used when specifying ganging hardware on lounge units. Ganging hardware and arms cannot be specified on the same side of a lounge unit.

Standard Includes		Required to Specify
- Table: High-Pressure Laminate with 3 mm plastic edge - Frame: paint - Frame caps: paint - Frame feet: paint		1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge 4 Paint color number for frame 5 Paint color number for frame feet 6 Paint color number for frame caps ► See <i>Surface Materials</i>, page 504.
Specification Information		
Style Number	U.S. Price	
AMQWESARYTBLSQ	\$1609	



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See Page 4 for details.

Brighton Rectangle Table




Standard Includes	Required to Specify
• Table: High-Pressure Laminate with 3 mm plastic edge • Frame: paint • Frame caps: paint • Frame feet: paint	1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge 4 Paint color number for frame 5 Paint color number for frame feet 6 Paint color number for frame caps ► See <i>Surface Materials</i>, page 504.

Specification Information	
Style Number	U.S. Price
AMQWESARYTBLRT	\$1828



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See **Page 4** for details.




Standard Includes		Required to Specify
• 9' cord with three-prong plug: black plastic only • 2 power 1 USB A+C 20W power module: 6000 Black		Style number
Specification Information		
• Style • Number	• U.S. • Price	
• AMQWESARYPWR	\$478	
•	•	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Mesa Lounge System


Mesa Chaise Lounge—Left Hand



Tip: Handedness is determined while in the seated position.

Standard Includes		Required to Specify
- Fully upholstered non-contrasting lounge: Billiard fabric - Four leg cast aluminum base: WE01 Antique Bronze - Ganging brackets: plastic		1 Style number 2 Fabric color number for lounge ▶ See <i>Surface Materials</i> , page 506.
Specification Information		
Style Number	U.S. Price	
AMQWESMESCHLH	\$6090	

Mesa Chaise Lounge—Right Hand




Tip: Handedness is determined while in the seated position.

Standard Includes		Required to Specify
- Fully upholstered non-contrasting lounge: Billiard fabric - Four leg cast aluminum base: WE01 Antique Bronze - Ganging brackets: plastic		1 Style number 2 Fabric color number for lounge ▶ See <i>Surface Materials</i> , page 506.
Specification Information		
Style Number	U.S. Price	
AMQWESMESCHRH	\$6090	



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Mesa Armless Lounge



Standard Includes

- Fully upholstered non-contrasting lounge: Billiard fabric
- Four leg cast aluminum base: WE01 Antique Bronze
- Ganging brackets: plastic


Required to Specify

- 1 Style number
- 2 Fabric color number for lounge
- ▶ See *Surface Materials*, page 506.

Specification Information

Style Number	U.S. Price
AMQWESMES2SEAT	\$5533
.	.

Mesa Corner Lounge Unit



Standard Includes

- Fully upholstered non-contrasting lounge: Billiard fabric
- Four leg cast aluminum base: WE01 Antique Bronze
- Ganging brackets: plastic

Required to Specify

- 1 Style number
- 2 Fabric color number for lounge
- ▶ See *Surface Materials*, page 506.


Specification Information

Style Number	U.S. Price
AMQWESMESC	\$3591
.	.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Mesa Ottoman



Standard Includes	Required to Specify
- Fully upholstered ottoman: Billiard fabric - Four leg cast aluminum base: WE01 Antique Bronze	1 Style number 2 Fabric color number for lounge ▶ See <i>Surface Materials</i>, page 506.

Specification Information	
Style Number	U.S. Price
AMQWESMESO	\$2448


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Nimbus Conference Chair

Nimbus Conference Chair




Standard Includes		Required to Specify
- Fully upholstered seat: platinum 5-star base: antique bronze		Style number
Specification Information		
Style Number	U.S. Price	
AMQWEM70	\$1234	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Sterling Chairs


Sterling 4-Leg Armless Guest Chair



Tip: Seat and back finish are non-contrasting and will match.

Standard Includes		Required to Specify
- Fully upholstered non-contrasting chair: Billiard fabric - Legs: VP03 Black Oak - Glides		1 Style number 2 Fabric color number for chair ► See <i>Surface Materials</i> , page 506.
Specification Information		
Style Number	U.S. Price	
AMQWESMDC4NA	\$1321	

Sterling 4-Leg with Arms Guest Chair




Tip: Seat and back finish are non-contrasting and will match.

Standard Includes		Required to Specify
- Fully upholstered non-contrasting chair: Billiard fabric - Legs: VP03 Black Oak - Glides		1 Style number 2 Fabric color number for chair ► See <i>Surface Materials</i> , page 506.
Specification Information		
Style Number	U.S. Price	
AMQWESMDC4WA	\$1477	



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See Page 4 for details.

Sterling Bar Height Armless Stool



Tip: Seat and back finish are non-contrasting and will match.

Standard Includes		Required to Specify
- Fully upholstered non-contrasting lounge: Billiard fabric - Legs: VP03 Black Oak - Glides		1 Style number 2 Fabric color number for stool ▶ See <i>Surface Materials</i> , page 506.
Specification Information		
Style Number	U.S. Price	
AMQWESMDCSBHNA	\$1685	

Sterling 5-Star Armless Conference Chair



Tip: Seat and back finish are non-contrasting and will match.

Standard Includes		Required to Specify	
- Fully upholstered non-contrasting chair: Billiard fabric - Five star base: 0835 Black - Hard casters: 6205 Black		1 Style number 2 Fabric color number for chair 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 506.	
	Options	U.S. Price	Required to Specify
Surface Materials	Base		
	Polished aluminum	+\$141	Specify <i>with polished aluminum</i> .
Tilt Mechanism	- Without tilt - With tilt	No cost +\$110	Specify <i>without tilt</i> . Specify <i>with tilt</i> .
	Specification Information		
Style Number	U.S. Base Price		
AMQWESMDC5NA	\$1479		



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See Page 4 for details.

Sterling 5-Star with Arms Conference Chair



Tip: Seat and back finish are non-contrasting and will match.

Standard Includes		Required to Specify	
- Fully upholstered non-contrasting chair: Billiard fabric - Five star base: 0835 Black - Hard casters: 6205 Black		1 Style number 2 Fabric color number for chair 3 Paint color number for base 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 506.	

	Options	U.S. Price	Required to Specify
Surface Materials	Base • Polished aluminum	+ \$141	Specify <i>with polished aluminum</i> .
Tilt Mechanism	• Without tilt • With tilt	No cost + \$110	Specify <i>without tilt</i> . Specify <i>with tilt</i> .

Specification Information	
Style Number	U.S. Base Price
AMQWESMDC5WA	\$1619




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


▶ See Page 4 for details.

Lucas Wire Chair



Standard Includes		Required to Specify
- Fully upholstered seat with back: Billiard fabric - Wire frame base: WE05 West Elm Burnished Bronze		1 Style number 2 Fabric color number for chair ► See <i>Surface Materials</i> , page 506.
Specification Information		
Style Number	U.S. Price	
AMQWESLUCW	\$3142	

Lucas Swivel Chair



Standard Includes		Required to Specify
- Fully upholstered seat with back: Billiard fabric - Swivel base: 8046 Polished Aluminum		1 Style number 2 Fabric color number for chair ► See <i>Surface Materials</i> , page 506.
Specification Information		
Style Number	U.S. Price	
AMQWESLUCS	\$3369	

West Elm Seating



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See Page 4 for details.

Slope Guest Chair



Tip: Upholstery and paint available on Steelcase Slope. Licensed Slope (stocked) guest chair available in saddle or fog with a hot rolled steel frame.

Standard Includes		Required to Specify	
- Fully upholstered seat with back: Billiard fabric - Wire frame base: paint price group 1 - Glides: 6205 Black		1 Style number 2 Fabric color number for chair 3 Paint color number for base 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 506.	

	Options	U.S. Price	Required to Specify
Surface Materials	Base • Paint price group 1 • Paint price group 2	No cost +\$ 46	Specify paint color number. Specify paint color number.
Arm	• Without arm • With arm	No cost +\$180	Specify <i>without arms</i> . Specify <i>with arms</i> .

Specification Information	
• Style Number	• U.S. Base Price
AMQWESSLPCG	\$1026

Tip: Upholstery and paint available on Steelcase Slope. Licensed Slope (stocked) lounge chair only available in saddle with hot rolled steel frame.

Standard Includes		Required to Specify	
- Fully upholstered seat with back: Billiard fabric - Wire frame base: paint price group 1 - Glides: 6205 Black - Requires assembly		1 Style number 2 Fabric color number for chair 3 Paint color number for base 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 506.	

	Options	U.S. Price	Required to Specify
Surface Materials	Base - Paint price group 1 - Paint price group 2	No cost +\$46	Specify paint color number. Specify paint color number.

Specification Information	
Style Number	U.S. Base Price
AMQWESSLPCL	\$1420



498

Slope Bar Height Stool



Tip: Upholstery and paint available on Steelcase Slope. Licensed Slope (stocked) bar height stool is only available in saddle with hot rolled steel frame.

Standard Includes		Required to Specify	
- Fully upholstered seat with back: Billiard fabric - Wire frame base: paint price group 1 - Glides: 6205 Black - Requires assembly		1 Style number 2 Fabric color number for chair 3 Paint color number for base 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 506.	
Surface Materials	Options	U.S. Price	Required to Specify
	Base - Paint price group 1 - Paint price group 2	No cost +\$46	Specify paint color number. Specify paint color number.
Specification Information			
Style Number	U.S. Base Price		
AMQWESSLPB	\$1327		

Slope Height-Adjustable Conference Chair




Tip: Upholstery and paint available on Steelcase Slope. Licensed Slope (stocked) conference chair only available in saddle with hot rolled steel frame.

Standard Includes		Required to Specify	
- Fully upholstered seat with back: Billiard fabric - Five-star adjustable base: hot-rolled steel finish - Hard casters: 6205 Black - Requires assembly		1 Style number 2 Fabric color number for chair 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 506.	
Arm	Options	U.S. Price	Required to Specify
	- Without arm - With arm	No cost +\$180	Specify <i>without arms</i> . Specify <i>with arms</i> .
Specification Information			
Style Number	U.S. Base Price		
AMQWESSLPCC	\$1387		



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See Page 4 for details.

Slope Stacking Chair



Tip: Slope stacking chair with arms is shipped fully assembled; without arms will require assembly.

Standard Includes		Required to Specify	
- Fully upholstered seat with back: Billiard fabric - Wire frame base: paint price group 1 - Glides: 6205 Black		1 Style number 2 Fabric color number for chair 3 Paint color number for base 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 506.	
	Options	U.S. Price	Required to Specify
Surface Materials	Base		
	- Paint price group 1 - Paint price group 2	No cost +\$ 46	Specify paint color number. Specify paint color number.
Arm	- Without arm - With arm	No cost +\$180	Specify <i>without arms</i> . Specify <i>with arms</i> .
	Specification Information		
• Style Number	• U.S. Base Price		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		
•	•		</

Slope Guest Chair—Stocked



Tip: Licensed Slope (stocked) guest chair available in saddle or fog with a hot rolled steel frame.

Standard Includes				Required to Specify	
- Fully upholstered seat with back: fog or saddle - Wire frame base: WE00 Hot Rolled Steel				1 Style number 2 Color number for chair	
Specification Information					
• Style • Number	• Dimensions • D W H			• U.S. • Price	
AMQWEM1	21½"	19¼"	33¼"	\$1063	



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See Page 4 for details.

Slope Lounge Chair—Stocked



Standard Includes

- Fully upholstered seat with back: saddle leather
- Wire frame base: WE00 Hot Rolled Steel

Required to Specify

- 1 Style number
- 2 Color number for chair

Specification Information

• Style Number	• Dimensions			• U.S. Price
	D	W	H	
AMQWEM2	24 ² / ₅ "	26 ¹ / ₂ "	31 ¹ / ₂ "	\$1345

Slope Bar Stool—Stocked



Standard Includes

- Fully upholstered seat with back: saddle leather
- Wire frame base: WE00 Hot Rolled Steel

Required to Specify

- Style number

Specification Information

• Style Number	• Dimensions			• U.S. Price
	D	W	H	
AMQWEM66	21 ¹ / ₂ "	19 ¹ / ₄ "	40"	\$1158



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See Page 4 for details.

Slope Conference Chair—Stocked



Standard Includes				Required to Specify
• Fully upholstered seat with back: saddle leather				1 Style number
• Five-star adjustable base: WE00 Hot Rolled Steel				2 Color number for chair
Specification Information				
• Style • Number	• Dimensions			• U.S. • Price
	D	W	H	
AMQWEM3	21½"	19¼"	32"—36"	\$1345


 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See Page 4 for details.

Resources


Furniture Finishes	504
Seating Finishes	506
Style Number Index	508

Furniture Surface Materials

Fabric Verve Collection




Felt Verve Collection




Warm White and Midnight are available on 3F screens. These new colors are coming soon for the hanging panels and tiles.

Metal Paints



Laminates



Note Please view material swatches before specifying. Printed colors may vary from actual fabric.
View material specs and cleaning instructions on our web site at www.amqsolutions.com

Fabric Alloy Collection



Fabric Boccie Collection



Designtex Billiard Multi-Use Collection



Note Please view material swatches before specifying. Printed colors may vary from actual fabric.
View material specs and cleaning instructions on our web site at www.amqsolutions.com

Seating Surface Materials


Fabric Buzz Collection Grade 1



Fabric Specifications	
Content	100% Polyester (Antimony Free Yarn)*
Weight	14.5 oz. per linear yard
Width	54 inches
Abrasion	100,000 double rubs
Environmental Characteristics	*Antimony Less Than 100 ppm
Flammability	California Technical Bulletin #133




Fabric Era Collection Grade 2



Fabric Specifications	
Content	100% Polyester (Antimony Free Yarn)*
Weight	14.24 oz. per linear yard
Width	54 inches
Abrasion	100,000 double rubs
Environmental Characteristics	*Antimony Less Than 100 ppm, Oeko-Tex Certified
Flammability	California Technical Bulletin #133



Fabric Connect Collection Grade 3



Fabric Specifications	
Content	100% Polyester (Antimony Free Yarn)*
Weight	16.4 oz. per linear yard
Width	62 inches
Abrasion	100,000 double rubs
Environmental Characteristics	*Antimony Less Than 100 ppm, Cradle to Cradle Certified™ Bronze
Flammability	California Technical Bulletin #133



Note Please view material swatches before specifying. Printed colors may vary from actual fabric.
View material specs and cleaning instructions on our web site at www.amqsolutions.com

Polyurethane Brisa Collection Grade 4




Fabric Specifications

Content	100% Polyurethane
Weight	13.8 ozs per linear yard
Width	54 inches
Abrasion	200,000 double rubs
Environmental Characteristics	Bleach Cleanable
Flammability	California Technical Bulletin #133



Fabric Elements Collection Grade 1



FI-X ☐ FL-X fabric back colors indicated with white dot

Fabric Specifications

Content	98% Recycled Polyester, 2% Spandex
Weight	(per sq. m) 326g
Thickness	1.1mm
Width	58"
Flammability	California Bulletin 117. Section E CS 191-53 Class 1

Fabric Milan Collection Grade 2



FI-X ☐ FL-X fabric back colors indicated with white dot

Fabric Specifications

Content	100% Polyester
Weight	(per sq. m) 243g
Width	58"
Flammability	California Bulletin 117. Section E

Vinyl Grade 4



FI-X

Note Please view material swatches before specifying. Printed colors may vary from actual fabric.
View material specs and cleaning instructions on our web site at www.amqsolutions.com

Style Number Index

Style Number	Page	Description
3FHPHANGINGPNL	106	3F Hanging Panel
3FHPMOUNTKIT	113	3F Pnl Rail Mount Kit
3FHPRAILKIT	113	3F Pnl Rail Mount Kit
3FSNCORNERCNC	114	3F Screens Corner Connector
3FSNFIXEDPRVCYBKT	115	3F Scrns Pvcy Mod Scrns Bracket
3FSNHALFDESK	110	3F Half Desk L-Screen
3FSNHEIGHTADJBKT	116	3F Screens Height AdjBracket
3FSNHOODED	112	3F Hooded Screen
3FSNKINEXCLIP	116	3F Scrns KINEX Scrn Clip
3FSNLBKT	115	3F Modesty and Privacy L-Bracket
3FSNLINEAR	108	3F Linear Screen
3FSNLSCREEN	109	3F Full Desk L-Screen
3FSNMB	117	Markerboard
3FSNSLEEVEBKT	114	3F Screens Sleeve Bracket
3FSNTOPMNTCLAMPBKT	115	3F Scrns Top Mnt Bracket Clamp
3FSNTOPMOUNTBKT	114	3F Screens Top Mount Bracket
3FSNUSCREEN	111	3F U-Screen
3FWTTILE	107	3F Wall Tile
ACTIV-CASTORS	74	ACTIV Castors for Bases
ACTVRETURNWKSF	75	ACTIV Return Worksurface
ACTVWIRETRAY	158	ACTIV Wire Tray 36"W
ACTVWORKSURF120	75	ACTIV 120 Degree Worksurface
ACTVWORKSURFACE	74	ACTIV Worksurface
AMQ999CHT	410	Greenpoint Wire Clip
AMQAWAK	375	EMBANK Cabinet Attachment Kit
AMQAWM30	410	Greenpoint Wire Manager
AMQCDWS	264	Tektis- Cord Drop Worksurfaces
AMQCFINTRO	159	WORK TOOLS Intro Single
AMQCFINTRODSLIDE	160	WORK TOOLS Intro Dual Assembly
AMQCRBK	361	EMBANK Bookcase
AMQCRBKS	362	EMBANK Stacking Bookcase
AMQCRBRG	355	EMBANK Bridge
AMQCRC	343	EMBANK Mobile Ped Cushion
AMQCRCD2HFSCC	349	EMBANK Two-High Credenza
AMQCRCD2HFSLCLFL	349	EMBANK Two-High Credenza
AMQCRCD2HFSLCLFR	349	EMBANK Two-High Credenza
AMQCRCD2HFSLFL	348	EMBANK Two-High Credenza
AMQCRCD2HFSLFR	348	EMBANK Two-High Credenza
AMQCRCD2HFSL	349	EMBANK Two-High Credenza
AMQCRCD2HFSOO	348	EMBANK Two-High Credenzas
AMQCRCD2HKSDP	350	EMBANK Two-High Credenza
AMQCRCD2HKSSPL	350	EMBANK Two-High Credenza
AMQCRCD2HKSSPR	350	EMBANK Two-High Credenza
AMQCRCT	351	EMBANK Common Top
AMQCRDSDL	352	EMBANK Desk Shell
AMQCRDSKDP	353	EMBANK Desk Shell
AMQCRDSKSPL	353	EMBANK Desk Shell
AMQCRDSKSPR	353	EMBANK Desk Shell
AMQCRDWKSF	356	EMBANK D-Shaped WS
AMQCRL15HBF	344	EMBANK 1.5-High Lateral File
AMQCRL1H	344	EMBANK 1-High Lateral File
AMQCRL2H	344	EMBANK 2-High Lateral File
AMQCRL3H	345	EMBANK 3-High Lateral File
AMQCRL4H	345	EMBANK 4-High Lateral File
AMQCRLS15HO	346	EMBANK 1.5-High Lower Storage

Style Number	Page	Description
AMQCRLS1H	346	EMBANK 1-High Lower Storage
AMQCRLS2HD	346	EMBANK 2-High Lower Storage
AMQCRLS2HO	346	EMBANK 2-High Lower Storage
AMQCRMP	374	EMBANK Modesty Panel
AMQCRMP15H	343	EMBANK 1.5-High Mobile Ped
AMQCRMP2HBBF	343	EMBANK 2-High Mobile Ped
AMQCRMP2HFF	343	EMBANK 2-High Mobile Ped
AMQCROHHD	363	EMBANK Overhead
AMQCROHOP	363	EMBANK Overhead
AMQCROHS	364	EMBANK Stacking Overhead
AMQCROHSDP	363	EMBANK Overhead
AMQCROHSHD	364	EMBANK Stacking Overhead
AMQCROHSSD	364	EMBANK Stacking Overhead
AMQCRORP	365	EMBANK Personal Organizer
AMQCRPD2HBBF	342	EMBANK 2-High Fixed Ped
AMQCRPD2HFF	342	EMBANK 2-High Fixed Ped
AMQCRPWKSF	356	EMBANK P-Shaped WS
AMQCRRECTBL	368	EMBANK Rect Table
AMQCRRTBL	367	EMBANK Round Table
AMQCRRTNL	354	EMBANK Return Shell
AMQCRRTNR	354	EMBANK Return Shell
AMQCRRTNSPL	354	EMBANK Return
AMQCRRTNSPR	354	EMBANK Return
AMQCRSQB	373	EMBANK Square leg
AMQCRSQBTBL	367	EMBANK Square Table
AMQCRTB	366	EMBANK Fabric Tackboard
AMQCRTWBFL	357	EMBANK Tower
AMQCRTWBFR	357	EMBANK Tower
AMQCRTWDBFL	358	EMBANK Tower
AMQCRTWDBFR	358	EMBANK Tower
AMQCRTWDFFL	358	EMBANK Tower
AMQCRTWDFFR	358	EMBANK Tower
AMQCRTWFFL	357	EMBANK Tower
AMQCRTWFFR	357	EMBANK Tower
AMQCRTWSABBFL	359	EMBANK Tower
AMQCRTWSABBFR	359	EMBANK Tower
AMQCRTWSAFFL	359	EMBANK Tower
AMQCRTWSAFFR	359	EMBANK Tower
AMQCRWDL	360	EMBANK Wardrobe
AMQCRWDR	360	EMBANK Wardrobe
AMQDSBULKSTRP	162	WORK TOOLS Bulk Strap Pack
AMQDSPINTRO	161	WORK TOOLS Pwrstrp Intro
AMQDSTRAYLG	162	WORK TOOLS Cbl Mng Kit Lg
AMQDSTRAYSM	162	WORK TOOLS Cbl Mng Kit Sm
AMQLOCK9201FR	379	Lock Cylinder—FR Series
AMQLOCK9201XF	379	Lock Cylinder—XF Series
AMQLSCTSKLIGHT1	160	WORK TOOLS LED Intro Sgl
AMQLSCTSKLIGHT2	160	WORK TOOLS LED Intro Dbl
AMQPCDB1	163	WORK TOOLS SOTO Intro Bndl
AMQPCDB3	163	WORK TOOLS SOTO Box Bndl
AMQRCHE2430	347	EMBANK Cushion
AMQRCHE2436	347	EMBANK Cushion
AMQRMBB	274	TEKTIS Markerboard
AMQRPXDPT	273	TEKTIS Pencil Tray
AMQRXADRL15	273	TEKTIS Rail

Style Number	Page	Description	Style Number	Page	Description
AMQTKBSTE	248	TEKTIS Vertical EOR Stacker End Cap	AMQWESARYLNG2	482	Brighton Two Seat Lounge
AMQTKBSTMC	249	TEKTIS MOR Boundary Screen Top Cap	AMQWESARYO	483	Brighton Ottoman
AMQTS2CW	272	TEKTIS Counterweight Package	AMQWESARYPWR	489	Brighton Power Module
AMQTS2FILLER	272	TEKTIS Ped Filler	AMQWESARYTBL90	484	Brighton 90° Ganging Table
AMQTS2INT	272	TEKTIS Interlock	AMQWESARYTBLED	486	Brighton End Table
AMQTS2PBBFU	254	TEKTIS Fixed Ped	AMQWESARYTBLRT	488	Brighton Rect Table
AMQTS2PFFU	254	TEKTIS Fixed Ped	AMQWESARYTBLSG	485	Brighton Straight Ganging Tbl
AMQTS7BSWHC	257	TEKTIS Wall Channels	AMQWESARYTBLSQ	487	Bright Square Table
AMQTSAE986694B	262	BASE POWER IN 4 CIRCUIT	AMQWESINDMP	409	Greenpoint Modesty Panel
AMQTSAE986694SFB	262	POWER IN-BASE,4 CKT SF	AMQWESINDPD	408	Greenpoint Private Desk
AMQTSAE98669B	262	TEKTIS Base Power-In	AMQWESINDRL	409	Greenpoint Dsk Rtn w/ Leg
AMQTSAE98669SFB	262	TEKTIS Base Power-In	AMQWESLUCS	497	Lucas Swivel Chair
AMQTSADASB	259	Duplex Recp, 15-Amp - 4-Circuit 6pk	AMQWESLUCW	497	Lucas Wire Chair
AMQTSAEGROM	263	TEKTIS Grommet Package	AMQWESMDC4NA	494	Sterling 4-Leg Armless Guest Chair
AMQTSAP3B	260	TEKTIS 3-Circuit Power Pole	AMQWESMDC4WA	494	Sterling 4-Leg with Arms Guest Chair
AMQTSAP4B	260	POLE POWER 4 CIRCUIT	AMQWESMDC5NA	495	Sterling 5-Star Armless Conference Ch
AMQTSAP3C	261	TEKTIS Cable Pole	AMQWESMDC5WA	496	Sterling 5-Star with Arms Conf Ch
AMQTSAESB	259	TEKTIS 15-Amp Receptacle	AMQWESMDCSBHNA	495	Sterling Bar Height Armless Stool
AMQTSAPB120	250	TEKTIS 120° Connector	AMQWESMES2SEAT	491	Mesa Armless Lounge
AMQTSAPBCOH	250	TEKTIS Connector Pkg	AMQWESMESC	491	Mesa Corner Lounge
AMQTSAPBWS66	250	TEKTIS Wall Start Connector Pkg	AMQWESMESCHLH	490	Mesa LH Lounge
AMQTSAPF	239	TEKTIS Tack Acoustical Pnl	AMQWESMESCHRH	490	Mesa RH Lounge
AMQTSAPS	240	TEKTIS Tack Acoustical Pnl Stkr	AMQWESMESO	492	Mesa Ottoman
AMQTSAPSG	242	TEKTIS Glass Pnl Stkr	AMQWESSLPCC	499	Slope Hgt-Adj Conference Ch
AMQTSAPTC	245	TEKTIS Vert Corner Trim	AMQWESSLPCG	498	Slope Guest Chair
AMQTSAPTCY	246	TEKTIS 120° Vert Corner Trim	AMQWESSLPCL	498	Slope Lounge Chair
AMQTSAPTE	243	TEKTIS Vert EOR Trim	AMQWESSLPCL	500	Slope Stacking Chair
AMQTSAPTXC	247	TEKTIS Vert Corner C-O-H Trim	AMQWESSLPB	499	Slope Bar Height Stool
AMQTSAPTXS	244	TEKTIS Vert In-Line C-O-H Trim	APS2	66	ACTIV PRO 2.0 2 Stage Desk
AMQTSASLCL	256	TEKTIS Lam Common Shelf	APS2B	68	ACTIV PRO 2.0 2 Stage Base
AMQTSASUBL	255	TEKTIS Bin	APS3	67	ACTIV PRO 2.0 3 Stage Desk
AMQTSATCANT	252	TEKTIS Cantilever w/ Tie Plt	APS3120	72	ACTIV PRO 2.0 120 Degree Desk
AMQTSATEP	252	TEKTIS On-Mod End Pnl	APS390	70-71	ACTIV PRO 2.0 90° Desk with Return
AMQTSATH	252	TEKTIS H-Leg	APS3B	69	ACTIV PRO 2.0 3 Stage Base
AMQTSATP27	252	TEKTIS Post Leg	APS3L3B	73	ACTIV 2.0 3-leg Base
AMQTSATPL	375	EMBANK In-Line Support Plt	APS3STRETCHER	74	ACTIV 2.0 Extended Stretcher Bar
AMQTSATRC	375	EMBANK Reinforcing Channel	BODICHAIR	443	BODI Task Chair
AMQTSATSIDE	253	TEKTIS Side Support Bracket	BODISEATCOVER	444	BODI Seat Cover
AMQTSATTIE	375	EMBANK Tie Plates	BOOSTPOWER	157	Boost Power Box
AMQTSAWLCC	267	TEKTIS Curved Corner WS	BRNL4PK	457	Brin Chair
AMQTSAWLCF	266	TEKTIS Straight Corner WS	BRNW4PK	457	Brin Chair
AMQTSAWLEL	268	TEKTIS LH Ext Curved Corner WS	CLCASTERS	86	CLUVO Casters
AMQTSAWLER	269	TEKTIS RH Ext Curved Corner WS	CLCBASKET	86	CLUVO Cable Basket
AMQTSAWLR	265	TEKTIS Straight WS	CLS2	84	CLUVO 2 Stage Desk
AMQTSAWLT	271	TEKTIS Transaction Worksurface	CLS2B	85	CLUVO 2 Stage Base
AMQTSAWLY	270	TEKTIS 120° Corner WS	CLS3	84	CLUVO 3 Stage Desk
AMQTSWB	258	TEKTIS Wall Channel Horizontal Brace	CLS3B	85	CLUVO 3 Stage Base
AMQUCANT	253	Tektis - On-Module Cantilever	CNCRFRAME	91	CONCUR Frame
AMQWEM1	500	Slope Guest Chair—Stocked	CNCRMODESTY	94	CONCUR Modesty Panel
AMQWEM2	501	Slope Lounge Chair—Stocked	CNCRTABLE	90	CONCUR Table
AMQWEM3	502	Slope Conference Chair—Stocked	CNCRIZUBNDL	92	CONCUR TIZU Seating bundle
AMQWEM66	501	Slope Bar Stool—Stocked	CNCRWORKSURFACE	94	CONCUR Worksurface
AMQWEM70	493	Nimbus Conf Chair	CONCUR-EE-CB	93	CONCUR Power Base In-Feed
AMQWEM8	411	Linear Personal Table	CONCUR-EE-CNT	93	60" Power Link
AMQWESARYLNG1	481	Brighton One Seat Lounge	CONCUR-EE-JMP	93	24" Power Jumper

Style Number Index, continued

Style Number	Page	Description
CONCUR-GK	94	CONCUR Ganging Kit
EMCAFERDTBL	369	Café-Height Round
EMCAFESQTBL	369	Café Height Square
EMLKD2	398	Locker - Double Wide, 2 Door
EMLKD4	399	Locker - Double Wide, 4 Door
EMLKD6	400	Locker - Double Wide, 6 Door
EMLKD8	400	Locker - Double Wide, 8 Door
EMLKMKEY	402	Manager Key
EMLKPKEY	402	Programming Key
EMLKS1	395	Locker - Single Wide, 1 Door
EMLKS2	396	Locker - Single Wide, 2 Door
EMLKS3	397	Locker - Single Wide, 3 Door
EMLKS4	397	Locker - Single Wide, 4 Door
EMLKSHFD	401	Shelf - Adjustable, Double Wide Locker
EMLKSHFS	401	Shelf - Adjustable, Single Wide Locker
EMUWPOWER	372	Single Unit Power Module
EMWRDTBL	370	Working-Height Round
EMWRSQTBL	371	Working-Height Square
FLXXBACKCOVER	448	FL-X Chair, Fabric Back Cover
FLXXCHAIR	447	FL-X Chair
FLXXSEATCOVER	448	FL-X Chair, Fabric Seat Cover
ILNEBASE	46	ILINE Base Kit
ILNEBEAM	44	ILINE Beam
ILNECHIPWR	51	ILINE Chicago Power Box
ILNEPOST	45	ILINE Post Kit
ILNEPOWERPOLE	48	ILINE Power Pole
ILNEWIRETRAY	158	ILINE Wire Tray
JAKU001	418	JAKU Pre-Configured Chair
JAKU002	418	JAKU Pre-Configured Chair
JAKU003	419	JAKU Pre-Configured Chair
JAKU004	419	JAKU Pre-Configured Chair
JAKU005	420	JAKU Pre-Configured Chair
JAKU006	420	JAKU Pre-Configured Chair
JAKU007	421	JAKU Pre-Configured Chair
JAKU008	421	JAKU Pre-Configured Chair
JAKUCHAIR	417	JAKU Task Chair
JAKUSEATCOVER	422	AMQ JAKU Seat Cover
KINXBASE	29	KINEX Base
KINXBEAM	32	Kinex- Beam
KINXBENCH	28	KINEX Bench
KINXCHIPWR	51	KINEX Chicago Power Box
KINXCROSSBEAM	32	Kinex- Cross Beam
KINXDBLJUNCTIONBLK	50	KINEX Double sided Jnctn Block
KINXENDPANEL	31	KINEX End Panel
KINXFEET	32	KINEX Feet
KINXPOWERPOLE	48	KINEX Power Pole
KINXSGLJUNCTIONBLK	50	KINEX Single sided Jnctn Block
KINXWORKSURFACE	30	KINEX Worksurface
MONITORARM	159	Single Monitor Arm
PPCHAIR	437	PERSONALITY PLUS Chair
PPHEADREST	439	PERSONALITY PLUS Headrest
PPSTOOL	438	PERSONALITY PLUS Stool
PWRCRECEPTACLE	52	Power C Receptacle for KINEX
PWRENTRY	49	Power Entry
PWRGRECEPTACLE	52	ILINE Power G-Receptacle

Style Number	Page	Description
PWRJUMPER	53	Power Adj Jumper Adapter
PWRJUNCTIONBLK	51	ILINE Double Sided Jnctn Block
REVI-BH	125	REVI Bag Hook
REVI-FP	125	REVI File Pocket
REVI-PNCLTRY	124	REVI Pencil Tray
REVICUSHION	124	REVI Cushion
REVLAPTOPSHELF	125	REVI Laptop Shelf
REVIPEDestal	122	REVI Pedestal
REVISHelf	124	REVI Undermount Shelf
REVIUNDERMOUNT	123	REVI Undermount
SS-CRK	135	S Series Core Removal Key
SS-LCK	135	S Series Lock Core and Keys
SS-MK	136	S Series Master Key
SSFL2H	133	S-SERIES 2-High Lateral File
SSFP2H	132	SERIES 2-High Pedestal
SSLATCUSH	135	S-Series Enhanced Lateral Cushion
SSPEDCUSH	134	S-Series Enhanced Pedestal Cushion
SSRSPEDestal	132	S-SERIES Storage Pedestal
SSRSSTORAGE	133	S-SERIES Storage, 1.5 H
SSWTFF	134	S-SERIES Tower
SWALLBH	167	Binder Holder
SWALLCUP	169	Pen/Pencil Cup
SWALLDISH	169	Double Square Dish
SWALLFS	164	Freestanding Slatwall Stanchions
SWALLHB	169	Hanging Brackets
SWALLHOOK	171	Coat Hook
SWALLOF	170	Office in a File
SWALLPF	168	PaperFlo Manager
SWALLPM	166	Panel-Mount Brackets
SWALLPM42	166	Panel-Mount Brac for 42H Tektis Panel
SWALLPS	170	Personal Shelf
SWALLTACK	171	Tackstrip
SWALLTC	170	Telephone Caddy
SWALLTILE	165	Slatwall Tiles
SWALLTRAY	167	Trays
SWALLUS	168	Universal Shelves, Single Pack
SWALLUS3	168	Universal Shelves, Three Pack
SWALLWB	171	Wastebasket
SWALLWM	166	Wall-Mount Brackets
TIZU-GLD	454	AMQ TIZU Glides, Set of 4
TIZUNEST	453	TIZU Nesting Chair Multipurpose
TIZUSEATCOVER	454	TIZU Seat Cover
TIZUWORK	452	TIZU Task Chair
TKBSSPNE	276	TEKTIS EOR Screen, Spanning
TKBSSPNEL	281	TEKTIS L EOR Screen, Spanning
TKBSSPNM	279	TEKTIS MOR Screen, Spanning
TKBSSPNML	283	TEKTIS L MOR Screen, Spanning
TKBSSPTE	277	TEKTIS EOR Screen, Split
TKBSSPTL	281	TEKTIS L EOR Screen, Split
TKBSSPTM	279	TEKTIS Middle-of-Run Screen, Split
TKBSSPTML	283	TEKTIS L Middle-of-Run Screen, Split
TKBSSSE	276	TEKTIS EOR Screen, Sgl-Sided
TKBSSSEL	280	TEKTIS L EOR Screen, Sgl-Sided
TKBSSSM	278	TEKTIS MOR Screen, Sgl-Sided
TKBSSSML	282	TEKTIS L MOR Screen, Sgl-Sided

Style Number	Page	Description
TKFGS	241	TEKTIS Frameless Glass Stacker
TKHMB	284	TEKTIS Hanging Markerboard
UBLIGHT17	172	17" Stand Alone Light
UBLIGHT31	172	31" Stand Alone or Daisy Chain Str Lt
UBLIGHT44	172	44" Stand Alone or Daisy Chain Str Lt
X-3F-SUSPENSION	113	3F Hanging Pnl Ceil Susp
X-3F-TAPE	117	3F Wall Tile, Tape 1" x 36 yds
X-E-PB4	157	Eco Power Box 2 outlet
X-E3-BF-CD72	50	3-Circuit Corded Pwr Entry Base
X-E3-YC	53	3-Circuit Y Connector
X-E4-BF-CD72	50	4-Cir Corded Pwr Entry Base
X-FCMT	157	ACTIV Soft Cable Management
ZILO001	426	ZILO Pre-Configured Chair
ZILO002	427	ZILO Pre-Configured Chair
ZILO003	428	ZILO Pre-Configured Chair
ZILO004	429	ZILO Pre-Configured Chair
ZILO005	430	ZILO Pre-Configured Chair
ZILO006	431	ZILO Pre-Configured Chair
ZILO007	432	ZILO Pre-Configured Chair
ZILO008	433	ZILO Pre-Configured Chair
ZILOCHAIR	425	ZILO Task Chair
ZILOSEATCOVER	434	ZILO Seat Cover

